CITY OF ERIE, PENNSYLVANIA ADA CURB RAMP PROGRAM

2020 PROGRESS REPORT



Department of Public Works Bureau of Engineering January 31, 2021

INSPECTION CERTIFICATION

This is to certify that ADA/ADAAG compliant curb ramps were constructed in the City of Erie in 2020 as defined in the 2020 Progress Report.

The curb ramps listed in these Appendices were inspected by the City of Erie, Bureau of Engineering personnel using the ADAAG Guidelines. The curb ramps constructed by the City of Erie were measured and inspected and found to be compliant at the time of inspection with noted exceptions. Exceptions will be corrected as soon as possible by the contractor at no expense to the City of Erie. Truncated domes were installed as required.

The City of Erie certifies that required ADAAG curb ramps were installed in City of Erie right-of-way on 2020 City of Erie resurfacing projects and that the City of Erie retrofit curb ramps inventory were installed as required, with noted exceptions to be corrected. This report is accurate to the best of my knowledge.

Joh∕Tushak,∕P ≊ity Engineer

CITY OF ERIE DEPARTMENT OF PUBLIC WORKS BUREAU OF ENGINEERING 2020 CURB RAMPS SUMMARY

RETROFIT & NEW RAMP CONSTRUCTION

<u>Contract</u>	Bid Number	Total Ramp <u>Constr.</u>	Included Tees <u>Constr.</u>	Included Overlay Constr.
2020 Curb Ramps - 1 2020 Curb Ramps - 2 2020 Curb Ramps - 3	1765-20 1771-20 1772-20	27 136 121	3 10 62	14 42 70
Total Ramps Constructed 2	2020	284	75	126

Milling and Asphalt Re	surfacing 1 -	CDBG Funding	7					
Bid No. 1766-20								
		From					Total	
Street	Line	Start	Line	Finish	L	W	SY	
East Side Main Runs								
EAST 10	EL	DOWNING	WL	BACON	756	28	2352	NRI
West Side Main Runs								
WEST 21	EL	CRANBERRY	WL	RASPBERRY	684	30	2280	NRI
East Residential								
EAST 3	WL	WALLACE	EL	PARADE	668	30	2227	1,2,3,4,5,6,7,8, @ WALLACE
WALLACE	NL	EAST 3	SL	EAST 2	354	31	1219	NRI
EAST 11	EL	EAST AVE	WL	PENNSYLVANIA	588	31	2025	6 @ BREWSTER
EAST 19	EL	PARADE	WL	ASH	1332	30	4440	2,3,4,5,6,@ WALLACE
WALLACE	SL	EAST 21	NL	EAST 22	295	29	951	NRI
EAST 14	EL	PARADE	WL	GERMAN	790	25	2194	NRI
EAST 20	WL	GASKELL	WL	WHITLEY	656	31	2260	5,6,7,8,@ GASKELL
West Residential								
WEST 7	NL	CHERRY	EL	POPLAR	688	26	1988	NRI
WALNUT	NL	WEST 9	SL	WEST 8	355	29	1144	NRI
CHESTNUT	SL	WEST 8	NL	WEST 9	348	29	1121	1,2,,7,8,@ WEST 8
PLUM	NL	WEST 26	SL	WEST 24	645	30	2150	
MYRTLE	SL	WEST 23	NL	WEST 26	980	29	3158	NRI

Total 29508

Series	Milling and Asphalt Resu	urfacing 2							
Street Line From Line Finish Line Finish Line Total									
Start Line Start Line Finish L. W SY	5.0 1.01 17 07 20		From					Total	
BUFFALO WL. EAST AVE WL. EAST AVE WL. EAST 38 1576 33 5775 NRI BUFFALO WL. EAST AVE WL. EAST 38 1576 33 5775 NRI MCCLELLAND 0 FT N OF E8 290 NL EAST 38 1590 31 4788 West Side Main Runs 1 W. WEST 24 SL WEST 19 942 40 4187 NRI SASSAFRAS SL WEST 21 NL WEST 26 636 29 2049 NRI SASSAFRAS SL WEST 21 NL WEST 26 636 29 2049 NRI SASSAFRAS SL WEST 21 NL WEST 26 636 29 12089 NRI SASSAFRAS SL WEST 21 NL WEST 28 615 31 2118 NRI SASSAFRAS SL WEST 21 NL WEST 8 38 36 1352 NRI WEST 30 EL GLENWOOD PRIK WL STATE 1264 60 NRI CHERRY (SB) SL PEACH NL WEST 38 370 21 863 NRI EAST 38 EL HSS WL. WEST 38 370 21 863 NRI ATKINS E EL EAST AVE WL. PAYNE 55 11 863 NRI EAST 38 EL HSS WL. PAYNE 55 11 863 NRI EAST 38 EL HSS WL. PAYNE 55 11 863 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 31 WL. PRINCH EL STATE 364 27 1057 NRI EAST 32 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 366 37 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 364 27 1057 NRI EAST 33 WL. PRINCH EL STATE 365 37 30 31 1267 NRI EAST 34 WL. PRINCH EL STATE 365 37 30 31 1267 NRI EAST 35 WL. PRINCH EL STATE 365 37 30 31 1267 NRI EAST 35 WL. PRINCH EL STATE	Stroot	Line		Line	Finish		\٨/		
BUFFALO	Street	LIIIC	Start	LIIIC	1111311	_	**	31	
BUFFALO	Fast Side Main Runs								
MCCLELLAND	Last Slac Ivialii Kalis	+							
MCCLELLAND	RIJEEALO	\\/\	EAST AVE	\\/\	EACT 10	1575	22	5775	NIDI
ZIMMERMAN		_							
West Side Main Runs									1,2,3,4,3@ALAN + 1,7,6@GENESEE
PEACH	ZIIVIIVIERIVIAIN	4040	ZIIVIIVIERIVIAIN	JL.	EA31 30	1390	31	4700	
PEACH	Mast Cida Main Duns	1							
SASSAFRAS S.L WEST 24	West side Main Runs								
SASSAFRAS S.L WEST 24	DEACH	NII	WEST 24	CI	WEST 10	042	40	4107	NIDI
SASSAFRAS S.L WEST 21									
SASSAFRAS SL WEST 7		1							
SASSARAS SL WEST 8									
WEST 30									
CHERRY (SB)		1							
East Side Residential East Side Residential East Side Residential EL EAST AVE WL BRANDES 1288 42 6011 NRI 2266 NRI 2267 NRI 2268 30 953 NRI 2267 1,2,3,4,5,6,7 @ LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA EL STATE EL MERCH EL STATE EL STATE EAST 14 EAST 10 EAST 10 EAST 18 EAST 14 EL STATE EAST 14 EL STATE EAST 14 EL STATE EAST 10 EA									
ATKINS EL EAST AVE WL BRANDES 128 42 6011 NRI EAST 8 EL HESS WL PAYNE 658 31 2266 NRI EAST 8 EL BRANDES WL PAYNE 972 29 3132 NRI PAYNE SL EAST 9 NL EAST 10 286 30 953 NRI BRANDES NL EAST 10 SL EAST 8 588 20 1307 6 RAMPS @ 8N + 6 RAMPS @ 8S EAST 13 WL FRENCH EL STATE 364 27 1092 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI THOMPSON NL EAST 20 SL EAST 18 544 20 1209 2,3,@ EAST 20 +2,3 @ EAST 19 +2,3 @PARKING LOT DOWNING SL FAIRMONT 5 FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,6,7 @ LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4,@ EAST 24 + 5,7,8 @ EAST 23 WEST SIGN RESIDENTIAL WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,0 DELEWARE WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,0 DELEWARE WEST 32 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,0 DELEWARE WEST 33 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 5890 NRI MAPLE NL WEST 32 SL WEST 36 51 WEST 36 52 5990 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	CHERRY (SB)	SL	PEACH	NL	WEST 38	3/0	21	863	INKI
ATKINS EL EAST AVE WL BRANDES 128 42 6011 NRI EAST 8 EL HESS WL PAYNE 658 31 2266 NRI EAST 8 EL BRANDES WL PAYNE 972 29 3132 NRI PAYNE SL EAST 9 NL EAST 10 286 30 953 NRI BRANDES NL EAST 10 SL EAST 8 588 20 1307 6 RAMPS @ 8N + 6 RAMPS @ 8S EAST 13 WL FRENCH EL STATE 364 27 1092 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI THOMPSON NL EAST 20 SL EAST 18 544 20 1209 2,3,@ EAST 20 +2,3 @ EAST 19 +2,3 @PARKING LOT DOWNING SL FAIRMONT 5 FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,6,7 @ LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4,@ EAST 24 + 5,7,8 @ EAST 23 WEST SIGN RESIDENTIAL WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,0 DELEWARE WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,0 DELEWARE WEST 32 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,0 DELEWARE WEST 33 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 5890 NRI MAPLE NL WEST 32 SL WEST 36 51 WEST 36 52 5990 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	5 C'. L. D L L							1	
EAST 8 EL HESS WL PAYNE 658 31 2266 NRI EAST 8 EL BRANDES WL PAYNE 972 29 3132 NRI PAYNE 5L EAST 9 NL EAST 10 286 30 953 NRI BRANDES NL EAST 10 SL EAST 8 588 20 1307 6 RAMPS @ 8N + 6 RAMPS @ 8S EAST 13 WL FRENCH EL STATE 364 27 1092 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI EAST 15 FAIRMONT S FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,6,7 @ EAST 39 EA	East Side Residential								
EAST 8 EL HESS WL PAYNE 658 31 2266 NRI EAST 8 EL BRANDES WL PAYNE 972 29 3132 NRI PAYNE 5L EAST 9 NL EAST 10 286 30 953 NRI BRANDES NL EAST 10 SL EAST 8 588 20 1307 6 RAMPS @ 8N + 6 RAMPS @ 8S EAST 13 WL FRENCH EL STATE 364 27 1092 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI EAST 15 FAIRMONT S FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,6,7 @ EAST 39 EA	ATIVING	F1	EACT AVE	14/1	DDANIDES	4200	42	6044	NID
EAST 8 EL BRANDES WL PAYNE 972 29 3132 NRI PAYNE SL EAST 9 NL EAST 10 286 30 953 NRI BRANDES NL EAST 10 SL EAST 8 588 20 1307 6 RAMPS @ 8N + 6 RAMPS @ 8S EAST 13 WL FRENCH EL STATE 364 27 1092 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI THOMPSON NL EAST 20 SL EAST 18 544 20 1209 12,3,@ EAST 20 + 2,3 @ EAST 19 + 2,3 @PARKING LOT DOWNING SL FAIRMONT 5 FT 5 OF S GLENDALE 680 30 2267 1,2,3,4,5,8@ LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8,@EAST 24 + 5,7,8 @ EAST 23 WEST 3 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,0 DELEWARE WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1999 1,2,7,8,0 WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL WEST 32 SL WEST 36 338 27 1014 1,2,7,8,0 WEST 36 CASCADE NL WEST 32 SL WEST 36 30 028 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI									
PAYNE									
BRANDES NL EAST 10 SL EAST 8 588 20 1307 6 RAMPS @ 8N + 6 RAMPS @ 8S EAST 13 WL FRENCH EL STATE 364 27 1092 NNI EAST 14 WL FRENCH EL STATE 360 27 1092 NNI HONDON NL EAST 20 SL EAST 18 544 20 1209 2,3,@ EAST 20 + 2,3 @ EAST 19 + 2,3 @ PARKING LOT DOWNING SL FAIRMONT 5 FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,8@ LINWOOD N + 2,3,4,5,6,7@ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY WL EAST 23 <t< td=""><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		1							
EAST 13 WL FRENCH EL STATE 364 27 1092 NRI EAST 14 WL FRENCH EL STATE 360 31 1240 NRI THOMPSON NL EAST 20 SL EAST 18 544 20 1209 2,3,@ EAST 20 + 2,3 @ EAST 19 + 2,3 @PARKING LOT DOWNING SL FAIRMONT 5 FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,8@ LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8,@EAST 24 + 5,7,8 @ EAST 23 West 5ide Residential Sel EAST 24 BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MEST 36 SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI		_							
EAST 14 WL FRENCH EL STATE 360 31 1240 NRI THOMPSON NL EAST 20 SL EAST 18 544 20 1209 2,3,@ EAST 20 + 2,3 @ FAST 19 + 2,3 @ PARKING LOT DOWNING SL FAIRMONT 5FTS OFS GLENDALE 680 30 2267 1,2,3,4,5,8 LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WANNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 West Side Residential SAIKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MCKILOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI		1							
THOMPSON NL EAST 20 SL EAST 18 544 20 1209 2,3,@ EAST 20 + 2,3 @ EAST 19 + 2,3 @PARKING LOT DOWNING SL FAIRMONT 5 FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,8@ LINWOOD N + 2,3,4,5,6,7 @ LINWOOD S FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,4,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,Ø DELEWARE WEST 2									
DOWNING SL FAIRMONT 5 FT S OF S GLENDALE 680 30 2267 1,2,3,4,5,8@ LINWOOD N + 2,3,4,5,6,7@ LINWOOD S FLORIDA FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,4,5,6,7,@ EAST 30 2267 INRI EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 90 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 WEST 36 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,@ DELEWARE WEST 32 EL BERST WL HAYBARGER 686 30 2287 <t< td=""><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		_							
FLORIDA WL ASH SL EAST 28 1624 29 5233 1,2,3,5,6,7,@ EAST 30 EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 300 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 1,67,8@EAST 24 565 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 WEST 36 REAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 WEST 39 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,@ DELEWARE 48 1985 1,2,3,4,5,6,@ DELEWARE 48 1985 1,2,3,4,5,6,@ DELEWARE 48 1985 1,2,3,4,5,6,@ DELEWARE 48 48 48 1985		_							
EAST 29 WL PERRY EL WAYNE 636 32 2261 NRI EAST 33 WL PINE WL WALLACE 530 31 1826 1,2,3,4,5,6,7,8,@WALLACE EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 West Side Residential									
EAST 33		_							
EAST 32 WL HOLLAND EL FRENCH 683 31 2353 NRI MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 West Side Residential									
MCKINLEY EL EAST AVE 00 FT EAST MCKINLEY 300 28 933 1,4@EAST 23 MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 West Side Residential Image: Company of the company of th									
MCKINLEY WL EAST 23 SL EAST 24 665 28 2069 1,6,7,8@EAST 24 + 5,7,8 @ EAST 23 West Side Residential Image: Control of the con									
West Side Residential EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,@ DELEWARE WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,@ DELEWARE WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI </td <td>MCKINLEY</td> <td>EL</td> <td>EAST AVE</td> <td>300 FT EAST</td> <td>MCKINLEY</td> <td>300</td> <td>28</td> <td></td> <td></td>	MCKINLEY	EL	EAST AVE	300 FT EAST	MCKINLEY	300	28		
WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,@ DELEWARE WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	MCKINLEY	WL	EAST 23	SL	EAST 24	665	28	2069	1,6,7,8@EAST 24 + 5,7,8 @ EAST 23
WEST 9 EL KAHKWA WL DELEWARE 638 28 1985 1,2,3,4,5,6,@ DELEWARE WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI									
WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	West Side Residential								
WEST 23 EL BERST WL HAYBARGER 686 30 2287 1,2,3,4,5,6,7,8,@BERST OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI									
OAKWOOD NL WEST 38 SL WEST 36 678 26 1959 1,2,7,8,@ WEST 36 WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI									
WEST 36 EL HARVARD WL WASHINGTON 2416 32 8590 NRI MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI									
MAPLE NL PEACH SL WEST 36 338 27 1014 1,2,7,8,@WEST36 CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI		NL	WEST 38	SL	WEST 36	678	26	1959	1,2,7,8,@ WEST 36
CASCADE NL WEST 32 SL WEST31 296 30 987 NRI KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	WEST 36	EL	HARVARD	WL	WASHINGTON	2416	32	8590	NRI
KELLOG SL MOOREHEAD CUL-DE-SAC 900 28 2800 NRI WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	MAPLE	NL	PEACH	SL	WEST 36	338	27	1014	1,2,7,8,@WEST36
WEST 4 WL COLORADO EL PITTSBURGH 284 25 789 NRI	CASCADE	NL	WEST 32	SL	WEST31	296	30	987	NRI
	KELLOG	SL	MOOREHEAD		CUL-DE-SAC	900	28	2800	NRI
WEST 31 WL PEACH EL COCHRAN 292 29 941 NRI	WEST 4	WL	COLORADO	EL	PITTSBURGH	284	25	789	NRI
	WEST 31	WL	PEACH	EL	COCHRAN	292	29	941	NRI

Total 94961

Case 1:02-cv-00203-SPB Document 90-1 Filed 02/02/21 Page 6 of 120

FDR and Asphalt F	Resurfacing -	. 3						
Bid No.1768-20	Τ							
		From					Total	
Street	Line	Start	Line	Finish	L	W	SY	
East Side FDR								
LAKESIDE	EL	EUCLID	WL	CHAUTAQUA	788	26	2276	NRI
JUNE	NL	EAST 16	NL	EAST 18	570	29	1837	NRI
JUNE	SL	EAST 18	NL	EAST 19	270	29	870	NRI
STANTON	SL	EAST 38	NL	EAST GRANDVIEW	2760	25	7667	NRI
MAXWELL	SL	EAST 38	NL	EAST 41	1100	25	3056	NRI
LINWOOD	WL	MCCLELLAND	2040	LINWOOD	1362	26	3935	NRI
GLENDALE	2006	GLENDALE	WL	JUNE	612	22	1496	NRI
TUTTLE	SL	EAST 30	NL	EAST 35	1532	26	4426	2,3,@EAST 33
West Side FDR								
BAUR LANE	NL	WEST 25	SL	WEST 21	1160	28	3609	6,7@WEST 23 + 6,7 @ WEST 22
EDGEVALE	NL	HILLTOP	SL	WEST ARLINGTON	350	20		NRI
PLUM	NL	WEST 38	SL	WEST 34	1315	28	4091	5,6@34TH + 1,8@WEST 35 + 1,8@WEST 36

Total 34040

Work Performed by the City of Erie Bureau of Streets in 2020

WOIK PEHOIIII	ed by the city of the Bureau of Streets in 2	2020			TOTAL
DATE	LOCATION	Mat Typ	PRICE	TONS	TONS
5/4/20	Parade 19th - 23rd - level	9.5mm	63.75	2.000	
5/4/20	Parade 19th - 23rd - level	9.5mm	63.75	14.940	
5/4/20	Parade 19th - 23rd - level	9.5mm	63.75	14.990	
5/4/20	Parade 19th - 23rd - level	9.5mm	63.75	14.980	
5/4/20	Parade 19th - 23rd - level	9.5mm	63.75	14.930	61.8400
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.990	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75		voided
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75		voided
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75		voided
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	15.060	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.950	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	15.060	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.980	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.990	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.970	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	15.050	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.920	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.970	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.990	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	15.010	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	15.030	
5/6/20	Parade 19th - 23rd - top	9.5 w/fiber	73.75	14.990	209.9600
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	15.080	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	15.000	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	14.950	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	14.960	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	14.970	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	14.950	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	8.980	
5/6/20	East 18th - Parade to German	9.5 w/fiber	73.75	15.000	113.8900
5/8/20	W 10th	9.5 w/fiber	73.75	15.230	
5/8/20	W 10th	9.5 w/fiber	73.75	14.980	
5/8/20	W 10th	9.5 w/fiber	73.75	14.980	
5/8/20	W 10th	9.5 w/fiber	73.75	14.960	
5/8/20	W 10th	9.5 w/fiber	73.75	14.960	
5/8/20	W 10th	9.5 w/fiber	73.75	14.960	
5/8/20	W 10th	9.5 w/fiber	73.75	15.000	
5/8/20	W 10th	9.5 w/fiber	73.75	14.910	
5/8/20	W 10th	9.5 w/fiber	73.75	15.050	
5/8/20	W 10th	9.5 w/fiber	73.75	14.980	
5/8/20	W 10th	9.5 w/fiber	73.75	14.980	
		•			

5/8/20	W 10th	9.5 w/fiber	73.75	14.990	
5/8/20	W 10th	9.5 w/fiber	73.75	15.000	
5/8/20	W 10th	9.5 w/fiber	73.75	14.930	
5/8/20	W 10th	9.5 w/fiber	73.75	15.000	
5/8/20	W 10th	9.5 w/fiber	73.75	14.960	
5/8/20	W 10th	9.5 w/fiber	73.75	14.950	
5/8/20	W 10th	9.5 w/fiber	73.75	11.990	266.8100
		,			
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	14.970	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.020	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.030	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	-	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	14.970	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.070	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.020	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	14.950	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.010	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.050	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	14.970	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	14.980	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	15.020	
5/19/20	Cranberry 6th - 8th - top	9.5	63.75	11.980	192.0400
3/19/20	Cranberry oth - 8th - top	9.5	03.73	11.560	192.0400
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	15.030	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	15.050	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	15.010	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	13.010	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	14.950	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	15.000	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	14.970	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	15.010	
5/20/20		9.5	63.75	15.060	
5/20/20	W 7th Cranberry - Raspberry - top W 7th Cranberry - Raspberry - top	9.5	63.75	15.060	
5/20/20			63.75	15.020	
5/20/20	W 7th Cranberry - Raspberry - top	9.5 9.5	63.75	14.940	
	W 7th Cranberry - Raspberry - top				
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.990	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	15.040	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.960	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.970	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.980	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.980	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	15.010	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	15.040	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.980	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	-	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	15.040	
5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.900	

5/20/20	W 7th Cranberry - Raspberry - top	9.5	63.75	14.990	344.9800
F /21 /20	27th Doct intersection	0.5	62.75	14.050	
5/21/20	27th Post intersection 27th Post intersection	9.5	63.75	14.950	20.0500
5/21/20	27th Post Intersection	9.5	63.75	15.000	29.9500
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	15.010	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.990	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.980	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.990	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	15.020	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	15.020	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.990	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.990	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	15.000	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.980	
5/26/20	W 2nd - Cherry - Poplar - leveling	19mm/fib	68.75	14.950	164.9200
	· ·				
6/15/20	Naple	19 mm/fib	68.75	15.020	
6/15/20	Naple	19 mm/fib	68.75	15.040	
6/15/20	Naple	19 mm/fib	68.75	15.000	
6/15/20	Naple	19 mm/fib	68.75	15.020	
6/15/20	Naple	19 mm/fib	68.75	15.000	75.0800
6/16/20	Albermarle - level	19mm/fib	68.75	15.060	
6/16/20	Albermarle - level	19mm/fib	68.75	14.940	
6/16/20	Albermarle - level	19mm/fib	68.75	14.950	
6/16/20	Albermarle - level	19mm/fib	68.75	15.02	
6/16/20	Albermarle - level	19mm/fib	68.75	15.04	
6/16/20	Albermarle - level	19mm/fib	68.75	14.94	89.95
6/16/20	Naple - top	9.5 w/fiber	73.75	15.04	
6/16/20	Naple - top	9.5 w/fiber	73.75	14.93	
6/16/20	Naple - top	9.5 w/fiber	73.75	14.97	
6/16/20	Naple - top	9.5 w/fiber	73.75	14.98	
6/16/20	Naple - top	9.5 w/fiber	73.75	14.95	
6/16/20	Naple - top	9.5 w/fiber	73.75	15.03	
6/16/20	Naple - top	9.5 w/fiber	73.75	15.02	440.0000
6/16/20	Naple - top	9.5 w/fiber	73.75	5.98	110.9000
6/16/20	Albermarle - top	9.5 w/fiber	73.75	14.94	
6/16/20	Albermarie - top Albermarie - top	9.5 w/fiber	73.75 73.75	14.94 15.02	
6/16/20	Albermarle - top	9.5 w/fiber	73.75 73.75	15.02	
6/16/20	Albermarle - top	9.5 w/fiber	73.75 73.75	14.95	
6/16/20	Albermarle - top	9.5 w/fiber	73.75 73.75	14.93	
6/16/20	Albermarle - top	9.5 w/fiber	73.75 73.75	14.90 15.05	
6/16/20	Albermarle - top	9.5 w/fiber	73.75 73.75	14.96	
6/16/20	Albermarle - top	9.5 w/fiber	73.75	14.90	119.7600
0/ 10/ 20	Alberniane - top	J.J W/IIDEI	/3./3	14.74	113.7000

6/18/2	20 Hillcrest - top	9.5mm	63.75	15.030	
6/18/2	20 Hillcrest - top	9.5mm	63.75	15.000	
6/18/2	20 Hillcrest - top	9.5mm	63.75	15.000	
6/18/2	20 Hillcrest - top	9.5mm	63.75	15.000	
6/18/2	20 Hillcrest - top	9.5mm	63.75	14.960	
6/18/2	20 Hillcrest - top	9.5mm	63.75	15.010	
6/18/2	20 Hillcrest - top	9.5mm	63.75	14.940	
6/18/2	•	9.5mm	63.75	15.040	
6/18/2	·	9.5mm	63.75	15.000	
6/18/2	•	9.5mm	63.75	14.850	
6/18/2	·	9.5mm	63.75	14.980	
6/18/2	·	9.5mm	63.75	14.990	
6/18/2	· · · · · · · · · · · · · · · · · · ·	9.5mm	63.75	15.040	
6/18/2		9.5mm	63.75	14.910	
6/18/2	·	9.5mm	63.75	15.080	
6/18/2	•	9.5mm	63.75	10.010	
	,				
6/19/2	20 Hillcrest Gore - Hilltop - leveling	19mm/fib	68.75	14.980	
6/19/2		19mm/fib	68.75	15.030	
6/19/2		19mm/fib	68.75	14.890	
6/19/2		19mm/fib	68.75	5.030	49.9300
	· · · · · ·				
6/22/2	20 Hillcrest Gore - Hilltop - top	9.5 w/fiber	73.75	15.060	
6/22/2	20 Hillcrest Gore - Hilltop - top	9.5 w/fiber	73.75	14.990	
6/22/2	20 Hillcrest Gore - Hilltop - top	9.5 w/fiber	73.75	15.000	
6/22/2	20 Hillcrest Gore - Hilltop - top	9.5 w/fiber	73.75	14.960	60.0100
6/23/2	20 1300 blk Brown Ave	9.5m w/rap	63.75	15.060	
6/23/2	20 1300 blk Brown Ave	9.5m w/rap	63.75	15.060	30.1200
6/24/2	20 Norman Way - level	9.5 w/fiber	73.75	14.940	
6/24/2	20 Norman Way - level	9.5 w/fiber	73.75	15.090	30.0300
6/24/2	20 Cherry 32nd - 29th	9.5 w/fiber	73.75	15.070	
6/24/2	20 Cherry 32nd - 29th	9.5 w/fiber	73.75	14.900	
6/24/2	·	9.5 w/fiber	73.75	14.900	
6/24/2	20 Cherry 32nd - 29th	9.5 w/fiber	73.75	14.930	
6/24/2	20 Cherry 32nd - 29th	9.5 w/fiber	73.75	15.140	60.0400
6/25/2	·	9.5 w/fiber	73.75	15.060	
6/25/2	·	9.5 w/fiber	73.75	2.990	
6/25/2	·	9.5 w/fiber	73.75	15.090	
6/25/2	·	9.5 w/fiber	73.75	15.030	
6/25/2	·	9.5 w/fiber	73.75	15.070	
6/25/2	·	9.5 w/fiber	73.75	15.030	
6/25/2	Cherry St Southbound lane 29th - 34th- top	9.5 w/fiber	73.75	14.930	

6/25/20	Cherry St Southbound lane 29th - 34th- top	9.5 w/fiber	73.75	15.020	
6/25/20	Cherry St Southbound lane 29th - 34th- top	9.5 w/fiber	73.75	14.960	123.1800
6/25/20	Norman Way - top	9.5 w/fiber	73.75	15.080	
6/25/20	Norman Way - top	9.5 w/fiber	73.75	15.020	30.1000
6/30/20	Burton 36th - 38th - top	9.5 w/fiber	73.75	15.030	
6/30/20	Burton 36th - 38th - top	9.5 w/fiber	73.75	15.010	
6/30/20	Burton 36th - 38th - top	9.5 w/fiber	73.75	15.030	
6/30/20	Burton 36th - 38th - top	9.5 w/fiber	73.75	15.140	60.2100
	·	•			
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	14.980	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	14.980	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	15.120	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	15.090	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	15.020	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	15.020	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	15.060	
5/13/20	Raspberry & Greengarden	9.5m w/fiber	73.75	14.950	120.22000
3/13/20	naspoerry & dreengarden	3.3111 W/ 115C1	73.73	14.550	120.22000
5/20/20	Cranberry - top	9.5m	63.75	14.980	
5/20/20	Cranberry - top	9.5m	63.75	15.010	
5/20/20	Cranberry - top	9.5m	63.75	15.040	
5/20/20	Cranberry - top	9.5m	63.75	15.000	
5/20/20	Cranberry - top	9.5m	63.75	14.980	
5/20/20	Cranberry - top	9.5m	63.75	15.040	
5/20/20	Cranberry - top Cranberry - top	9.5m	63.75	14.900	
	• •				110 04000
5/20/20	Cranberry - top	9.5m	63.75	14.990	119.94000
F /27 /20	Most and ton	O Em w/fibor	72.75	15.040	
5/27/20	West 2nd - top	9.5m w/fiber 9.5m w/fiber	73.75		
5/27/20	West 2nd - top	•	73.75	14.990	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	15.060	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	14.960	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	15.060	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	15.000	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	14.950	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	15.050	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	14.940	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	15.030	
5/27/20	West 2nd - top	9.5m w/fiber	73.75	14.980	165.06000
7/7/20	Cascade 35th - 36th	9.5m w/fiber	68.75	14.960	
7/7/20	Cascade 35th - 36th	9.5m w/fiber	68.75	15.030	
7/7/20	Cascade 35th - 36th	9.5m w/fiber	68.75	15.000	
7/7/20	Cascade 35th - 36th	9.5m w/fiber	68.75	14.990	
7/7/20	Cascade 35th - 36th	9.5m w/fiber	68.75	15.010	74.99000

7/10/20	West 31st - level	19mm w/fiber	68.75	15.020	
7/10/20	West 31st - level	19mm w/fiber	68.75	14.950	
7/10/20	West 31st - level	19mm w/fiber	68.75	14.980	
7/10/20	West 31st - level	19mm w/fiber	68.75	15.000	
7/10/20	West 31st - level	19mm w/fiber	68.75	15.010	74.96000
7/8/20	Cascade 35th - 36th - level	19mm w/fiber	68.75	14.980	
7/8/20	Cascade 35th - 36th - level	19mm w/fiber	68.75	14.990	
7/8/20	Cascade 35th - 36th - level	19mm w/fiber	68.75	14.990	
7/8/20	Cascade 35th - 36th - level	19mm w/fiber	68.75	15.030	
7/8/20	Cascade 35th - 36th - level	19mm w/fiber	68.75	14.870	74.86000
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	14.980	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	14.970	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.030	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.010	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	14.990	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.010	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	14.960	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.010	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	14.980	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.010	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.010	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.000	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.040	
7/9/20	Cascade 34th - 36th - top	9.5m w/fiber	73.75	15.070	210.07000
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	14.800	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	15.110	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	15.050	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	15.040	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	14.990	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	15.010	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	14.910	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	68.75	5.050	
7/13/20	31st Charlotte to Harvard - level	19mm w/fiber	68.75	3.970	113.93000
		_			
5/13/20	Greengarden	9.5m w/fiber	73.75	14.980	
5/13/20	Greengarden	9.5m w/fiber	73.75	14.970	
5/13/20	Greengarden	9.5m w/fiber	73.75	15.050	
5/13/20	Greengarden	9.5m w/fiber	73.75	14.980	
5/13/20	Greengarden	9.5m w/fiber	73.75	15.010	
5/13/20	Greengarden	9.5m w/fiber	73.75	15.030	
5/13/20	Greengarden	9.5m w/fiber	73.75	15.010	
5/13/20	Greengarden	9.5m w/fiber	73.75	6.920	
5/13/20	Greengarden	9.5m w/fiber	73.75	14.970	4.44.04000
5/13/20	Greengarden	9.5m w/fiber	73.75	15.020	141.94000

7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.030	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.010	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.030	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	14.990	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	14.990	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.060	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	14.980	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.000	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.090	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.070	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.010	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	14.990	
7/14/20	31st Charlotte to Harvard - top	9.5m w/fiber	73.75	15.000	195.25000
	·				
7/15/20	Buffalo Rd	9.5m w/fiber	73.75	15.000	
7/15/20	Buffalo Rd	9.5m w/fiber	73.75	7.980	22.98000
7/15/20	34th & Cascade	9.5m w/fiber	73.75	14.990	14.99000
7/17/20	McClellend Ave	19mm w/fiber	68.75	14.850	
7/17/20	McClellend Ave	19mm w/fiber	68.75	15.020	
7/17/20	McClellend Ave	19mm w/fiber	68.75	14.990	
7/17/20	McClellend Ave	19mm w/fiber	68.75	14.950	59.81000
7/17/20	McClellend Ave	19mm	54.00	14.860	
7/17/20	McClellend Ave	19mm	54.00	14.890	
7/17/20	McClellend Ave	19mm	54.00	14.900	44.65000
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	15.050	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	15.010	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	15.030	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	14.980	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	14.980	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	14.990	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	14.870	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	15.000	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	15.170	
7/21/20	Raspberry 36th - 38th - top	9.5m	63.75	14.980	150.06000
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	15.160	
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	15.040	
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	15.050	
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	15.010	
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	14.990	
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	14.990	
7/21/20	Raspberry 36th - 38th - level	9.5m	63.75	15.020	105.26000

7/22/20	Ash Street 11th - 12th	9.5m	63.75	14.990	
7/22/20	Ash Street 11th - 12th	9.5m	63.75	15.020	
7/22/20	Ash Street 11th - 12th	9.5m	63.75	14.930	
7/22/20	Ash Street 11th - 12th	9.5m	63.75	14.940	
7/22/20	Ash Street 11th - 12th	9.5m	63.75	14.940	
7/22/20	Ash Street 11th - 12th	9.5m	63.75	14.890	89.71000
7/24/20	9th German to Parade - level	9.5m	63.75	15.020	
7/24/20	9th German to Parade - level	9.5m	63.75	14.990	
7/24/20	9th German to Parade - level	9.5m	63.75	14.990	
7/24/20	9th German to Parade - level	9.5m	63.75	14.970	
7/24/20	9th German to Parade - level	9.5m	63.75	15.060	
7/24/20	9th German to Parade - level	9.5m	63.75	15.040	
7/24/20	9th German to Parade - level	9.5m	63.75	9.990	100.06000
7/27/20	9th German to Parade - top	9.5m	63.75	14.970	
7/27/20	9th German to Parade - top	9.5m	63.75	15.030	
7/27/20	9th German to Parade - top	9.5m	63.75	15.110	
7/27/20	9th German to Parade - top	9.5m	63.75	15.040	
7/27/20	9th German to Parade - top	9.5m	63.75	14.970	
7/27/20	9th German to Parade - top	9.5m	63.75	15.100	
7/27/20	9th German to Parade - top	9.5m	63.75	14.930	
7/27/20	9th German to Parade - top	9.5m	63.75	15.060	120.21000
	·				
6/1/20	31st & Plum	9.5m	63.75	14.950	
6/1/20	31st & Plum	9.5m	63.75	15.020	
6/1/20	31st & Plum	9.5m	63.75	14.980	
6/1/20	31st & Plum	9.5m	63.75	15.000	
6/1/20	31st & Plum	9.5m	63.75	15.000	
6/1/20	31st & Plum	9.5m	63.75	15.050	
6/1/20	31st & Plum	9.5m	63.75	15.000	
6/1/20	31st & Plum	9.5m	63.75	15.020	
6/1/20	31st & Plum	9.5m	63.75	14.990	
6/1/20	31st & Plum	9.5m	63.75	15.000	
6/1/20	31st & Plum	9.5m	63.75	15.050	165.06000
6/5/20	32nd & Burton - level	9.5m	63.75	14.980	
6/5/20	32nd & Burton - level	9.5m	63.75	15.020	
6/5/20	32nd & Burton - level	9.5m	63.75	15.000	45.00000
6/10/20	36th & Post	9.5m w/fiber	73.75	14.900	14.90000
6/9/20	32nd & Burton - top	9.5m w/fiber	73.75	14.980	
6/9/20	32nd & Burton - top	9.5m w/fiber	73.75	15.110	
6/9/20	32nd & Burton - top	9.5m w/fiber	73.75	15.010	
6/9/20	32nd & Burton - top	9.5m w/fiber	73.75	15.010	60.11000

6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.970	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.970	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.020	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.960	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.990	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.00	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.07	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.03	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.99	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.00	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.02	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.01	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.96	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.02	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.04	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.01	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	14.950	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.000	
6/9/20	36th & Gerry	9.5m w/fiber	73.75	15.000	
6/9/20	36th & Gerry	9.5m w/fiber	73.75 73.75	11.030	296.04000
0/3/20	John & Gerry	5.5III W/IIDEI	73.73	11.030	230.04000
6/5/20	29th Harbor	9.5m	63.75	15.060	
6/5/20	29th Harbor	9.5m	63.75	15.000	30.06000
0/3/20	29tii Harboi	9.5111	03.75	15.000	30.06000
6/4/20	29th Harbor	9.5m w/fiber	73.75	15.060	
6/4/20	29th Harbor	9.5m w/fiber	73.75 73.75	15.030	
6/4/20	29th Harbor	9.5m w/fiber	73.75 73.75	14.990	
6/4/20	29th Harbor	9.5m w/fiber	73.75 73.75	15.020	
6/4/20	29th Harbor	9.5m w/fiber	73.75 73.75	15.040	
6/4/20	29th Harbor	9.5m w/fiber	73.75 73.75	15.040	
6/4/20	29th Harbor	9.5m w/fiber	73.75 73.75	15.020	
6/4/20	29th Harbor 29th Harbor	9.5m w/fiber	73.75	14.990 15.050	
6/4/20		9.5m w/fiber	73.75		
6/4/20	29th Harbor	9.5m w/fiber	73.75	15.020	
6/4/20	29th Harbor	9.5m w/fiber	73.75	15.010	470 27000
6/4/20	29th Harbor	9.5m w/fiber	73.75	5.010	170.27000
6/40/20	20th 0 Dark	0.5/6:1	72.75	15 110	
6/10/20	36th & Post	9.5m w/fiber	73.75	15.110	
6/10/20	36th & Post	9.5m w/fiber	73.75	15.190	45 20000
6/10/20	36th & Post	9.5m w/fiber	73.75	14.980	45.28000
F /42 /20	Para Laura	0.5 /51	72.75	4.4.000	
5/13/20	Raspberry	9.5m w/fiber	73.75	14.980	
5/13/20	Raspberry	9.5m w/fiber	73.75	14.980	
5/13/20	Raspberry	9.5m w/fiber	73.75	15.120	
5/13/20	Raspberry	9.5m w/fiber	73.75	15.090	
5/13/20	Raspberry	9.5m w/fiber	73.75	15.020	

5/13/20	Raspberry	9.5m w/fiber	73.75	15.020	
5/13/20	Raspberry	9.5m w/fiber	73.75	15.060	
5/13/20	Raspberry	9.5m w/fiber	73.75	14.950	120.22000
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.940	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.940	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.960	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.990	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.950	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	15.010	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.960	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.980	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	15.000	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.950	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.960	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.970	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.920	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.970	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	15.020	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	4.990	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.930	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.970	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.970	
5/12/20	Greengarden & Raspberry	9.5m w/fiber	73.75	14.990	289.37000
7/28/20	20th & Wallace - level	19mm	58.75	15.000	
7/28/20	20th & Wallace - level	19mm	58.75	9.980	24.98000
7/28/20	Reed 30th - 31st leveling	9.5mm	63.75	14.970	
7/28/20	Reed 30th - 31st leveling	9.5mm	63.75	15.040	
7/28/20	Reed 30th - 31st leveling	9.5mm	63.75	14.940	44.95000
7/30/20	Reed 30th - 31st - top	9.5mm	63.75	14.910	
7/30/20	Reed 30th - 31st - top	9.5mm	63.75	15.020	
7/30/20	Reed 30th - 31st - top	9.5mm	63.75	14.990	
7/30/20	Reed 30th - 31st - top	9.5mm	63.75	15.030	59.95000
6/11/20	36th & Style	9.5m w/fiber	73.75	15.070	
6/11/20	36th & Style	9.5m w/fiber	73.75	14.990	
6/11/20	36th & Style	9.5m w/fiber	73.75	14.970	
6/11/20	36th & Style	9.5m w/fiber	73.75	15.170	
6/11/20	36th & Style	9.5m w/fiber	73.75	15.150	
6/11/20	36th & Style	9.5m w/fiber	73.75	15.100	
6/11/20	36th & Style	9.5m w/fiber	73.75	11.090	101.54000
7/30/20	20th & Wallace -top	9.5mm	63.75	14.970	
7/30/20	20th & Wallace -top	9.5mm	63.75	15.010	

7/30/20	20th & Wallace -top	9.5mm	63.75	2.970	
7/30/20	20th & Wallace -top	9.5mm	63.75	5.000	37.95000
-,,00,20	2001.00.110.1100.00			0.000	
7/31/20	Mcclelland 38th & Bayfront	9.5m w/fiber	73.75	15.050	
7/31/20	Mcclelland 38th & Bayfront	9.5m w/fiber	73.75	14.980	
7/31/20	Mcclelland 38th & Bayfront	9.5m w/fiber	73.75	14.990	
	•				
7/31/20	Mcclelland 38th & Bayfront	9.5m w/fiber	73.75	14.950	75 00000
7/31/20	Mcclelland 38th & Bayfront	9.5m w/fiber	73.75	15.030	75.00000
- 1- 1					
8/3/20	Wallace Front to 2nd - level	19mm	58.75	14.930	
8/3/20	Wallace Front to 2nd - level	19mm	58.75	15.000	
8/3/20	Wallace Front to 2nd - level	19mm	58.75	14.940	
8/3/20	Wallace Front to 2nd - level	19mm	58.75	14.960	
8/3/20	Wallace Front to 2nd - level	19mm	58.75	14.920	74.75000
8/5/20	Wallace Front to 2nd - top	9.5m w/fiber	73.75	15.020	
8/5/20	Wallace Front to 2nd - top	9.5m w/fiber	73.75	15.000	
8/5/20	Wallace Front to 2nd - top	9.5m w/fiber	73.75	14.970	
8/5/20	Wallace Front to 2nd - top	9.5m w/fiber	73.75	14.970	
8/5/20	Wallace Front to 2nd - top	9.5m w/fiber	73.75	15.000	
8/5/20	Wallace Front to 2nd - top	9.5m w/fiber	73.75	9.910	84.87000
0/3/20	wanace from to zna top	J.SIII W/IIDCI	73.73	3.310	04.07000
0 /E /20	E 41st Briggs to Lowis Lovel	9.5mm	63.75	15.000	
8/5/20	E 41st Briggs to Lewis - level				
8/5/20	E 41st Briggs to Lewis - level	9.5mm	63.75	15.040	
8/5/20	E 41st Briggs to Lewis - level	9.5mm	63.75	14.960	
8/5/20	E 41st Briggs to Lewis - level	9.5mm	63.75	14.990	
8/5/20	E 41st Briggs to Lewis - level	9.5mm	63.75	4.030	64.02000
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	15.06	
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	14.97	
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	15.110	
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	15.010	
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	15.020	
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	14.910	
8/6/20	E 41st Briggs to Lewis - top	9.5mm	63.75	9.950	100.03000
	36				
8/10/20	2nd Euclid - level	9.5mm	63.75	15.000	
8/10/20	2nd Euclid - level	9.5mm	63.75	14.990	
8/10/20	2nd Euclid - level	9.5mm	63.75	15.070	
8/10/20	2nd Euclid - level	9.5mm	63.75	15.000	
8/10/20	2nd Euclid - level	9.5mm	63.75	14.960	
8/10/20	2nd Euclid - level	9.5mm	63.75	15.070	90.09000
8/10/20	2nd Euclid - top	9.5mm	63.75	14.880	
8/10/20	2nd Euclid - top	9.5mm	63.75	14.930	
8/10/20	2nd Euclid - top	9.5mm	63.75	14.990	
8/10/20	2nd Euclid - top	9.5mm	63.75	15.000	

8/10/20	2nd Euclid - top	9.5mm	63.75	15.020	
8/10/20	2nd Euclid - top	9.5mm	63.75	14.990	
8/10/20	2nd Euclid - top	9.5mm	63.75	14.960	
8/10/20	2nd Euclid - top	9.5mm	63.75	15.040	
8/10/20	2nd Euclid - top	9.5mm	63.75	15.020	134.83000
	·				
8/12/20	Bird Dr 41st to 43rd - level	9.5mm	63.00	14.960	
8/12/20	Bird Dr 41st to 43rd - level	9.5mm	63.00	14.960	
8/12/20	Bird Dr 41st to 43rd - level	9.5mm	63.00	14.950	
8/12/20	Bird Dr 41st to 43rd - level	9.5mm	63.00	14.980	
8/12/20	Bird Dr 41st to 43rd - level	9.5mm	63.00	15.000	
8/12/20	Bird Dr 41st to 43rd - level	9.5mm	63.00	15.060	89.91000
-,,					
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	15.050	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	15.000	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	15.040	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	15.000	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	15.010	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	14.910	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	14.970	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	14.880	
8/12/20	Bird Dr 41st to 43rd - top	9.5mm	63.00	14.910	134.77000
	·				
8/13/20	42nd Rice to Brewer	9.5mm	63.00	15.050	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	14.940	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	15.040	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	15.100	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	15.070	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	14.980	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	14.900	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	15.120	
8/13/20	42nd Rice to Brewer	9.5mm	63.00	15.130	135.33000
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	15.110	
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	15.030	
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	15.080	
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	15.050	
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	15.070	
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	15.040	
8/14/20	26th (2401 - 2640) level	9.5mm	63.00	6.950	97.33000
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.060	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.190	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	14.920	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	14.940	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.030	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.020	

8/17/20	26th (2401 - 2640) top	9.5mm	63.00	14.980	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.080	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	6.920	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	14.910	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.120	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.280	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.090	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.070	
8/17/20	26th (2401 - 2640) top	9.5mm	63.00	15.030	217.64000
0/11/20	2001 (2101 2010) (0)	3.3	03.00	13.030	217.01000
8/19/20	West 4th Cherry to Walnut - level	9.5mm	63.75	15.110	
8/19/20	West 4th Cherry to Walnut - level	9.5mm	63.75	14.970	
8/19/20	West 4th Cherry to Walnut - level	9.5mm	63.75	15.140	
8/19/20	West 4th Cherry to Walnut - level	9.5mm	63.75	15.010	
8/19/20	West 4th Cherry to Walnut - level	9.5mm	63.75	15.040	
8/19/20	West 4th Cherry to Walnut - level	9.5mm	63.75	15.010	90.28000
6/15/20	West 4th Cherry to Wallut - level	9.5111111	03.73	13.010	90.28000
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	14.960	
8/20/20	West 4th Cherry to Walnut - top West 4th Cherry to Walnut - top	9.5mm	63.75	15.100	
8/20/20	West 4th Cherry to Walnut - top West 4th Cherry to Walnut - top	9.5mm	63.75	15.130	
8/20/20	·	9.5mm	63.75	15.140	
	West 4th Cherry to Walnut - top				
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	15.240	
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	15.040	
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	14.910	
8/20/20	West 4th Charry to Walnut - top	9.5mm	63.75	15.030	
8/20/20	West 4th Charry to Walnut - top	9.5mm	63.75	15.080	
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	14.890	
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	14.900	
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	14.900	
8/20/20	West 4th Cherry to Walnut - top	9.5mm	63.75	14.950	195.27000
0/04/00		2.5	60.75	44070	
8/21/20	Pennsylvania 32nd - 33rd - top	9.5mm	63.75	14.970	
8/21/20	Pennsylvania 32nd - 33rd - top	9.5mm	63.75	15.030	30.00000
0/24/20	Bernell and 20th 24th leading	0.5 /61	72.75	45.040	
8/21/20	Pennsylvania 30th - 31st - leveling	9.5m w/fiber	73.75	15.040	
8/21/20	Pennsylvania 30th - 31st - leveling	9.5m w/fiber	73.75	15.000	
8/21/20	Pennsylvania 30th - 31st - leveling	9.5m w/fiber	73.75	14.970	45.01000
- 1 1					
8/24/20	pennsylvania 30th - 31st - top	9.5m w/fiber	73.75	14.960	
8/24/20	pennsylvania 30th - 31st - top	9.5m w/fiber	73.75	14.980	
8/24/20	pennsylvania 30th - 31st - top	9.5m w/fiber	73.75	15.040	
8/24/20	pennsylvania 30th - 31st - top	9.5m w/fiber	73.75	15.070	
8/24/20	pennsylvania 30th - 31st - top	9.5m w/fiber	73.75	15.020	
8/24/20	pennsylvania 30th - 31st - top	9.5m w/fiber	73.75	9.980	85.05000
8/24/20	Liberty 26th to Brown Ave - level	9.5m w/fiber	63.75	15.070	
8/24/20	Liberty 26th to Brown Ave - level	9.5m w/fiber	63.75	15.070	

8/24/20	Liberty 26th to Brown Ave - level	9.5m w/fiber	63.75	15.040	
8/24/20	Liberty 26th to Brown Ave - level	9.5m w/fiber	63.75	15.020	
8/24/20	Liberty 26th to Brown Ave - level	9.5m w/fiber	63.75	15.000	75.20000
0/21/20	Elberty Zoth to Brown Ave Tever	3.3111 W/ 115C1	03.73	15.000	73.20000
8/25/20	Liberty 26th to Prown Ave. ton	9.5mm	63.75	14.970	
	Liberty 26th to Brown Ave - top				
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.050	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.000	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	14.960	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.080	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.090	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.080	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.030	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	15.050	
8/25/20	Liberty 26th to Brown Ave - top	9.5mm	63.75	10.040	145.35000
	· · · · · · · · · · · · · · · · · · ·				
8/26/20	West 18th (200 blk)	9.5mm	63.75	1.010	1.01000
8/26/20	Liberty (south bound lane)	9.5mm	63.75	1.980	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	2.990	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	1.980	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	3.040	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	1.970	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	3.020	
			63.75	1.970	
8/26/20	Liberty (south bound lane)	9.5mm			
8/26/20	Liberty (south bound lane)	9.5mm	63.75	2.980	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	1.030	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	2.970	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	3.010	
8/26/20	Liberty (south bound lane)	9.5mm	63.75	1.000	27.94000
8/31/20	German 19th - 20th	9.5mm	63.75	15.100	
8/31/20	German 19th - 20th	9.5mm	63.75	15.110	
8/31/20	German 19th - 20th	9.5mm	63.75	15.050	
8/31/20	German 19th - 20th	9.5mm	63.75	14.980	60.24000
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	15.020	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.990	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.960	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.980	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.960	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.980	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	15.060	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.970	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	15.020	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	14.970	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	15.030	
9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75 73.75	15.050	
3) 3) ZU	Cheffy 15th - 215t	J.Jillili W/IIDEI	13.13	13.030	

9/3/20	Cherry 19th - 21st	9.5mm w/fiber	73.75	15.000	194.99000
0/9/20	21st Washington	9.5mm	63.75	15.000	
9/8/20 9/8/20	31st Washington 31st Washington	9.5mm	63.75	7.990	22.99000
9/6/20	SIST Washington	9.5111111	05.75	7.990	22.99000
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	14.960	
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	14.940	
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	14.980	
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	15.030	
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	15.040	
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	15.090	
9/14/20	21st State to Peach - level	9.5mm w/fiber	73.75	9.900	99.94000
		•			_
9/14/20	21st State to Peach - top	9.5mm w/fiber	73.75	15.200	
9/14/20	21st State to Peach - top	9.5mm w/fiber	73.75	15.100	
9/14/20	21st State to Peach - top	9.5mm w/fiber	73.75	15.040	
9/14/20	21st State to Peach - top	9.5mm w/fiber	73.75	15.090	
9/14/20	21st State to Peach - top	9.5mm w/fiber	73.75	14.930	
9/14/20	21st State to Peach - top	9.5mm w/fiber	73.75	6.020	81.38000
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.090	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.060	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.000	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.000	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.040	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	14.980	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	14.980	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.010	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	14.960	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.080	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.000	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.050	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	14.990	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.010	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.070	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	14.970	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.040	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.090	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	14.930	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	15.000	
9/16/20	French 12th to 14th	9.5mm w/fiber	73.75	9.950	310.30000
0.14 = 1= =					
9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	15.150	
9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	14.950	
9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	15.140	
9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	14.990	
9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	14.900	

9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	15.310	
9/18/20	10th Chestnut to Walnut - level	9.5mm w/fiber	73.75	15.190	105.63000
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.020	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.060	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.010	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.050	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.080	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.950	
	•	9.5mm w/fiber	73.75	15.060	
9/21/20	10th Chestnut to Walnut - top				
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.970	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.960	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.010	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.040	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.040	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.940	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.950	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.850	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.130	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.110	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.000	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.080	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	14.980	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.070	
9/21/20	•	9.5mm w/fiber	73.75	15.040	
	10th Chastrut to Walnut - top				
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.000	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.010	
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	15.020	204 44000
9/21/20	10th Chestnut to Walnut - top	9.5mm w/fiber	73.75	5.980	381.41000
10/0/00		4.0			
10/9/20	compost site	19mm	54.00	15.010	
10/9/20	compost site	19mm	54.00	14.960	
10/9/20	compost site	19mm	54.00	14.940	
10/9/20	compost site	19mm	54.00	15.050	
10/9/20	compost site	19mm	54.00	15.010	
10/9/20	compost site	19mm	54.00	15.010	
10/9/20	compost site	19mm	54.00	15.170	
10/9/20	compost site	19mm	54.00	14.980	
10/9/20	compost site	19mm	54.00	15.030	
10/9/20	compost site	19mm	54.00	14.970	
10/9/20	compost site	19mm	54.00	15.030	
10/9/20	compost site	19mm	54.00	15.020	
10/9/20	compost site	19mm	54.00	14.960	
10/9/20	compost site	19mm	54.00	15.050	
10/9/20	compost site	19mm	54.00	15.090	
10/9/20	compost site	19mm	54.00	15.050	
10/9/20	compost site	19mm	54.00	14.970	
10/3/20	compost site	13111111	54.00	14.5/0	

10/9/20	compost site	19mm	54.00	15.020	
10/9/20	compost site	19mm	54.00	15.080	
10/9/20	compost site	19mm	54.00	14.900	
10/9/20	compost site	19mm	54.00	15.150	315.45000
	·				-
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	14.970	
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	15.040	
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	14.960	
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	14.870	
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	14.970	
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	14.930	
10/9/20	alley Grandview to Glenwood	9.5mm	63.00	11.960	101.70000
	,				
10/13/20	Bayview Park	9.5mm	63.75	15.020	
10/13/20	, Bayview Park	9.5mm	63.75	14.970	
10/13/20	Bayview Park	9.5mm	63.75	10.030	40.02000
	7				
10/13/20	Bayview Park	19mm	58.75	9.030	
10/13/20	, Bayview Park	19mm	58.75	9.010	
10/13/20	, Bayview Park	19mm	58.75	14.930	32.97000
· · ·	,				-
10/15/20	compost site	9.5mm	63.75	14.940	
10/15/20	compost site	9.5mm	63.75	15.020	
10/15/20	compost site	9.5mm	63.75	15.130	
10/15/20	compost site	9.5mm	63.75	15.000	
10/15/20	compost site	9.5mm	63.75	15.000	
10/15/20	compost site	9.5mm	63.75	15.080	
10/15/20	compost site	9.5mm	63.75	15.020	
10/15/20	compost site	9.5mm	63.75	15.000	
10/15/20	compost site	9.5mm	63.75	15.050	
10/15/20	compost site	9.5mm	63.75	14.990	
10/15/20	compost site	9.5mm	63.75	15.090	
10/15/20	compost site	9.5mm	63.75	2.970	168.29000
	·				
10/16/20	Alley 4th to 5th / State Street	19mm	58.75	15.010	
10/16/20	Alley 4th to 5th / State Street	19mm	58.75	14.980	
10/16/20	Alley 4th to 5th / State Street	19mm	58.75	14.940	
10/16/20	Alley 4th to 5th / State Street	19mm	58.75	15.000	
10/16/20	Alley 4th to 5th / State Street	19mm	58.75	10.000	69.93000
-					
10/27/20	compost site - level	19mm	58.75	15.040	
10/27/20	compost site - level	19mm	58.75	14.960	
10/27/20	compost site - level	19mm	58.75	15.060	
10/27/20	compost site - level	19mm	58.75	15.100	
10/27/20	compost site - level	19mm	58.75	15.050	
10/27/20	compost site - level	19mm	58.75	15.060	
10/27/20	compost site - level	19mm	58.75	15.150	

Case 1:02-cv-00203-SPB Document 90-1 Filed 02/02/21 Page 24 of 120

10/27/20	compost site - level	19mm	58.75	15.070	
10/27/20	compost site - level	19mm	58.75	15.100	
10/27/20	compost site - level	19mm	58.75	15.030	150.62000
					_
10/28/20	compost site - top	19mm	58.75	14.950	
10/28/20	compost site - top	19mm	58.75	15.100	
10/28/20	compost site - top	19mm	58.75	14.990	
10/28/20	compost site - top	19mm	58.75	14.390	
10/28/20	compost site - top	19mm	58.75	14.960	
10/28/20	compost site - top	19mm	58.75	14.960	
10/28/20	compost site - top	19mm	58.75	15.090	
10/28/20	compost site - top	19mm	58.75	14.990	
10/28/20	compost site - top	19mm	58.75	14.970	
10/28/20	compost site - top	19mm	58.75	15.060	149.46000

CITY OF ERIE DEPARTMENT OF PUBLIC WORKS BUREAU OF ENGINEERING 2020 CURB RAMPS - I BID NUMBER 1765-20

	PROPOSED LOCATIONS									
STREET	CROSS STREET	RAMP	RAMP#							
		QUANTITY	1	2	3	4	5	6	7	8
Brandes Street	East 39th Street	4	D	D					D	D
Brewer Street	East 41st Street	2						С	С	
Gennessee Avenue	East 43rd Street	1	D							
German Street	East 32nd Street	4					D	D	D	D
Harvard Road	West 36th Street	2							D	О
Longview Avenue	East 43rd Street	2				С	С			
Raspberry Street	West 34th Street	8	D	D	D	D	D	D	D	D
Tuttle Avenue	East 41st Street	2				С	D			
Warsaw Avenue	East 41st Street	2							D	D
TOTAL RAMPS		27								

CITY OF ERIE DEPARTMENT OF PUBLIC WORKS BUREAU OF ENGINEERING 2020 CURB RAMPS - II BID NUMBER 1771-20

	PROPOSED LOCATIONS									
STREET	CROSS STREET	RAMP				RAN	/IP #			
		QUANTITY	1	2	3	4	5	6	7	8
Alan Drive	Zimmerman Road	6	D	D	D	D	С			С
Allegheny Road	West 36th Street	4	D	D					D	D
Bacon Street	East 10th Street	6	Α			D	D	D	D	Α
Bauer Avenue	West 23rd Street	2				С	С			
Bauer Avenue	West 22nd Street	2				С	С			
Berst Avenue	West 23rd Street	4			D	D	D	D		
Brandes Street	East 9th Street South	6		D	Α	D	D	D	K	
Brandes Street	East 9th Street North	4		D	С			Α	С	
Brewster Street	East 11th Street	6	С			С	D	D	С	С
Chestnut Street	West 9th Street	4					D	D	D	D
Commerce Street	East 14th Street	5	D		D	D	С			Α
Downing Avenue	Linwood Avenue North	6	D	D	С			С	D	D
Downing Avenue	Linwood Avenue South	6		С	D	D	D	D	С	
Florida Avenue	East 32nd Street	6	D	D	С			С	D	D
Gaskell Street	West 20th Street	4			D	D	D	D		
Gennessee Avenue	Zimmerman Road	6	С			С	D	D	D	D
Harvard Road	West 36th Street	4	D	D	D	D				
Kahkwa Avenue	West 9th Street	4	D	D					D	D
Maple Street	West 36th Street	4					D	D	D	D
Maxwell Avenue	East 40th Street	4		С	С	С	С			
Oakwood Street	West 36th Street	4					D	D	D	D
Parade Street	East 3rd Street	4			D	D	D	D		
Peach Street	West 22nd Street	2			Α			Α		
Peach Street	West 21st Street	4			Α	Α	Α	Α		
Peach Street	West 20th Street	6	D	Α	Α			Α	Α	D
Pennsylvania Ave	East 11th Street	4	Α	Α	С				С	
Plum Street	West 34th Street	2					D	D		
Plum Street	West 35th Street	2	D							D
Plum Street	West 36th Street	2	С							D
Tuttle Avenue	East 33rd Street	2	С							С
Wallace Street	East 19th Street	5	С	С	D	D				С
Wallace Street	West 33rd Street	4			D	D	D	D		
Wayne Street	East 29th Street	2			D	D				
TOTAL RAMPS		136								

CITY OF ERIE DEPARTMENT OF PUBLIC WORKS BUREAU OF ENGINEERING 2020 CURB RAMPS - III BID NUMBER 1772-20

	PROPOSE	D LOCATION	S							
STREET	CROSS STREET	RAMP				RAN	/IP #			
		QUANTITY	1	2	3	4	5	6	7	8
Albermarle	Hillcrest Avenue	2					С			С
Auburn Street	West 34th Street	8	D	D	D	D	D	D	D	D
Brandes Street	East 11th Street	2			Α			D		
Burton Avenue	East 34th Street	2		С	D					
Burton Avenue	East 35th Street	2		С	D					
Burton Avenue	East 36th Street North	2						С	D	
Burton Avenue	East 36th Street South	4		С	D	D	D			
Cascade Street	West 34th Street	2	D	D						
Charlotte Street	West 31st Street	4	D	D					D	D
Cherry Street	West 2nd Street	2	D	D						
Cherry Street	West 15th Street	2						Α	Α	
Cochran Street	West 31st Street	3				С	С			С
Cranberry Street	West 25th Street	2						D	С	
Ellsworth Avenue	West 37th Street	3		С	С				С	
Elmwood Avenue	West 31st Street North	2						D	C	
Emerson Avenue	West 34th Street	4	С					D	D	D
Erie Street	West 30t Street	2				С	K			
French Street	East 17th Street	2		D	С					
French Street	East 19th Street	4	С	C				С	С	
French Street	East 22nd Street	2						C	A	
French Street	East 25th Street	2		С	С					
French Street	Metcalf Street	2						С	С	
German Street	East 16th Street	8	D	D	D	D	D	D	D	D
Harvard Road	West 27th Street	2		C	C					_
Kahkwa Boulevard	South Shore Drive	2	С							С
Melrose Avenue	Cold Springs Drive	6	D	D	С			С	D	D
Melrose Avenue	West 28th Street	6		C	D	D	D	D	C	
Melrose Avenue	West 34th Street West	6	D	D	D	D	C			С
Melrose Avenue	West 35th Street	8	D				D	D	D	D
Melrose Avenue	West 36th Street	8	D	D	D	D	D	D	D	D
Pierpont	Merline	2				C	C			
Reed Street	East 31st Street	2	С	С						
Sassafras Street	West 13th Street	2	C							D
Sassafras Street	West 14th Street	2						Α	Α	_
Schley Street	West 28th Street	3			С			C	D	
Sigsbee Street	West 28th Street	2		С					C	
Vine Street	East 8th Street	2				С	С			
7.110 011 001	2401 041 041001	-								
TOTAL RAMPS		121								

CITY OF ERIE DEPARTMENT OF PUBLIC WORKS BUREAU OF ENGINEERING

2020 ADDENDUM TO EXHIBIT 1 2002-2009 BUREAU OF STREETS INTERSECTIONS

EXHIBIT 1 F	RAMPS COMPLETED IN	2020
STREET	CROSS STREET	RAMP
		QUANTITY
Alan Drive	Zimmerman Road	6
Bacon Street	East 10th Street	6
Gennessee Avenue	Zimmerman Road	6
Harvard Road	West 36th Street	4
Maple Street	West 36th Street	4
Oakwood Street	West 36th Street	8
Peach Street	West 21st Street	4
Plum Street	West 34th Street	2
Plum Street	West 36th Street	2
German Street	East 32nd Street	2
Harvard Road	West 36th Street	2
Raspberry Street	West 34th Street	8
Warsaw Avenue	East 41st Street	2
Auburn Street	West 34th Street	8
Brandes Street	East 11th Street	2
Cascade Street	West 34th Street	2
Cherry Street	West 15th Street	2
Emerson Avenue	West 34th Street	4
Erie Street	West 30th Street	2
German Street	East 16th Street	8
Kahkwa Boulevard	South Shore Drive	2
Melrose Avenue	Cold Springs Drive	6
Melrose Avenue	West 28th Street	6
Melrose Avenue	West 34th Street West	6
Melrose Avenue	West 35th Street	8
Melrose Avenue	West 36th Street	8
Pierpont	Merline	6
TOTAL RAMPS		126

YN	COMPLIANT		- - -	TVPF	Z	RAMP 4			COMPLIANT Y/N		TYPE	i	RAMP 3			3	COMPLIANT		-		WW	RAMP 2			XXX	P Z		TYPE		WN	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NAME
HEMAHKS		LENGTH				SL	JAAL SI LEE!		REMARKS	LENGTH			SL	3dA.L	STREET		BEMARKS	LENGTH				SL	TYPE	STHEET	HEMARKS		LENGTH				SL	TYPET	STREET	TOR	T NAME
0.		HIGIW		1		×	TYPE B AND E			HIGIW	·		¥	TYPE B AND E	LANDING	•		HIDIM				×	TYPE B AND E	LANDING			HIGIM				ΧL	TYPE B AND E			2020
		LENGTH			• •	- 22	H	1		LENGTH			SL	+	-			LENGTH				SL	${f +}$	┫	÷		LENGTH				SL	⊢	┫╺	6	7
		HICIM			_	×	ALL OTHER TYPES			HIGIW			×	ALL OTHER TYPES	ER SLOPE			HIGIM				×	ALL OTHER TYPES	COUNTER SLOPE			WIDTH				¥	ALL OTHER TYPES	COUNTER SLOPE	5000	an)5 1
İ	Y/N	COMPLIAN	AVG	BOT/O	TOP/LT		[0]		Y/N	AVG	вот/пт	MID	TOB/	191			. Y/N	COMPLIAN	AVG	MID	TOP/LT		<u>191</u>			Y/N €	Ö,	BOT/RT	MID	TOP/LT		94			
	H	NT LENGTH				212	U.H		H	NT LENGTH	T		ည	Π	STR			NT LENGTH		1		<u>S</u>		STR			NT LENGTH				SL		-		
	-	HI WIDTH				×	SIHEEI HAMP			HTGIW			 <u> </u>		STREET RAMP		-	H WIDTH				×		STREET RAMP			HI WIDIH			-	×		SIREF BAMP	Ц	
		H LENGTH	1			SL			<u></u>	H LENG1H			<u>ا</u> چ	H	┨		F	H LENGTH	-			SL	H	d			H LENGTH			1	SI	+		CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	_
		TH WIDTH	.			×	I OP LANDING		-	H WIDTH			×		TOP LANDING			HIGIM HI				×		FINICINA I GOT			TH WIDTH			-	×		CON	MPS TO E	מאס אא
		IH LENGTH		+		SL			\vdash	TH LENGTH			ည	Ш	4		_	IH LENGTH		+		SL	4	4			TH LENGTH			+	۶	_	CONCRETE PLACEMENT	E INSPEC	
		-				_ אר	LEFT TRANSITION			$oldsymbol{ au}$			×		LEFT TRANSITION		-	_				×Γ		HEET TRANSITION						╁	×	LECT LEGISTION	LACEME	STED WIT	CORB KAMIP COMPLIANCE FORM
		WIDIH LEN		+		\vdash	\dagger	1	\vdash	WIDTH LEN			╀	П	7			WIDTH LENG				\vdash		1			WIDTH LEN			+	\dashv	\ \frac{1}{2}		HIN 72-H	EHOH:
		GIH		-		SL .	LEF I LANDING			GTH			- SF		LEFT LANDING			표				SL					GTH				SL	ET LANDING		DURS OF	S
De		MIDTH L	_			ř	_			WIDTH L			ř	Ц	4	De		WIDTH L				ΧL	Ц	╀	De		WIDTH L			-	ř	_			zig
Dect Warn		LENGTH				SL	RIGHT TRANSITION	Dect Warn		LENGTH			န		RIGHT TRANSITION	Dect Warn		LENGTH		1		SL		DICTOR THE THE THE THE	Dect Warn	_	LENGTH				န	HANSITION	DATE APPROVED	APPROVED BY	STREET
Y/N		HIDIM				¥	NSITION			HIDIM			ř		VS TON	Y/N		HIGIM				¥	AGE FOIL	_	۲/۲		H1GIW				×	NO ION	OVED) BY	کے ۵
Back Curbs		LENGTH				ភ	RIGHT	Back Curbs		LENGTH			ŞF.		RIGHT	Back Curbs		LENGTH				SL	חמחור		Back Curbs		LENGTH		! !		22	HIGH		<u>ر</u>	25
		HIGIM				۲	RIGHT LANDING			HIDIM			¥		RIGHT LANDING			HIGIM				ΧL	T CANDING	A CONTRACT			HIGIW				×	HIGHT LANDING			F
DATI	- LENG		ONCOH	SLOPE	2		T		LENGID		ON CURB	SLOPE			T	DAIE	[I ENIGTH	ON CURB	SLOPE	<u> </u>				υAΠ	LENGTH		ON CURB	SLOPE	1	1			DATE	X STREET
DATE CONSTRUCTED			α		TEFT		FLARES Curb Height		DATE CONSTRUCTED		w	LEFT		Curb Height	FIARES	E CONSTRUCTED					LEFT		Curb Height		DATE CONSTRUCTED			w		1944		FLARES		-	4.7
HUCTED					RIGHT		JAT S		dCIED			RIGHT	1	THE S		HOCIED					RIGHT		ĬĮ,		-OCIED				-	нын	9116	S			454

į		N/A			TYPE		RAMP 8				COMPLIANT		- Y 7		SW		1	XX	COMPLIANT		HAAL	U Fi	RAMP 6		178	COMPLIANT		TYPE	1	SE)
	$\widehat{\mathbb{C}}$	REMARKS		LENGTH			SL	TYPE	STREET		BEMARKS	LENGTH			ğ	1 HAA i	TEET	REMARKS		LENGTH			SL	134KL		DEMARKS	LENGTH			ğ	TYPEE
	17.74			HIGIM			×	TYPE B AND E	STREET LANDING	·		HLGIM			ř	I YPE B AND E	STREET LANDING	.*		HTGIW			Χ̈́	TYPE B AND E			HTGIM			¥	TYPE B AND E
	<u>, </u>	•		LENGTH			SL	ALL OTH	COUNT			LENGTH			ដ	ALL OTH	COUNTE			LENGTH			SL	ALLOTH			LENGTH			Ę.	ALL OTH
	٤			HTGIW			ΧL	ALL OTHER TYPES	COUNTER SLOPE			WIDTH			ř	ALL OTHER TYPES	COUNTER SLOPE			MIDTH			×	ALL OTHER TYPES	!		HIDIM			ř	ALL OTHER TYPES
	5/1/5	7 / N	F	COMPLIANT	BOT/RT	MID	100/				Y/N	COMPLIANT	AVG	MID	02/1	-			۲/۷ !!	COMPLIANT	BOT/RT AVG	MID.				Y/Z	COMPLIANT	BOT/RT	MID	100/1	
	ババ	0.1	-	LENGTH	1.2	12/2	SL		STREE		50'	LENGTH	0,7	0.0	2 2		STREE			LENGTH			<u>S</u> _	STREE			LENGTH			2	STREE
	4'~4'x23.5"	-	-+	WIDTH	90	1,75	×		STREET RAMP		17	HTDIW	دره	<u>0</u> ,ر	· ×		STREET RAMP			WIDTH			×	STREET RAMP			HIDIM			×	STREET RAMP
1	% - -	-	-2	IENGTH	7.0	72.5	SE		TOP		7,	LENGTH	0.5	\$. \(\frac{\chi_{\chi}\chi_{\chi\ti}{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi}\chi_{\chi\ti}\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi_{\chi}\chi_{\chi_{\chi}\chi_{\chi}\chi\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi}\chi_{\chi}\chi\chi}\chi\chi}\chi\chi\chi\chi\chi\chi\chi\chi\chi\chi	JS L		TOPL			LENGTH			SL	TOP			LENGTH			2	TOPL
	18 ×8 5		1.,1	HTGIW	 	0.7	×		TOP ANDING		1	HTGIW		2.6	Ι×		TOP LANDING			HTGIW			×	TOP LANDING			WIDTH			×	TOP LANDING
	\rangle \rangl	9,6	1 2	LENGTH	3.5	7/2/2	SL	!	AL LEE		17.7	LENGTH	16,5	12.4	SL.		LEFT TR			LENGTH			SL	LEFT TR.			LENGTH			75	LEFT TR.
			(''	HTGIW	6.0	2,7	×Υ		FET TRANSITION		<i>-11</i>	HLDIM	1,4	0,2	۲ ۲		LEFT TRANSITIÖN			HTDIM			×	LEFT TRANSITION			HTGIW			×	LEFT TRANSITION
		-	/ /	LENGTH	17.1	2,5		[1551			LENGTH	(1)	Ţ	S		대리		·	LENGTH	,		SL	TEFT			LENGTH			SL	EFT L
		-	Ĭ.	HIGIM	0,4	0,1,0	χ		FET I ANDING			HTDIW	>	/ - V	×		FT LANDING			HIDIM			×	FT LANDING			HTDIW			×	FT LANDING
	Dect Wam	0.0	/ 2'	HTGNA	1,0	0.6	SL		BICHT TO	Dect Warn	621	LENGTH	7,9	5.9	JS		RIGHT TE	Dect Warn		LENGTH			SL	RIGHT TF	Dect Warn		LENGTH			TS	RIGHT TF
) [1. 1.	HTCIW	1 2	272	¥	0.140114014	BICHT TRANSITION	(Z)	Ť	WIDTH	1,15	12,0	, ,×		RIGHT TRANSITION	Y/N		HTGIW			ΧĽ	RIGHT TRANSITION	Y/N		HTGIW			×	RIGHT TRANSITION
	Back Curbs			H ESINA		1	LIS			Back Curbs	4	LENGTH	1.3	×	_SL		RIGHT	Back Curbs		LENGTH			SL	HIGHT	Back Curbs		LENGTH			SL	RIGHT
	5		2	WIT 7	X		X		ANDING	<u>></u>	1,5	WIDTH	0.8	22			RIGHT LANDING			HLDIM			ΧŁ	RIGHT LANDING			HTGIW			×	RIGHT LANDING
		DATE	LENGTH		ON CURB	SLOPE				UA I E	LE NG		ON CURB	SLOPE				DATE	FEINGIT	LENGTL	ON CURB	SLOPE			DATE	LENG! H		ON CURB	SLOPE		
	0	DATE CONSTRUCTED	72.		7	<u> </u>		Curb Height	מייים ש	CONSTRUCTED				-		Curb Height	FLARES	CONSTRUCTED				LHELT	Onto Heigh	FLARES	DATE CONSTRUCTED		_		- המח		FLARES Curb Height
		ICTED	-	T		H GH	1 1	7		OCIED	17,4		152		THEORY .	ň		UCTED				RIGHT) OCIED			•	I G		1

	YN	Ž	() - - -	j	NE	RAMP 4			Š	Ň		:	Түрг	Z	HAMIT 3				COMPLIANT			TYPE	4	NW.	RAMP			Ц,	COMPLIANT			1	WN	RAMP 1		SUB-CONTHACTOR	CONTRACTOR	CONTRACT NAME
Sompliance Form I	HEMARKS		LENGTH				SL	TYPE B AND E	STHEET LANDING	REMARKS		LENGTH				ζ.	TYPE 8 AND E	STREET LANDING	į	HEMARKS	LENGTH				ç	SI XI	STREET		REMARKS		LENGTH			_	SL	В ЗЧАТ	STREET	TOR	TNAME
om FIXED 4-07.xls	د		WIDTH				¥	AND E	ANDING			HIGIM				¥	AND E	ANDING			WIDTH				ř	XI AND I	STREET LANDING				WiDTH				Ϋ́	TYPE B AND E	STREET LANDING	de 1	2020
6			LENGIH				SL	ALL OTHER TYPES	COLINIE			LENGTH				SL	ALL OTHER TYPES	COUNTER SLOPE			LENGTH				or C	EL OTH	E INDO				LENGTH				SL	ALL OTH	COUNTE	<u>ار</u> ام	l la
2			WIDTH			-	¥	H TYPES	140 E			WIDTH				×	R TYPES	H SLOPE			HIGIM				}	¥ ₹₹ES	COUNTER SLOPE				WIDTH				ΧĽ	ALL OTHER TYPES	RSLOPE	150 M	M/DS
1`	م	Y/N	COMPLIANT	BOT/RT AVG	MID	TOP/LT					Y/N	COMPLIANT	AVG	BOT/DT	TOP/LT					Y / N	COMPLIANT	AVG	BOT/RT		1				- 2	₹	COMPLIANT	BOT/RT	MID	TOP/LT					
7 × 7	` ,	بر ایخ	LENGTH	5.5	٠,٠ اير	7.3	SL		2			LENGTH				SL		SIRE			LENGTH				μ	?	STREE				LENGTH				SL		STREE		
1	`	7	HIGIW	0,7	رک	0,7	Ϋ́		DAMD			HIGIM				×		STREET RAMP			HIGIM				×	5	HAMP		ľ	_	HIGIW				ΧL		STREET HAMP	<u> </u>	
7.9x6.6) J	2_	LENGTH	0,6	90	20	SF.	Į,				LENGTH				S1	3	OP OP			LENGTH				<u>S</u>	2	1901			_	LENGTH				SL	-	100	JRB RAMI	2
7.0	ວ	4	HIGIW	0.0	, O	0.0	×	- LAINDING	N N N N N N N N N N N N N N N N N N N			HIGIW				×		OP ANDING			HIGIM				×		TOP LANDING			_	HIGIM				Ϋ́		CONC	9S TO BE	AB KAMI
	:	11,4.	LENGTH	7,	370	217	SL				-	LENGTH				SL	E	11111			LENGTH				SL		LEFT T			_	LENGTH				SL	1	CONCRETE PLACEMENT	INSPECTE	
6		4	HIDIM	0.2	O,O	3.6	ΧĽ	LEFT TRANSFILOR		ļ	_	WIDTH				×	THANGITION I	ANCIPINA			HIGIM				ř		LEFT TRANSITION			_	WILLIAM				¥	LET THEMSOLION	CEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	CURB RAMP COMPLIANCE FORM
			LENGTH			6 1	SL	LET 1 L		Ī		LENGTH				SL					LENGTH				2						LENGTH				ည			72-HOUR	ĊĦM
			WIDTH	1	2	(1	Ϋ́	EF I LANDING		f		WIDTH				XL	LEFT LANDING	A NOT THE REAL PROPERTY.			HIGIM				×		EFT LANDING				WIDTH				×	EF I LANDING		SOF	
Dect warn		9 4,	LENGTH	0,7	5,0	٥,١	SL	RIGHT	Dect Warn			LENGTH				SL	HIGHT	3/2	Dect Wam		LENGTH				SL		RIGHT	Dect Warn	T	_	LENGIA				S.	HIGH	DATE A	APPROVED BY	STREET
\[\frac{1}{2}	\$	راı	HIGIM	0,5	7,7	8.0	¥	RIGHT TRANSITION	۲/ Z			WIDTH				ΧĽ	HIGHT THANSITION		Y/N		HIGIM	-			ř		RIGHT TRANSITION	Y/N		_	WID				×	HIGHT THANSTITON	DATE APPROVED	/ED BY	I
Back Curbs	-		LENGTH	 			SL.		뭆			LENGTH		-		SL	\top	t	Back Curbs		LENGTH				ည	Ħ	†	Back Curbs		-	FNIGH				ဠ	╈	╁		UTTIA
Z	-		HIGIM I	*		1	×	RIGHT LANDING		f	_	WIDTH	+			¥	HIGHT LANDING		"		HTGIW				×		RIGHT LANDING	S			H TO IN			1	×	HIGHT LANDING			36.1
	DAIL	LENGTH	+	ON CURB	SLOPE	1				DAII	LENGTH	4	ON CURB	SLOPE					DAIE	LENGTH	Ļ	LON CORB	SLOPE	<u> </u>		\parallel		5	<u> </u>	LENGTH		ON CURB	SLOPE		†			5	X STREET
	DATE CONSTRUCTED		1	US.	Т	LEFT		FLARES Curb Height		DATE CONSTRUCTED		\dagger	8		LEFT		FLARES Curb Height		E CONSTRUCTED		\dagger	α	<u> </u>	LEFT		Curb Height	FLARES	DATE CONSTRUCTED	-	I		Φ.	1	LEFT	Callo	FLARES		-	Ļ
	ÜCΙΈυ	_				RIGHT	ľ	a "		UCTED					RIGHT		ht S		OCIED		\dagger		•	RIGHT		jht .	1	חסכובט				•	-	RIGHT	911	S			4) 31

		Back Curbs	Y/N	Dect Wam													Ī	52
												H	Y/N			DK'S	NT	COMPLIANT
LENGTH	TE	LENGTH	WIDTH	LENGTH	HTDIW	LENGTH	HTQIW H	LENGTH	HTDIW H	1 LENGTH	HTDIW	NT LENGTH	COMPLIAN:	HTOIW	LENGTH	HTDIW HT	LENGTH	
CURB	9												AVG					144
SLOPE LEFT RIGHT	ဖွ					\parallel		\prod			\prod		MID I					WC
4	×	SL	ΧL	SL	ΧL	SL	X	SL	ΧĽ	SL	×	SL	100/	ΧĽ	SL	X	- SI	RAMP 8
Curb Height						П					-			ALL OTHER TYPES	ALL OT	Æ B ANI		
FLARES	NDING	RIGHT LANDING	RIGHT TRANSITION	RIGHT TF	LEFT LANDING		LEFT TRANSITION	LEFT T	TOP LANDING	TOP	STREET RAMP	STRE		COUNTER SLOPE	Н	STREET LANDING	STR	
	<u> </u>	Back Curbs	Y/N	Dect Warn														
DATE CONSTRUCTED	 						ŀ	ŀ	ŀ		ŀ	ŀ	ľ	ŀ	ľ	KS	REMARKS	Ϋ́Z
LENGTH	II.												Y/N				与	COMPLIANT
	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTDIW	LENGTH	H WIDTH	1 LENGTH	H WIDTH	IT LENGTH	g	HTDIW	LENGTH	TH WIDTH	LENGTH	
ON CURB	<u> </u>					+		-		\dagger	\dagger	1	BOT/RT					HAA.
	မ												MD	<u> </u>				
LEFT RIGHT						1		1	1				TOP/LT		Ì			WS
	×	<u>S</u>	×	SI	ř	2	×	2	×	22	×	35		×	22	×		RAMP 7
Curb Height	1									1				ALL OTHER TYPES	ALL OT	TYPE B AND E	7	
FLARES	NDING	RIGHT LANDING	RIGHT TRANSITION	RIGHT TH	LANDING		LEFT TRANSITION	LEFTT	TOP LANDING	TOP	STREET RAMP	STRE		COUNTER SLOPE	COUNT	STREET LANDING	STRE	
מאור סטואטוויסטורט	Т	Back Curbs	Y/2	Dect Warn												ć		
DATE CONSTRUCTED							-	ŀ	-	-	ŀ	f		}	ŀ	Ž,	REMARKS	ž
LENGTH	E	•										1	Y/N				<u> </u>	COMPLIANT
	WIDTH	LENGTH	WIDTH	LENGTH	HTOIW	LENGTH	HTGIW	LENGTH	H WIDTH	LENGTH	1 WIDTH	TENGTH	COMPLIANT	HITGIW	LENGTH	TH WIDTH	LENGTH	
CURB	9					+							AVG	_				177
4	ဋ												MID					1
1 FFT B GHT					 	†	+	<u> </u>	+	†	1	†		†	Ī	╁	Т	SE
Curb Height	 	S	×	S	†	<u></u>	 	S	 	<u>+</u>	 	S		SL XL	SE	SL XL	T	RAMP 6
FLARES	NDING	BNIGNAT THBIB	ANSITION	RIGHT TRANSITION	LANDING	LEFT	LEFT TRANSITION	LEFT T	TOP LANDING	TOP	ET RAMP ,	STREET	-	COUNTER SLOPE	COUNT	STREET LANDING	STRE	
		Back Curbs	Ş	Dect Warn	-					2'x6	7'	λ ζς	16.9	Ma//(.	8	7	Cuc'	
DATE CONSTRUCTED			2				İ	İ	•	,	.	ı					REMARKS	Y/N
LENGTH 2	E						71	72'	41	Č	ž	726	Y/N ⊟				<u> </u>	COMPLIANT
	HTGIW	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTDIW I	LENGTH	H WIDTH	LENGTH	HTOIW	LENGTH	COMPLIANT	HTDIW	LENGTH	HTQIW HT	LENGTH	$\overline{\mathcal{O}}$
ON CURB 7,8	/ ON			\bigvee	7	///	1.1	_	C	0,5	1,7	214	BOT/RT					TYPE
-	<u>δ</u>			/	-	 	7.7	00. 0.'c	-	20,70	0,0	5, J	MID					ļ
┨	×	JS	ΧĽ	SL	¥	SL	Н	JIS	×	18	×)SI		X	SL	×	S	RAMP 5
Curb Height														ALL OTHER TYPES	ALL OT	TYPE B AND E		
FLARES	NDING	RIGHT LANDING	NOTISNA	RIGHT THANSITION	LANDING		LEFT TRANSITION	1 LEFT TH	TOP LANDING	- 당	STREET RAMP	STRE	1	COUNTER SLOPE	COUNT	STREET LANDING	STRE	7

/																																							
		COMPLIANT Y/N	Ů	2	TYPE	Ē	NE 4	-			COMPLIÄNT	ت	ブ	TYPE		N.	RAMP 3			572	COMPLIANT	T	7	HQV.I	N.	RAMP 2			Y/N COMPLEAM		ラ	ТҮРЕ		WN	BAMP 1		SUB-CONTRAC	CONTR	CONTRACT NO.
Compliance Form FIXED 4-07.xls		REMARKS	LENGTH				Ę.	⊇ ∃dk l	STREET	ر د (REMARKS		LENGTH				SE	TYPET	SIRE			LENGTH		1		SL	3441	C ()	REMARKS	Ч,	- ENGTH	<u>L</u>		T	T	SIRE	SUB-CONTRACTOR	CONTRACT NAME	CT NO.
FIXED 4-07.xls			HIGIM				¥	YPE BAND E	Ω.	-S-			WIDTH			·	×	TYPE B AND E	STREET LANDING			HIGIM	,		_	¥	TYPE B AND E	() () /9 8		W 10 17	_			}		STREET LANDING	1	3	
			LENGTH				SL	ALL OTHER TYPES	COUNTER SLOPE	'بهر سح		CE1400111	FNGTH				SL	ALL OTH				LENGTH				SL	ALL OTH	1 1		LENGIH				2	ALL OIL	COUNT	7.2	25	15-20
	•		HIGIM				×	RTYPES	RSLOPE	~ ~		10					×	ALL OTHER TYPES				HIGIM				Χ̈́	ALL OTHER TYPES	a //(:	.	HIGIW	-			×	EH TYPES	COUNTER SLOPE	٥٥٥٠	3	•
		Y/N	COMPLIANT	AVG	BOT/BT					N. X.	Y/N	LIPAN	AVG	BOT/RT	MID	TOP/LT					Y/N	COMPLIANT	BOT/RT AVG) <u>*</u>	TOP/LT			6 x12	, Y/N	COMPLIANT	AVG	вот/ят	ME CF	TOP/I			-	J. 5 (Jensey	
	Ĺ	4.7	LENGTH		7	٠ ا ا	15		STHEE	Ľ.	6	LEINGIH	4	2,0	4,2	51(SF	OLDEEL BAMP			3.0	LENGTH	7.6	4	750	SL	SIREE	10		LENGTH		7.7	イン	\$ { 		STREE		(-)	
	<u>}</u> }	7	HIGIM	=		3 5 6	ř		HAMP	メア、ヘ	Ť]	_	0	0.5	1,9	ΧL	TANT			11,	HIGIW	 ئىر،	0.7	1 - 1	ΧL	I RAMP			WIDTH	Š					STREET RAMP	S.		
A CALL		37.	LENGTH	[7	SE		ч -	ー へ ()	1,	┸	-	b.0	Ů.Ž	0.6	SL	I OP LANDING			5,	LENGTH	<u> </u>		7	SL	TOP LANDING	~ *	5	LENGTH	,	2.5	77) SI		CON TOP LANDING	CURB RAMPS TO BE INSPECTED WITHIN 72-H		<u> </u>
		1	WIDTH			\[\frac{1}{2}\]	×	Ц	┨.	7	71	Ļ	₽	() [-]	0,5		¥	NDING			ح.	WIDTH	0.0) S	, 0, 0,	ř	NDING	x 6 75 %	1-7-	HIGIM				×		CONCA	S TO BE IN		CURB BAMP COMBI INNICE CODI
			LENGTH		1	4	SL		LEFT TRANSITION	\$		Ĭ	\vdash	۲,٦	λ C	<u>~</u>	ည	LEFT TRANSITION				LENGTH		K		န	LEFT TRANSITION	9×1-1	(6,9)	LENGTH		2 (2		$oldsymbol{\perp}$		DING LEFT TRANSITION	SPECTED		
			WIDTH L	1/	,	1	¥		STICK		<u> </u>	HIDIM	⊢┩	3	0	27	×	SITION				WiD∏ H	1	`		ř	USITION	~	17	HIGIW	Š		100	×		NSTTON T	WITHIN 72	ָרָ רְּיַרָּ בַּיִּבְּיִבְּיִבְּיִבְּיִבְּיִבְּיִבְּיִב	מות מות
			LENGTH V	0, /	3 -3	30	SL					LENGTH	1	\ \	7	- ,	ဋ	LEFT LANDING			_	LENGTH	1,7		=	နှ	LEFT LANDING			LENGTH	->		1	SF		LEFT LANDING	HOURS OF	Š	
-	Dec	1.	WIDTH LE	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	15	1,0	ř	4	↓	De :	_	T HIGIM	1	>	\leq	•	×	41	De	1	-	W I I	2.1	1.7		×	Ш			WIDTH		*	<u>†</u>	¥	4	ļ.,,		- 176	
	Dect Warn		LENGTH V	01 (3)	1	1,3	SF	- Indianal Indianal		Dect Warn (LENGTH V		$\frac{1}{}$	4	Í	2	RIGHT THAN	Dect Warn {	F	_	LENGTE.	7,0	ر د ا	5,2	2	RIGHT TRANSITION	Dect Warn (LENGTH		$\frac{1}{\sqrt{2}}$		દા	night i RANSITION	DATE APPROVED	APPROVED BY	STHEET	
	Y/N Bac	-	HIDIW	-	7,7	1,4	¥	十	1	Y)N Bac		WIDTH LE	4			╁	× 	HANSITION	Y/N Bar	\	-	W III W	1),(1,7	<u></u>	1	YN Ba		WIDTH T		<u> </u>		ř	NOTION	OVED	YB(Lesp Lesp	
7	Back Curbs	-	LENGTH W	/		,	SE SE	HIGHT LANDING	2	Back Curbs	(۱) ر	LENGTH W		21	<u> </u>	آ √ ا	2	RIGHT LANDING	Back Curbs			† 1		工	F		RIGHT LANDING	Back Curbs)	در. اد	LENGTH	116	\ \ \		SL	RIGHT LANDING		7		
	Ÿ		HIGIM	ON		<u> </u>	ř	SING	7	ř T	<i>ال</i> ا	HIDIM		3,50		7	<u></u>	DING	こ コ	+	<u> </u>	<u> </u>	0	×	, _}	4	IDING	<u> </u>	4 4	HIGIN	0,1		8.0	¥	VDING		17/3		
	DATECON	LENGTH 3'		ON CURB 5	SLOPE	 -	7			DATE CO	LENGTH		5		Т		CIR			DAILE CO	LENGTH Z		w	SLOPE	_	Cur	FI	DATECC	LENGTH	1	ON CURB ,	-		9			DATE	17	
	DATE CONSTRUCTED		+	70			Cd to	FLARES		DATE CONSTRUCTED	h		<u></u>	~	[5]	4	Curo Height	FLARES		CONSTRUCTED	x_ 	<u> </u>	(1) (2)	+		Jurb Height	FLARES	DATE CONSTRUCTED	(),	-	₹ 52 /	7	LEFT H	Caronivelgin	FLARES	<u> </u>		(h) M	
	Ö					RIGHT				ä	$\dot{\propto}$		Ĉ	<u>`</u>	HIGH					Ü		,	\mathbf{x}		RIGHT			_ E	3,6		5	~'	RIGHT	\$-1 ₁	П				

ž	COMPLIANT	<u></u>	3dA1	U W	RAMP 8				XX 5	COMPLIANT	0	TYPE		RAMP 7			1/14	COM ENGLISH	COMPI IANT	フ	TYPE	S	RAMP 6				V.V.	COMPLIANT	>	TYPE	SE	RAMP 5	
REMARKS		LENGTH WIDTH			SL XL	TYPE B AND E	STREET LANDING	č,	REMARKS		LENGTH WIDTH			SL XL	TYPE B AND E	STREET LANDING	בובושקי ווייס	DEMARKS 1		LENGTH WIDTH			SL XL	TYPE B AND E	STREET I ANDING	(w/b;	REMARKS	_	LENGTH WIDTH			SL XL	STREET LANDING TYPE B AND E
		TH LENGTH			S	Α	\dashv	18 N			LENGTH			<u>S</u> _	≙	\dashv				LENGTH			l SL	+	COUNTER	178" \	 		LENGTH			SL	3 COUNTER TYPES
	Y/N	WIDTH COMPLIANT	BO1/HI	Mid	×	TYPES	SLOPE	A.K. 6		Y/Z T	WIDTH COMPLIAN	BOT/R1	MID	X-109/L1	TYPES	SLOPE				WIDTH COMPLIANT	BOT/RT AVG	TOP/LT MID	XL .	TYPES	I OPF	Malk: 5	1/14		WIDTH COMPLIAN	BOT/R	MID	₩	TYPES
	1,7,5	IANT LENGTH	3.0		十	2	STREET RAMP	, 18, C.	-	<u>_</u> کم_	ANT LENGTH	نی	7,	구 구 나		STREET RAMP		ŀ	5,7	LENGTH	5.5	2,5	SL		STREET RAMP	X136"		1,9,1	LENGTH	7,3	1.7.7	SI	STREET RAMP
	7 7	WIDTH LENGTH	2.0 1.0		۲ ۲	ł		, 5 x13		いここ	WIDTH LENGTH	0.4 1.2	Ö,	, s ≥	┝	H			J.	WIDTH LENGTH	0,6 0,3	$\frac{1.0}{0.1}$	-XL SL	H	+	76 r42		-	WIDTH LENGTH	7		XI.	+
	5	MIDTH	7 77.5	7.00) 3 } ()	+		6,410x		ر م	HTGIW	+	8.0	2 ≥		TOP LANDING			5,	WIDTH	0.7	6,9	×	Ц	TOP LANDING 1	1, 4, 4, 7	┢	Ž	HTGIW	1.6		×	TOP LANDING L
	-	LENGTH WIDTH			ç	+	LEFT TRANSITION	8,4x	. (1.6.	LENGTH WIDTH	3.4 1.1	1.1 O.	3, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	-	LEFT TRANSITION				LENGTH WIDTH		$\left\langle \right\rangle$	SL X		LEFT TRANSITION	6×256	•	()	LENGTH WIDTH	0	212 -10	SE XE	LEFT TRANSITION
	7.	LENGTH	-	1 +	` 9	Ď	N LEFT LANDING	8	•		LENGTH	1 / 1		ر ا	2	N LEFT LANDING			141	LENGTH	, O.X	22.42	<u>1</u>		LEFT LANDING	<i>c</i>	<u>.</u>	_	LENGTH			SL	╁
Dect Wam	7. 17.	LEN	100	7	}	× 20	<u> </u>	_			WIDTH LENGTH	1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	╁	\sqcup	Dect Warn		11/1/2	WIDTH LENGTH	06 02	16 2.0	×-	Ц	4	Dect Warn			WIDTH LENGTH		<u> </u>	XL SL	1
(S)	9 2	MIDTH	7	╁╅	2	×	RIGHT TRANSITION	3)		HTDIW		X	_	\ \	RIGHT TRANSITION	(Y	>	ک,	WIDTH	0,0	() () () ()	×	Н	RIGHT TRANSITION	Y /N Ba	\ \ 		WIDTH	 		×	Įž
Back Curbs N/		LENGTH WIDTH		\ \ \ \	+	SI X	HIGHT LANDING	Back Curbs		4 41	Ĭ	1.5	17.	62	Ω ×	RIGHT LANDING	Back Curbs		-	LENGTH WIDTH			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		RIGHT LANDING	Back Curbs		71 4	LENGTH WIDTH	10			
	DATE C	H		ON CLIES 1	 	+			DATE CO	[]	H ENGTH	CN	SLOPE		Ç			DATE CC	LENGTH	Ч	ON CORB	1		Cur	H		DATE CO	LENGTH	4	ON CURB	SLOPE	<u>+</u>	Curt
	CONSTRUCTED	-		^	LEFT RIGHT	Curso i reigin.	PLARES		DATE CONSTRUCTED	0.4	7	1//6	1771	LEFT RIGHT	Culo neight	FLARES		DATE CONSTRUCTED	1,4	7	- >	1 1	1	Curb Height	FLARES		DATE CONSTRUCTED	نبر)		1,0	-		Curb Height

	_	COMPLIANT		TYPE		NE	RAMP 4			Ϋ́N	A Z		-	TYPE	Z	RAMP 3				COMPLIANT			3471	Z W	RAMP 2				COMPLIANT			TYPE	WW	RAMP 1		SIREE	SUB-CONTRAC	CONTRACT NAME	CONTRAC
Compliance Form FIXED 4-07.xls	REMARKS		LENGTH				SL	TYPE	13813	REMARKS		LENGTH				SL	1 3 d A L	STREET		HEMARKS	LENGTH	-			SL	TYPE	STREET		HEMARKS	LENGTH				SL	TYPE	STREET	HOH	T NAME	7
FIXED 4-07.xls			WIDTH				ΧĽ	TYPE B AND E	ANIONA			HIGIM	4			×	TYPE B AND E	STREET LANDING			WIDTH				ř	TYPE B AND E	LANDING			HIGIM				ř	TYPE B AND E	LANDING		200	1
			LENGTH				SL	ALL OTH				LENGTH		†		SE.	+	┪			LENGTH				SL	ALL OT	COUNT			LENGTH				SL	+	Н	EMUSCA	2020 Pa	, , ,
	İ		WIDTH				χL	ALL OTHER TYPES		•		HIGIM				¥	ALL OTHER TYPES	COUNTER SLOPE			HIGIM.		1		ř	ALL OTHER TYPES	COUNTER SLOPE			HIGIM				ř	ALL OTHER TYPES	COUNTER SLOPE	5000	150 WED	
	-		COMPLIANT	вот/нт	MID	TOP/LT		04			Y/N	'회	AVG		TOP/LT		I			Y/ Z	COMPLIANT	AVG	BOT/BT	TOP/LT		<u>1~1</u>			٧/٧	8	AVG	BOT/RT	TOP/LT		Ľ				
	-		NT LENGTH			1	SL	0			<u>. l .</u>	NT LENGTH	-	1		25		S		ľ	NT LENGIH		-		SL		SIR		┟	NT LENGTH		→	-	SL		STR			
	}		H WIDTH				ΧL	יייייייייייייייייייייייייייייייייייייי				HTGIW H				×		STREET RAMP		-	H WIDTH				×		STREET HAMP			HIGIM				¥		STREET RAMP	<u> </u>		-
;			H LENGTH				SL		i							SL		┨	•	-	H LENGTH	+			SL	H	-		┝	H LENGTH		Ì		SL	H	+	CURB RA	_	,
	ŀ	_	HIMIN				ΧL	I OF LANDING	3			LENGTH WIDTH	+			×		EZINICINA I AOT			HIGIM HI		+	!	×		TOP LANDING		_	HIGIW HI				×		TOP LANDING	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	CORB RAIMP COMPLIANCE FORM	֚֚֚֚֚֚֚֚֚֚֚֚֚֓֞֝֝֝֝֝֝֝֝֝֝֝֝֝֝֓֓֓֓֓֓֝֝֓֓֓֡֝֓֡֓֡֓֜֝֓֡֓֡֓֡֓֡֓֡֡֡֓֜֝
	}	_	TH LENGTH			_	. SL		1			TH LENGTH	-	-		SL	H	┨			TH LENGTH				SF	Н	4			TH LENGTH	-			SL	Н		BE INSPE		;
	-	_	_					LEFT HANSITION		ŀ					<u> </u>	_		HOTTISNATI 144		-	╌				H		LEFT THANSITION			т	-			┢		LEFT TRANSITION	CTED WIT	. APLIANC	
			WIDIH LEN			. ,	X.		1			WIDTH LEN	+			ř	H	DN I		-	WIDTH LEN	+		-	¥	Ħ	ON LE			WIDTH LEN	+	+		×	H	NA LE	HIN 72-H	E FOR	
	-		E E				SL	LEFT LANDING				ЗТН				SL					HE				SL		EFT LANDING			Ħ			1	SL		EFT LANDING	DURS OF	S	
De	1		MIDIH L				¥	_	Ļ.,	,		WIDTH L		į		XL	Щ	┸	De		MIDIH L		1	_	×	Ц	4	De		WIDTH	1		_	×	H	4	Ą	ΞS	
Dect Wam		-	LENGTH				SL	HIGHT THANSITION	Sect Medill			LENGTH				SL	HANSI ION		Dect Warn	L	ENGTH	_			SL		HIGHT TRANSITION	Dect Warn		LENGTH				SL		DATE APPROVED	APPROVED BY	STREET	ļ
Y/N			HIGIW				¥	VSITION	_			WIDTH				ΧL	AOI TOM		Y/N		HIGIW				¥			Y/N		HIGIM				Ϋ́		STION	ВҮ	1 to 1 v ;	
Back Curbs			LENGTH				SF.	RIGHT LANDING	Dack Culbs			LENGTH				SL	NIGHT LANDING		Back Curbs		LENGTH				SL		RIGHT LANDING	Back Curbs		LENGTH				SL		RIGHT LANDING		200	
			WIDTH				¥	ANDING				WIDTH				XL	ANDING	X N N N N N N N N N N N N N N N N N N N			HIGIW				ΧL		ANDING		!	WIDTH			8	×		ANDING			
	DAIE	LENGTH		ON CURB	SLOPE					DAIE	LENGTH		ON CURB	SLOPE					DATE		LENGTH	ON COHB	SLOPE					DATE	[]	ENICTU	ON CORB	SLOPE						X STREET DATE	
	CONSTRUCTED	<u></u>		- -		LEFT		FLARES Curb Height		DATE CONSTRUCTED		†			LEFT		Curb Height		DATE CONSTRUCTED					LEFT		Curb Height	FLARES	DATE CONSTRUCTED		1			LEFT		Curb Height	FLARES		1 W.36	
					1	RIGHT		1		CTED		†			RIGHT		71		OCIED					RIGHT		11		OCTED		1	•		RIGHT		TI.			6 4 7	

Ž	COMPLIANT	フ	TYPE	o e	RAMP 8			ΥN	COMPLIANT		٦٩٧١		MS	RAMP 7		XX	COMPLIANT		JAAA	ç	SET	3			Υ/N	COMPLIANT		JAAL	ç	HAME))
HEMAHKO		LENGTH		,	SL	TYPE B AND E	Ç	REMARKS		LENGTH			í	SI AND E	STREET LANDING	HEMARKS		LENGTH			Ϋ́	TYPE B AND E	STREET LANDING	ŧ	REMARKS		LENGTH			S.	STREET LANDING
		HTGIW			¥	AND E	5			HTGIW			ř	AND E	₩			WIDTH			ř	AND E	ANDING			-	WIDTH			×	\vdash
		LENGTH			SL	ALL OTHER TYPES	7	×		LENGTH			ŕ	ALL OTHER TYPES	COUNTER SLOPE			LENGTH			Ę.	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			2	ALL OTHER TYPES
	, Sc.	WIDTH			×	R TYPES	2			WIDTH			ř	4 XPEX	SLOPE	•		WIDTH			ř	TYPES	SLOPE				WIDTH		_	ļ×	STOPE STOPE
	Y/N	3	BOT/RIT	<u> </u>			Walk		Y/N	AN	AVG	MD	TOP/LT	_			Y/N	AN	AVG	MID							COMPLIANT	BOT/RT	MID C		
		LENGTH	5	ر ا ا	SL	SINEE				LENGTH	4.3	7.7	ريا دريا	2	STREET RAMP			LENGTH			2		STREET RAMP			-	HIGH			<u>S</u>	STREET RAMP
		HTGIW	₽ ~1	τ _{(,}	Ц	TAIVIT	\ \ \	,	!	WIDTH	7	1,4	7	4	₹AMP			MIDTH			ř		RAMP			- -	WIDTH			ř	AMP
		LENGTH	4-1	7,0	SL	I OF LANDING	×	`		LENGTH	7,0	0.6	ري د	2	TOP LANDING			LENGTH			ş		TOP LANDING			-	HTGNA			SL	TOP LANDING
	\vdash	WIDTH	9	70	Χ̈́		 ~	, 		WIDTH L	- -	H	i O	₫	Н			T HTGIW	_		ř		-		ŀ	-	HTCIW			ř	
		LENGTH V		4	SL	LEFT TRANSITION				LENGTH V	+	H	72	2	LEFT TRANSITION		_	LENGTH V			<u>S</u>		LEFT TRANSITION		-	-	HTONE		1	SL	LEFT TRANSITION
,		MIDIN		\	×	S I ON				WIDTH LE	0.4	0,0	3 }		NOITIS			WIDTH LE		ļ.	ř		NOITI		ŀ]	-	×	\dashv
		LENGTH w		300	SL	LEFT LANDING				LENGTH W	7	/	٦	-	LEFT LANDING			LENGTH W			SL		LEFT LANDING		-		HENGTH IN		+	SL	LEFT LANDING
Dec	-	WIDTH LE	C	7.0	ΧĽ	_				WIDTH LE		$\stackrel{\times}{+}$	\ /	H	Ц	Dec		WIDTH LE			ΧĽ	Ц	4	Dec	+	-	WEDTH I		-	Ϋ́	Ш
Dect Warn		LENGTH W	6,3		SL	RIGHT TRANSITION	Dect Warn (LENGTH W		4	´ º	_	RIGHT TRANSITION	Dect Wam Y		LENGTH W			SL		RIGHT TRANSITION	Dect Wam Y	-	_	I FINGTH W			SL	TRANS
Y N Back		WIDTH LE		ήc	X	\top	Ва	<u> </u>		WIDTH LE			\	╀	М	Y/N Back		WIDTH LE		_	<u>×</u>	H	┪	Y/N Back	1	-	WIDTE I E			×	
Back Curbs A		LENGTH W		\	SL	RIGHT LANDING	Back Curbs 👠	ŀ		LENGTH W	+	+	ν Σ	\vdash	RIGHT LANDING	Back Curbs		LENGTH W		+	SL		RIGHT LANDING	Back Curbs	ŀ		ENGTH W		<u> </u>	SI	TIAN
		WIDTH		<u> </u>	ΧĽ	JNG	7			WIDTH	r	<u>`</u>		 -	ÑG		<u> </u>	WIDTH	<u>9</u>		ĭ		Ñ		<u> </u>			ON		×	Ñ.
DATE CON	PENGTH					Curb P		DATE CON	LENGTH	+	ON CURB	SLOPE		Curb		DATE CON	LENGIN	2	ON CURB	SLOPE		Curb	王		DATE CONSTRUCTED	LENGTH	1	ON CURB	SLOPE LE		Curb
CONSTRUCTED	6.4		カル	LEFT BI		FLARES Curb Height		CONSTRUCTED	U ₁	+	とう	+		Curb Height	FLARES	DATE CONSTRUCTED		_				Curb Height	FLARES		ISTRUCTE		1			4 1	FLARES Curb Height
Ď				RIGHT				Ü	-	-	シ、	\ \ \\ \!	RIGHT		Ц	Ü				HGH					ö				HIGH		

ــــــــــــــــــــــــــــــــــــــ	COMPLIANT		TYPE	Ž	RAMP 4			Y/N	COMPLIANT		TYPE		NE	HAMP 3				COMPLIANT		TYPE		WN	RAMP 2			1714	COMPLIANT		: T		WN	RAMP 1		SUB-CONTRACTOR STREET	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.4s	HEMARKS	ENGTE	·		SE	TYPE B AND E	STREETTANDING	REMARKS		LENGTH				SL	TYPEB			DEMADIZE	LENGTH				SL	TYPE E	SHE	CAUCIAN	SAGVINGE	LENGTH				SL	TYPE E	RACTOR	HOT	T NAME
FIXED 4-07.xls		W D H			¥	ANDE	SINICINA			WIDTH				ΧL	TYPE B AND E				WIDTH				XI.	TYPE B AND E	ANOING			WIDTH				Ϋ́	TYPE B AND E	ANDING	EMP	2076
		ENICEFI			SL	ALL OTH				LENGTH				SL	ALL OTH				LENGTH				SI	ALL OTH				LENGTH				SL	ALL OTH	COUNT	EMPSIZSNOW	Karmos - 20
V)~/K.					¥	ALL OTHER TYPES				HIOIM				X	ALL OTHER TYPES				HIGIM				¥	ALL OTHER TYPES	200			WIDTH	•			Ϋ́	ALL OTHER TYPES	COUNTER SLOPE	ζ	7.50
7.7	Y/N LIP	AVG	BOT/RT	TOP/LT				Y/2	LIP	AVG	вот/вт	MID	TOP/LT					Y/N	AVG COMPLIAN	вот/ят	MID	TOP/LT	•	•			Y/N =	COMPLIAN	BOT/RT	M □	TOP/LT	ļ!				
-» X	کرا۔ ا		ر ا ا	2/2	25	31.10				LENGTH				SE	STREE				TENGTH				SL	מואת	2			LENGTH				SL	0	SIBE		
17		-	7 (×				_	WIDIH				Ϋ́	STREET RAMP			_	HIGIM				×	STREET RAMP				WIDTH				Ϋ́	5	STREE BAMB	c	
5x.2	7-	i c) 	, 0	SL	0			_	LENGTH		,		SL	1 do l				LENGTH				<u>5</u>	ę				LENGTH	1			SL	Ş		URB RAM	ဥ
101	(1)	Ĉ	0.7	7 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	LANDING				WIDTH			i	۲	OP LANDING			_	WIDTH				×	LANDING				HIGIW				¥	OF LANDING	CONC	PS TO BE	RB RAM
	LENGIH			7	SL	<u> </u>				LENGTH				SL	LEFT TI				LENGTH			-	<u>S</u>	LEFTT				LENGTH				٦ <u>.</u>	-	CONCRETE PLACEMENT	INSPECTE	P COMP
• 10 13 14	SID I	_	*	1	×	LET HANSITION				WIDIH				×	LEFT TRANSITION			-	WIDH				×	LEFT TRANSITION				WIDTH			Ì	×	LEFT HANSITION	CEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-H	CURB RAMP COMPLIANCE FOR
	LENG! H			/	<u>ي</u>	1			Ī	LENGTH				Ę.				Ī	ENGTH			<u> </u>	S					LENGTH			İ	દ	†		172-HOUR	FORM
i.	#IUIW	-	*		×	E+1 LANDING				Wibit				×	EFT LANDING		i		WINTE				×	EFT LANDING				WIDTH				×	EF I LANDING		OURS OF	
Dect Warn	5,21	9.	10.7	7.7	22	RIGHT	Dect Wam		-	I FNG I H				ည	RIGHT	Dect Warn		-	ENGTH.			Ç	2	RIGHT	Dect Wam	1	_	LENGTH	-			<u>ي</u>	HIGHT	DATE A	APPROVED BY	STREET
(Y)		-	>	12,2	×	HIGHT TRANSITION	Y/N		_	WITH				×	HIGHT THANSITION	Υ / N	ŀ		WIDTE			ì	×	RIGHT TRANSITION	Y/N	ŀ	-	HIDIM			1	×	RIGHT TRANSITION	DATE APPROVED	VED BY	10000
Back Curbs N	LENGTH	\vdash			S.	+	Ba	1	+	TI CO				2	77	Back Curbs			-			- F	2	Ħ	Back Curbs		-	LENGTH				န	T	H	<u> </u>	on on
ارگی ا	WIDTH		+	Ī	×	RIGHT LANDING	S			_		+	+	×	RIGHT LANDING	Ġ	ŀ	100	_			}	×	HIGHT LANDING	Š	ł		HIDIM				×	RIGHT LANDING			
DAT		ON CORB	SLOPE	<u> </u>				T DA	LENGTH		ON CURB	SLOPE		+	$\dagger \dagger$		DAI	LENGTH		ON CURB	SLOPE		\dagger	\parallel		DΑ	LENGTH	7	ON CURB	SLOPE		+			DATE	X STREET
DATE CONSTRUCTED	エ	â	ı '''	내크		FLARES		DATE CONSTRUCTED	<u> </u>		Ø	T	1 5 5 1		FLARES Curb Height		DATE CONSTRUCTED	ヹ		ΞĎ	7		Curb Height	FLARES		DATE CONSTRUCTED	<u> </u>	\dagger	<u> </u>	Т		Caro neight	FLARES		-	6
JOCIED				RIGHT		iui S						+	THE SECTION AND ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECT	3			HOCIED				+	RIGHT	gni	°		HUCTED				+	RIGHT	Ç	S			4354

	COMPLIANT	TYPE	WS	RAMP 8			COMPLIANT		1775		WS	DARD 7			N/Y	COMPLIANT		TYPE		RAMP 6				N/A	COMPLIANT		1176	TVDE	SE	RAMP 5	
	LENGIH			SL	STREET		REMARKS	LENGTH			oL.	2441	STREET LANDING		REMARKS		LENGTH			SL	TYPE B AND E	STREET LANDING		REMARKS		LENGTH				SI 15	STREET LANDING
-	WIDIH			SL XL	STREET LANDING			WIDTH			٨٢	YPE BANDE	ANDING				WIDTH			×	AND E	ANDING				WIDTH				X	ANDING
15'	LENGIH		-	SL XL	COUNTER SLOPE			LENGTH		İ	Š.	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			2	ALL OTHER TYPES	COUNTER SLOPE				LENGTH					COUNTER SLOPE
	WIDTH	1 1		XL YEE	R SLOPE			WIDTH			ř	H IYPES	R SLOPE				WIDTH			×	R TYPES	R SLOPE				WIDTH			ì	× 1	R SLOPE
4×C	COMPLIANT LIP Y/N	BOT/RT AVG	TOP/LT	,			Y/N	COMPLIANT	AVG	MID	TOP/LT					Y/N F₽	COMPLIANT	BOT/RT AVG	MID	10P/LT					ĭ/N 등	COMPLIANT	AVG	MID	TOP/LT	_	
4×4, 45, x34	ÉĄ!	2,2) () ()	<u>S</u>	STREET RAMP			LENGTH			Ę.		STREET RAMP				LENGTH			SL		STREET RAMP				LENGTH			Ş	S	STREET RAMP
N X	ζ <u>.</u> Μ	7,) } }	×	RAMP			HTGIW			×		RAMP				WIDTH			×		RAMP				WIDTH					RAMP
17.8	FENGTH	7.5	7.7	ဋ	TOP LANDING			LENGTH			Ş		TOP LANDING				LENGTH			SL		TOP LANDING				LENGTH			í	SL	TOP LANDING
	J l	0,5	2,0	×	NDING			WIDTH			ř		NDING				WIDTH			×		NDING			_	WIDTH			ì	Ă	NDING
į	4,6'	1/2	2,7	SE	LEFT TRANSITION			LENGTH			SL		LEFT TRANSITION				LENGTH			SL		LEFT TRANSITION				LENGTH			Ç I	S	LEFT TRANSITION
:	C/ HTGIM	ار ا	ي ا	×	NOITION			HTGIW			ř		NSITION				HTGIW			ΧĽ		NSITION				HTDIW			ì	Ă	NOTTION
	LENGTH		-	SL	ᄔᄪᄓ			LENGTH			S		LEFT LA				LENGTH			SL		LEFT LA				LENGTH			٩	2	LEFTLA
	HIDIMA	X	,	×	ANDING			WIDTH			×		ANDING				WIDTH			×		ANDING				WIDTH			 		ANDING
Dect Warn	LENGTH			SE	RIGHT TRANSITION	Dect Warn		LENGTH			SL		RIGHT TRANSITION	Dect Warn			LENGTH			SL		RIGHT TRANSITION	Dect Wam			LENGTH			ļ.	2	RIGHT TRANSITION
(F)	WIDTH			ř	ANSITION	۲/N		HIDIM			×		NOTISNA	Y/N			WIDTH			×		NOITION	Y/2			WIDTH			ļ	×	NOITION
Back Curbs	LENGTH	$\frac{1}{2}$	/	22	RIGHTL	Back Curbs		LENGTH			SL		RIGHT LANDING	Back Curbs			LENGTH			<u>S</u>		RIGHT LANDING	Back Curbs			LENGTH			Ş	S	RIGHT LANDING
	WIDTH			X	LANDING			WIDTH			ř		ANDING				HTGIW			×		ANDING				WIDTH			ì	×	ANDING
DATE	LENGTH	ON CURB	2			/		LENGTH	ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE			
DATE CONSTRUCTED			LEFT	Curb Height	FLARES		CONSTRUCTED				[EFT]	Curb Height	FLARES		DATE CONSTRUCTED						Curb Height	FLARES		DATE CONSTRUCTED					LEFT	Curo Height	FLARES
JCTED			RIGHT				CTED				HIGHT				CTED					RIGHT				CTED					RIGHT		

	COMPLIAN Y/N		3471		NE NE	_		Ī	_	Y/N	COMP			TVDE	i	Z	RAMP 3			NX	COMPLIAN		HAAL			RAMP				N.Y.	COMPLIANT	ン	- Y T E		WN	RAMP 1		000	CONT	CONT	CONT
Compliance For	HEMARKS	LENGTH	<u> </u>			4 SL		STHEE		REMARKS		LENGTH		+		T	Т	JAAL .		REMARKS	A Ti	LENGTH	111			SL	· 1	STREE	COIN	REMARKS	2	LENGTH	<u> </u> "			SL SL	т т	STREET STREET	CONTRACTOR	CONTRACT NAME	CONTRACT NO.
Compliance Form FIXED 4-07 July		HIGIM	_			×	TYPE B AND E	STREET LANDING		S -		WIDTH				ì	×	TYPE 8 AND E		S		WIDTH				¥	TYPE B AND E	TLANDING	J	8		HTGIW 1				×	TYPE B AND E	STREET LANDING	ذ ک	20	
		LENGTH				SL	ALL OTH	COUNTE				LENGTH				,	<u>'n</u>	ALL OTH			-	LENGTH	•			SL	ALL OTH	COUNT			_	LENGTH				ZL_	H	-	رة.	**:-	65-19
		HIDIM				¥	ALL OTHER TYPES	COUNTER SLOPE				WIDTH				ì	×	ALL OTHER TYPES				HIGIW				¥	ALL OTHER TYPES		5			HICIW				×	ER TYPES	COUNTER SLOPE	Snow	15000	
	Y/N □	COMPLIANT	BOT/RT	MiD	TOP/LT				-	Ϋ́/N	LIP	AVG COMPLIANT	BOI/RI	MIC		TOD!			·	1/1/2	F	COMPLIANT	BOT/RT	MIL	TOP/LT			7	(カニメ	Y/N		AVG COMPLIANT	BOT/RT	MID	TOP/LT						
		LENGTH				SL		STREET RAMP				LENGTH				ğ	2	STREET RAMP				HIGH				SL		SIREEI RAMP	× 21.	2	۲/۰	LENGTH	35	١٠, ١	216	SL		STREE BAMP			
		W/DTH L	-			ΧL		RAMP			+	WIDTH			-	}	₹	RAMP				W I				×		4	7 2	┡	-	WIDIH	0,0	0.1	0,7	ΧL	1 07 1811	BAMP	CUR		
		LENGTH				SL		IOP AN			-	LENGTH				ļ	2	TOP LANDING				ENICE IN				SL		╣.	× .	2	_	LENGTH	G	2	0.2	SL	5	CONC	B RAMPS		CURE
	-	WIDIN L				ΧL	+	⇃		L	-+	WIDIH					4	Н			_	WID III				ΧL	+	┨	v	1	╌	WIDTH	0.2		_	¥	-	CONCRE	CURB RAMPS TO BE INSPECTED WITHIN 72.		CURB RAMP COMPLIANCE FORM
		LENGTH W				Şī	TOT- I DANSI I ON	EET TRANS			╁	LENGTH		-		ļģ.	<u>!</u> +	LEFT TRANSITION		L		_				SL	CET I I I ANSI I I ON			2	_	FNGTH			ユ ユ カ	Ş	LET I TANKSI I ON	CONCRETE PLACEMENT	PECTED V		OMPLIA
		WIDTH LE				ř	Š			_	_	HIGIW				ř	+	SITION		-						¥	OI ION				,	E C	0.3	5,2	9	×	o i o	MENT		; ;	NOT TO
		NGTH			4	22	LEFT CANDING				1	T.			-	န	+	LEFT LANDING		L	DNG I II					ST	LEFT LANDING				_	- C	\ <u>\</u>			र्घ	LET LANDING		HOURS OF	:	Me
Dect		WIDTH			+	ř	\downarrow	L	Dec		2 C	-		 	-	ř	╀	Ц	Dec	-	W DIT	_				ř	4	┖	Dec	<u> </u>	2017	-	11			×	\downarrow			<u> </u>	61
Dect Warn Y		ENGTH W		1	+	SP.	HIGHT TRANSITION		Dect Wam Y		LENGI F	_				SL	╀	RIGHT TRANSITION	Dect Warn Y	-	LENGIH	_				22	HIGHT THANSITION		Dect Warn (L	TEING IN	1		7	+	<u>2</u>	RIGHT TRANSITION	DATE APPROVED	APPROVED BY	NSPECTOR	_
Y/N Back	_	WITH HER			╁	<u> </u>	\dagger		Y/N Back		אוושוא רבו	-		ļ 		ř		H	Y/N Back	-	WIDIH LE	_				ř	_	t	Y) Back		אוטומ)	$\frac{1}{2}$	ř	1	8	+	B 640 00	· I
Back Curbs	EINGIN WIDIH	_		+	╁	S	RIGHT LANDING		Back Curbs		LENGIH W	-				SL		RIGHT LANDING	Back Curbs	F	LENG?H WI					2	RIGHT LANDING	7.5	Back Curbs 1		LENG!H W	H		$\left\langle \right $	╁	SL	RIGHT LANDING		200	- V - 2 A	
	LENGTH		ON CURB	200	1	<u> </u>	NG]_		WELL		ONC	SLC		¥		NG	<u> </u>		MIDIH		ON C	<u>د</u>		<u></u>	ING		1		WID IH	ш	ON	آء ا		ř	JING		-		
DATE CONSTRUCTED	HTE		URB	т	- E E E	Call Height	FLARES		DATE CONSTRUCTED	ב הוא מ ב הוא מ) - - -	_	ON CURB	SLOPE	LEFT		Curb Height	FLARES	DA III CONS		LENGTH		ON CURB	SLOPE	LEFT		FLARES		DATE CONSTRUCTED		ENGTH		ON CURB	SLOPE I		Caro	NIE V			NATE DATE	· ·
TRUCTED				1200	4	Hillin	ES		TRUCTED						FT RIGHT		leight	ES	CONSTRUCTED	L					FT RIGHT		FLARES		SIRUCIEL	(;)			<u>0</u>	+	FT BIGHT	i cigi ii	FLARES			45)

	ΥN	COMPLIANT		TYPE	946	RAMP 8			Ϋ́N	COMPLIANT		J-I		ws	RAMP 7			YX	COMPLIANT		THY	í	SE				Y/N	COMPLIANT		TYPE		SE	RAMP 5	
	REMARKS		LENGTH				TYPE B AND E		REMARKS		LENGTH				22	TYPE B AND E	STORES	REMARKS		LENGTH			ģ	I YPE B AND E	STREET LANDING		REMARKS	-	LENGTH 1				SL	STREET LANDING
			HTGIW			ř	+	5			WIDTH				4	+	-			H101M			7	Ļ	Н				I HTGIW				1	┿┪
			LENGTH			SL	ALL OTHER TYPES				LENGTH				SL	ALL OTHER TYPES				LENGTH			ģ	ALL OTHER TYPES	COUNTER SLOPE			_	LENGTH				SL XL	COUNTER SLOPE
			HTDIW			×	TYPES				HTGIW				×	STOPE	2			WIDTH			ř	YPES	SLOPE				HTDIW				×	SLOPE
		Y/N	COMPLIANT	BOT/RT	MID CP/LI					Y/N LEP	COMPLIANT	BOT/RT AVG	MID	TOP/LT					۲/ - [COMPLIANT	BOT/RT AVG	MID	1/90/					Y/N F	COMPLIANT	BOT/RT AVG	MID	TOP/LT		
			LENGTH			75	STREET HAMP				LENGTH				S	SINEELHAMP				LENGTH			S.		STREET RAMP				LENGTH			Ç	S	STREET RAMP
			WIDTH			ΧĽ	НАМР				HTDIW			j	×	HAMP				HTDIW			ř		RAMP				HTGIW			ì	×	RAMP
			LENGTH			SL	TOP LA				LENGTH			-	S	10P LANDING				LENGTH			ဠ		TOP LANDING			ŀ	HENGTH			Ç	2	TOP LANDING
			HTDIW			ΧĽ	TOP LANDING				WIDTH			ì	ΧĮ	NDING		:		WIDTH			×		NDING				HTGIW			Î	×	NDING
			LENGTH			SL	AL 1437				LENGTH			Ç	S	AL 1437				LENGTH			SL		LEFT TRANSITION				LENGTH			ŕ	Ω	LEFT TRANSITION
			WIDTH			Χ̈́	LEFT TRANSITION				HTDIM			ì	×	LEFT TRANSITION				HTDIW			ř		NOITION				HTGIW			7.	×	NOITION
			LENGTH			SL	LEFT				LENGTH			í	'n					LENGTH			SE		디크크기				LENGTH			۶	Ω	(Lian
			WIDTH			ΧĽ	LANDING				HTDIW			í	×	ANDING			-	HIM			ř		ANDING				HTGIW			ř	¥	ANDING
Dect warn			LENGTH			SL	RIGHT TE	Dect Wam			LENGTH			Ç	20	RIGHT TF		Dect Warn		LENGTH			22		RIGHT TH	Dect Warn			LENGTH			ç	2	RIGHT TR
1	V.V		HTQIW			X	RIGHT TRANSITION	Y / N			HTGIW			ì	×	RIGHT TRANSITION		Y/N		HTCIW			×		RIGHT TRANSITION	Y/N			HTGIW			ř		RIGHT TRANSITION
back Curbs	Bank Such		LENGTH			25	RIGHT	Back Curbs			LENGTH			G	'n	RIGHT		Back Curbs	-	LENGTH			SL		RIGHT I	Back Curbs			LENGTH			ç	2	RIGHT
			WIDTH			×	RIGHT LANDING				WIDTH			ì	×	RIGHT LANDING				HTDIW			×		LANDING				HTGIW			è		RIGHT LANDING
	DATE	LENGIH		ON CURB	SLOPE			-	DATE	LENGTH	7	ON CURB	SLOPE		T			DATE	LENGTH		ON CURB	SLOPE	Ī				DATE	LENGTH		ON CURB	SLOPE			\prod
	DATE CONSTRUCTED			<u></u>	LAEL		FLARES Curb Height		DATE CONSTRUCTED		T				Curp Height	FLARES		DATE CONSTRUCTED		Ì		- - - -		Curb Height	FLARES		DATE CONSTRUCTED						Curb Height	FLARES
	UCTED				RIGHT		Ŧ		UCTED	,				RIGHT				UCTED		1		T GI	717	[#]			JCTED				1	RIGHT		

_	r								,	· ;		-	_									_					_	0								<i>c</i> '	<u>.</u> ,
	7/14	COMPLIANT		TYPE		NE 4				COMPLIANT Y/N		TYPE		N E	RAMP 3			7/N	COMPLIANT	_	TYPE		WN	RAMP 2			ΥN	COMPLIANT		TYPE		NA N	RAMP 1		SUB-CON	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xls	DEWIAHNO	BEMARK	CENGTH			oL.	2 177	STREET		REMARKS	LENGTH				SL	TYPE	SIRFFA	HEIVIAHKS		LENGTH				SL	134VL	2100	HEMARKS		LENGTH				SL	TYPE B AND E	SUB-CONTRACTOR	HOTOR	Y NO.
FIXED 4-07.xls			HIDIM			}	TIPE BANDE	STREET LANDING			WIDTH				XL	TYPE B AND E		•		HIGIM				ΧL	TYPE B AND E				WIDTH				×	AND E		× ;	227
			LENGTH			ပ္	ALL OIT	-			LENGTH				SL	ALL OT		-		LENGTH				SL	ALL OT				LENGTH				JS	-	-1	WD: (3 / C	705 - 7
			WIDTH			<u> </u>	ALL OTHER TYPES	COUNTER SLOPE		-	HIGIW				ΧL	ALL OTHER TYPES	100 M 100 M	, ,,		WIDTH		Ì		¥	ALL OTHER TYPES		İ	_	HIDIM				ΧL	ALL OTHER TYPES		2	20
			AVG	вот/вт	Mil	TOD/I				γ/N	COMPLIAN	BOT/RT	MID	TOP/LT		<u> </u>	'. !		Y/N =	힑	BOT/RT	MID	TOP/LT		<u> </u>				AVG	вот/нт	MID	TOP/LT		<u> </u>			~
			HISNA:	T		S.	?	STR		H	NTLENGTH	-			SL	0176	× 3.7.6	12.71	147	NT LENGTH	126	シング	Н	SL	STR		7.7		NT LENGTH	~	116	7/ 1	SL	0 1			
			HENDW.			×		STREET RAMP			HIGIW				¥	סיחברו האואור	× 7	, , ,	iliqi	H WIDTH	5.0	É	7:12	¥	STREET RAMP		-	-	HIDIM	7	0	X O	Ϋ́	O HEET HAMP			
		⊢	E NO		İ	25		TOP			LENGTH				SL	ξ	1 1 1))	۲,	LENGTH	0,7	0.1	, , , , , , , , , , , , , , , , , , ,	ZI.	101		_	-	LENGTH	-	0	2,0	SL	Ē		CURB RAMPS TO BE INSDECTED WITHIN 72.	Ω
		1	-			×		TOP LANDING			H WIDTH				×	TOP LANDING	× '\'		اہرار	HIGIW H		0,7	0.4	×	TOP LANDING			-	HIOIM	0.3	0,0	<u>, </u>	×	TOP LANDING	CON	MPS TO R	CURB RAMP COMPLIANCE FOR
		reng 11	╉╼┥			<u> </u>	H	LEFT			H LENGTH				<u>S</u> L		x 2.5,	-	•	H LENGTH			,	<u>S</u>	LEFT			-	H LENGTH	,	72	7.7	SL		CONCRETE PLACEMENT	T NODEO	MP COM
		WIDIH	+ +			-		LEFT TRANSITION			HI DIW HI			\dashv	ř	LEFT THANSITION	63			HIGIN	X		╁	×	LEFT TRANSITION	<u>.</u>	-	┰╊	HIGIW HI	20°	701	7	×	EFT TRANSITION	LACEMEN		PLIANC
		TENG!H		+		<u>S</u> L		7		-	_			\dashv	S		Ï		7	H LENGTH	<u> </u>	C	H	,s_	\forall		-	,	H SNE -	5/	()	<u> </u>	ည	\dagger		73. EO	E FORM
	ŀ	WICH	1 1	-		×	H	LEFT LANDING			ENGTH WIDTH			\dashv	×	LEFT LANDING			, 4,	HIGIM HIS	0,	 		<u>'</u> ×	LEFT LANDING		-	-	HILLIAM HIS	Z V	<u>-</u>	_	×	LEFT LANDING		B 00	
0000		IH LENGIH	-			SL	Ц	4	Dect Wam		TENGTH			+	<u>S</u>	+	_	_		TH LENGTH	7,	3/6/		<u></u>	44	Dect Warn			-	\rightarrow	\leq	,	Sr S	4		NSP	STREET
1	×/×		-			╀	H	RIGHT TRANSITION	/am Y/N	_	П		-	+	\dashv	RIGHT TRANSITION	/am Y/N	ŀ		_	0	3		\dashv	RIGHT TRANSITION	/am (Y/X)		_	ENGTE W	X	4	+	+	RIGHT TRANSITION	DATE APPROVED	INSPECTOR	
Dack Curds		WIDTH			1	ř	П	┪			אוטזא רפּז			+	×	十	Ba			WIDTH LE		Ò,	7	<u>×</u>	⇈		2	, E	Ť			+	ř	Ħ	<u>[]</u>		13.40 de 5
Curas		LENGTH W		<u> </u>	_	SL		RIGHT LANDING	Back Curbs		LENGTH W			╁	2	RIGHT LANDING	Back Curbs	ŀ		LENGTH W				2	RIGHT LÁNDING	Back Curbs	L	7 2	7	6	7,2	<u>`</u>	SE	RIGHT LANDING		といけ	
L		TE		9 ,	0	ř		NG G	<u> </u>	F	HIDIW	9	S	Ì	× 	JING	F			WIDTH	9	×	ì	×	JNG.	P T	-4]		ر و	į.	2	×	JING			Ш
	DATECC	LENGTH	,	ONCLURA		-	<u>S</u>		DATECC	LENGIH		ON CURB	SLOPE					DATEC	LENGTH 5		ON CURB	SLOPE		.				LENGTH		ON CURB	SLOPE		٥			DATE	XSTREET
	DATE CONSTRUCTED				LEFT -	┩	Curb Height	FLARES	DATE CONSTRUCTED				\dashv		Caro	FLARES		DATE CONSTRUCTED	5		7	,	LEFT	Z+-	FLARES	0010011001100			_		+	FFT	Caro riegiii	FLARES			E. 34 ras
	Ē				RIGHT	i			(HED					RIGHT				(ED					RIGHT			į		<i>ن</i> الم	, ,	بخر <u>ال</u>		BIGHT	7 .				1

Τ	0		П		20		1			0				2		٦		CON				곳		Π	-	Ş		П		공	
	AN	7	TYPE	SW	RAMP 8					COMPLIANT	ク	TYPE	:	HAMP 7			ΥN	COMPLIANT	_	TYPE	SE .	RAMP 6				COMPLIANT		TYPE	E	RAMP 5	-
REMARKS		LENGTH			SL	TYPE E	STREET		REMARKS		LENGTH			SL	TYPE B	STREET LANDING	REMARKS		LENGTH			25	STREET LANDING		REMARKS	į	LENGTH			22	TYPE B AND F
		HTOIW			ΧL	TYPE B AND E	STREET LANDING				HIDIM			X	TYPE B AND E	LANDING			HTGIW			χĽ	REET LANDING				HTDIW			X	A CIN
		LENGTH			SL	ALL OT	COUNT				LENGTH			ZE SE	ALL OTH	COUNT			LENGTH			SL	COUNT				LENGTH			SE	A11 07F
	\vdash	HTGIW			×	ALL OTHER TYPES	COUNTER SLOPE		ŀ		WIDTH			ř	ALL OTHER TYPES	COUNTER SLOPE			WIDTH	-		X	COUNTER TYPES		-		WIDTH			×	ALL OTHER TYPES
2 5 5 5 6 1617, 5 3 9 5 5		8	BOT/H1	MID I		3			ŀ	٧/٧ اا	8	BOT/R1	MID.	1/401	٥,			Y/N	COMPLIANT	BOT/RI	TOP/LT		<u> </u>		- 1		AVG	BOT/RI	TOP/LT		
, , ,	Н.	NT LENGTH		7,	SL		STR		-	<u> </u>	NT LENGTH			t		STR			NT LENGTH		11	S	STRE		ľ	' '	VT LENGTH			2	Ī
7 5.		HTGIW	2,0	30	×		STREET RAMP			<u>τ΄</u>	H WIDTH	1:0	2,0	` } }		STREET RAMP			H WIDTH			 	STREET RAMP		}		HIDTH			 	
ر. ۲۰	┷	H LENGTH	0,6	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	JS		\dashv			7	H LENGTH	5,0		18		Т0			H LENGTH			S	101		\mid	_	H LENGTH			ဋ	
_	\vdash	HTDIW	╁	2 (a)	Y		TOP LANDING				TH WIDTH	7 0,1	7 0,	_ _ 		TOP LANDING			TH WIDTH	+	+	×	TOP LANDING		ŀ		HEDIW			×	-
(11.x4.3)	-	┿					4			ָ ֓֞֝֞֝֞֝֝֝֜֝֞֝֝֞֝֝֞֝֞֝֝֓֓֓֞֝֞֝֓֡	TH LENGTH	<u>ر</u> بر	-2	╁	Н				TH LENGTH		+	22	+		\mid		TH LENGTH		H	<u>S</u>	-
5, 5,	 	LENGTH WI		$\left\{ -\right\}$			LEFT TRANSITION			7	-	١٠ ٢	77.00		H	LEFT TRANSITION			H		╁┼	╁	LEFT TRANSITION		$\ \cdot\ $		-		$oxed{+}$	╫	-
` .	┝┼	HIGIM LE	1		\ <u></u>		T		}	_	WIDTH LE	().	万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万万	H	Н				WIDTH LE	+	+	* -	t		\parallel		WIDTH LE		$\frac{1}{1}$	<u></u>	
٦,	一十	ENGTH		12/2	SL		LEFT LANDING				ENGTH V		<i>X</i>	SL.		LEFT LANDING			ENGTH V			20	LEFT LANDING		\mid	_	LENGTH W			2	
0	├─ ┢	WIDTH	17	2,2	ΧŁ	Ц	4	. 0			WIDTH I	\rightarrow	$\stackrel{\searrow}{+}$	ř		Ц	De		1 HTDIW			× -	_	_	1	-	HTGIW			<u>*</u>	
Dect Wam	8,);	LENGTH	0,1		SL	-	RIGHT TRANSITION	Dect Warn			LENGTH		1	SL		RIGHT TRANSITION	Dect Warn		LENGTH			'D	RIGHT TRANSITION	Dect Warn			LENGTH			ဋ	
(P)M	ζ ι ,	HIDIM		7.0	χĽ		NOITION	¥)	į	HTGIW			Ϋ́		NSITION	Υ/Ν		WIDTH		ì	×	NSITION				WIDTH			×	
Back Curbs		LENGTH		7	S		RIGHT	Back Curbs	,	H.	LENGTH	1.2	12	<u>S</u>		RIGHT	Back Curbs		LENGTH			S	RIGHT	Back Curbs		1	LENGTH			ည	
~		WIDTH	-	X	×		RIGHT LANDING	こア		7,	WIDTH	1.3	٠,٢	√×		RIGHT LANDING			WIDTH			×	RIGHT LANDING				WIDTH			×	
DAT			ON CURB	SLOPE					DATE	LENGTH	1	ON CURB	SLOPE				DATI	LENGTH		ON CURB	2 22				DATE	LENGTH	T	ON CURB	2 00		1
DATE CONSTRUCTED	1,17		2,2	.	/,',	Curb Height	FLARES		E CONSTI	<u>T</u>	1	8	Т		Curb Height	FLARES	DATE CONSTRUCTED			w	1431	Colo Delgin	FLARES		E CONSTRUCTED	- d-a	T	<u></u>	LEFT	Ogio I reigiai	CIET 4:10
RUCTE		\dagger		HIGH	ł	ght	S		CONSTRUCTED	S	+	$\overline{\langle}$	+	10 ·	ŢŢ.	Ø	HUCTED		1		RIGH	1	2		TOCTED		\dagger	_	RIGH		irh Height

	COMPLIANT			TYPE		NE	RAMP 4		T		COMPLIANT			TYPE			HAIMP	7	,		1/10	COMPLIANT		7	TVDE		WN	RAMP 2			Y/N	COMPLIANT			ТҮРЕ		WN	RAMP 1		SUB-CON	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xb	SAHAMER		LENGTH				SL	334AL	SHEE	I I I I I I I I I I I I I I I I I I I	SZHVWHE	HISNEL					ςĽ	2	STREET		CEMARKS		LENGTH	•				SL	34AL		HEMAHKS		LENGTH				(20	EEHIS	SUB-CONTRACTOR	HOTO	OT NAME
FIXED 4-07.xls			WIDTH				ΧL	TYPE 8 AND E	ANDING			HIGIM					ř	TYPE BANDE	STREET LANDING				HIGIW	•				×	TYPE B AND E		i		HIGIM				ř	×	HEET LANDING		Cmoxe.	7000
			LENGTH		İ		SL	ALL OTHER TYPES	COLINITE			LENGIH					SL	ALL OTHER TYPES	COUNTE				LENGTH					S	ALL OTH				LENGTH				ç	2	COUNT	Ĺ	١.	47
			HIGIW				ΧL	R TYPES				WIDIH					ř	H TYPES	COUNTER SLOPE				MIDIH				ì	×	ALL OTHER TYPES				HIGIM				P	Si Aires	COUNTER SLOPE		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	Y/N		AVG	вот/нт	MID	TOP/LT					Y/N	COMPLIANT	AVG	BOT/RT	MID	TOP/LT						Y/N	COMPLIANT	BOT/RT	3 2		TOP/IT					٧/٧ ا	COMPLIANT	AVG	BOT/RT		T MaO.					
		CE14G	HIGH				SL	OINEE	2000			LENGTH					ZI.		STREE				LENGTH				۶	20	STREE				HIBNET				Ω	2	STREE			
			WID I				XL	OTREET DAME	DAMB			HIGIM					×		STREET RAMP				HIGIM				ř	×	STREET RAMP				HIGIW				ř		STREET RAMP	۶	2	
		LENGIH	E 100				SL	1010				LENGTH					SL		71.dOL				LENGTH				ç	Ω	7.401				LENGTH				Ş.	!	1901	CONCRETE PLACEMENT	IBB BAMD	입
		WIDIH					Ϋ́	OP LANDING				HICIM					¥		TOP LANDING			,	MIDIH				₽	≤	TOP LANDING		. [WIDTH				×		FOP LANDING	CONCE	0 TO BE	CURB RAMP COMPLIANCE FOR
		LENGIH					ST.	LETT THANSITION				LENGTH					SL		/H1.1437				LENGTH				μ	2	TE-1 14				LENGTH				SL		LEF-T TR	CONCRETE PLACEMENT	NOBECTE	COMPL
		¥IDIH					¥	NSHION				HIGIM					ΧĽ		LEFT TRANSITION				HIGIW				ř	٤	LEFT TRANSITION				HIGIW				×		LEFT TRANSITION	DEMENT		IANCE F
		LENGIH					દ					LENGTH					SL		7,1,437				LENGTH				SE SE	2	7.1437				LENGTH				SL		11431	72-HOURS OF		ORM
		HIGIM					×	LEFT LANDING				WIDTH					ΧL		EFT LANDING				WIDTH				×	<u> </u>	EFT LANDING				HTGIW				ř		EFT LANDING	ç	1	
Dect Wam		LENGTH					S.	RIGHT TRANSITION	Dect want	Dect Warn		LENGTH					SL		RIGHT TRANSITION	Dect Wam			LENGTH		İ		<u>S</u>	!	RIGHT TH	Dect Wam			LENGTH				SL		RIGHT TE	DATE APPROVED BY	INSPECTOR	STREET
Y/N		HTGIW					×	ANSITION				WIDTH					ΧŁ		ANSITION	Y/N			WIDTH				ř		RIGHT TRANSITION	Y/N			HIGIW		Ī		×		RIGHT TRANSITION	-D BY	유	ار الراب
Back Curbs		LENGTH				ļ	2	RIGHT LANDING	Back Curbs	BakCush		LENGTH					ST		HEALT	Back Curbs			LENGTH				SL		RIGHT	Back Curbs			LENGTH		ĺ		JS.		RIGHT		15 S) - ا
		WIDTH				j	ř	ANDING				WIDTH					¥		ANDENIC				HIGIN				×		RIGHT LANDING				HIGIM				¥		HIGHT LANDING			
DATE	TENG! H	FORTH		ON CURB	SLOPE					DATE	LENGTH			ON CURB	SLOPE					1	JA	LENGTH		ON CURB	SLOPE						DA I E	LENGTH		ON CURB	SLOPE						DATE	X STREET
DATE CONSTRUCTED					ļ	LEFT	Cally Height	FLARES		DATE CONSTRUCTED						LEFT		Curb Height	1 1000		DAJE CONSTRUCTED					LEFT		Curb Height	FLARES		CONSTRUCTED					LEFT		Curb Height	FLARES			E.415.
CIED					3	RIGHT				CIED						RIGHT				1						RIGHT				į	CIED					RIGHT						ς.

	ΥN	COMPLIANT		======================================		SW					COMPLIANT	\bigcap	TYPE	C W	RAMP 7			YN	Ž		TYPE	ñ	RAMP 6			Ϋ́N	COMPLIANT		TYPE	IT	RAMP 5	
į	REMARKS		LENGTH			٢	TYPE B AND E	STREET LANDING	Cull	REMARKS		LENGTH	·		SL	TYPE B AND E	STREET LANDING	CU();		LENGTH			SL	TYPE B AND E	0	REMARKS		LENGTH			SL	TYPE B AND E
			HTGIM			ř	AND E	ANDING	7			WIDTH			ΧL	AND E	ANDING	(HTGIW			×	ANDE				WIDTH			ΧL	ANDE
1			LENGTH			SE	ALL OTH	COUNT		-		LENGTH			SL	ALL OTH	COUNTE	`		LENGTH			SL	ALT OTH	2			LENGTH			SL	ALLO TH
			HTGIW			×	ALL OTHER TYPES	COUNTER SLOPE	walk.	Ī		WIDTH			X	ALL OTHER TYPES	COUNTER SLOPE	MIK.		WIDTH			X	ALL OTHER TYPES				HTGEW		*	ΧL	ALL OTHER TYPES
		Y/N LP	COMPLIANT	BOT/RT	M C	1/4001			K . 21		Y/2	8	BOT/RT	MED -				: 4,3	Y/2 ⊑	Ç.	BOT/RT	MID I OP/LI					Y/N	COMPLIANT	BOT/RT	TOP/LT		!
			LENGTH	-		Σ.		STREET RAMP	1.3 x4	- [611	LENGTH	T	12	33		STREET RAMP	3 45,7	4.8	LENGTH	9.4	7,7	SL	טוחבבו האואר				LENGTH			JS	STREET RAIVIP
			WIDTH			¥		TRAMP	,	- [ζ_I	WIDTH	17.0		ΧĽ		T RAMP	,7',	7,	WIDTH	<u>ن</u>	0,70	×	TAIMIT			·	HTGIW			ΤX	RAMIT
			LENGTH			SL		N dO⊥	54×44	. [4	LENGTH	(<i>0,</i> ک	0 (SL		TOP LANDING	1×3	4	LENGTH	1,8	5	JIS	TOP LANDING	1			LENGTH			SL	TOP LANDING
			WIDTH	:		¥		TOP LANDING	5.4		۲, '	WIDTH	123	ر کر	Χ̈́		NDING	30'	در'	HTDIW	0,7	200	×	NOING			_	WIDTH			×	NDING
			LENGTH			SL		/A1 1431	~~~	1	6,3	LENGTH	1,2	ال الراد	SL		LEFT TRANSITION])[LENGTH	2,0	-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	SL	LEFT I HANSITION				LENGTH			ZL	LEFT THANSITION
			WIDTH		:	ΧĽ		LEFT TRANSITION			ť	WIDTH	0,7	جي دي دي	ΧĽ		NOITISN		ん	WIDTH	<u>0,1</u>	0-2	×	INSTITUTE				WIDTH			ř	NSITION
			LENGTH			SL		기내리				LENGTH		†	SL					LENGTH		7	212					LENGTH			ZI2	
			WIDTH			ΧĽ		LANDINĞ				HIDIM	\\ \	*	×		LANDING			WIDTH	$\sqrt{2}$	*	×	LANDING				HTGIW			×	LANDING
Dect Warn			LENGTH			SL		RIGHT TRANSITION	Dect Wam	9	1/2/7	LENGTH	4,4	, , ,	SL		RIGHT TRANSITION	Dect Warn	\$,21	LENGTH	6,6	4.7	SI	HIGHT THANSTION	Dect Warn			LENGTH	ŀ		<u>S</u>	HIGHT THANSITION
Y/N			HTDIW			ΧL		ANSITION	(Z	, -	Ĺή	WIDTH		3 0, 5	ΧĽ		ANSITION	S.	41	WIDTH	2,6	ζ. G/3	×	ANSLION				₩IDTH			ř	ANSHION
Back Curbs			LENGTH			SL		RIGHT LANDING	Back Curbs			LENGTH		} ;;	SL		RIGHT LANDING	Back Curbs		LENGTH		#	SL	RIGHT LANDING	Back Curbs			LENGTH			S	RIGHT LANDING
			HIDIM			¥		ANDING				HTGIW		,	ΧĽ		ANDING			WIDTH		7	ΧL	ANDING				HTGIW			ΧĽ	ANDING
	DATE	LENGTH		ON CURB	200					DATE	LENGTH		ON CURB	SI OBE			Ī	DATE	LENGTH		ON CURB	SLOPE				DATE	LENGTH		ON CURB	SLOPE		
	DATE CONSTRUCTED				LEFT		Curb Height	FLARES		DATE CONSTRUCTED				TEFT.		Curb Height	FLARES	DATE CONSTRUCTED				LEFT	Calbinoigin	FLARES		DATE CONSTRUCTED				Last		FLARES Curb Height
	CTED				RIGH					CTED				RIGH				JCTED				RIGHT				CLED		Ī	. <u> </u>	HIGH		

	NX	COMPLIANT		777		2	RAMP 4				COMPLIANT			JYPE	2	NE C				Y/N		-	TYPE	14	HAMIT 2			7/2	COMPLIAN		- - - -	TVBE	NA NA	RAMP 1		SUB-CON	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xls	REMARKS		LENGTH	•			SF	H HAAL	STREET	1	BEMARKS	LENGTH	•			ŭ	2 1 YPE	STREET		REMARKS	LENGTH		1		ģ.	1 34A.L	STREET	HEMAHKS		LENGTH				SL	TYPE B AND E	SUB-CONTRACTOR	СТОЯ	CONTRACT NO.
FIXED 4-07.xls			WIDTH				¥	B AND E	STREET LANDING			WIDTH				Ϋ́	AYPE B AND E	STREET LANDING					1		ř	TYPE B AND E	LANDING			HIDIM				¥	AND E	Α	-	1765-2
			LENGTH				SL	ALL OTHER TYPES	COUNTER SLOPE			LENGTH				SL	ALL OTHER TYPES	COUNTER SLOPE			WIDTH LENGTH				SL	ALL OTH	COUNTER SLOPE	i		LENGTH				SL	ALL OTH	COLINIE	l !!	3 C I
			H1GIW				¥	H TYPES	R SLOPE			WIDTH				X	RTYPES	H SLOPE			HIGIM				¥	ALL OTHER TYPES	H SLOPE			HIGIM				ΧL	ALL OTHER TYPES	COUNTER SLOPE	3) t
		Y/N F	COMPLIANT	BOT/RT	MID	TOP/LT					Y/N	COMPLIANT	AVG	BOT/RT	MID OP/L					Y/Y	COMPLIANT LIP	AVG		MID I					Y/N	COMPLIANT	BOT/RT	MID	TOP/LT					
		_	LENGTH				SL		STREET RAMP			LENGTH				212		STREET RAMP			LENGTH				SL		STREET HAMP			LENGTH				SL	01755	G 10 10		
			HIDIM				×		RAMP			HIGIW				¥		RAMP			WIDTH			Ē	¥		HAMP			WIDTH				ΧL			2	
			LENGTH				SL		SMICHNA LACT		!	LENGTH				SL		TOP LANDING			LENGTH				SL		10P			LENGTH				SL	107.0		RB RAMP	CUR
			HIGIM				×	9	NING			HIGIW		į		×		NDING			HIGIM				×		OP ANDING			WIDTH				×	- LANDING	CONCR	S TO BE IN	CURB RAMP COMPLIANCE FOR
		_	LENGTH				<u>S</u>		VG (199)			LENGTH				န		LEFT TRANSITION	٠		LENGTH				ZI.	- Indiana	1651167			LENGTH				SL	LEFT TRANSITION	CONCRETE PLACEMENT	SPECTED	COMPL
		-	WIDTH		ļ Ļ		×					WIDTH			i.	×		NOTION		L	HIGIM				×	i de la color				WIDTH				¥	WISITION	EMENT	WITHIN 7	ANCE F
			LENGTH				SL					LENGTH				န		N LEET			LENGIH				SL	FEFT LAWDING				LENGIH		i		SL	LEFT LANDING		CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	ORM.
	ļ	_	WDH	L			×	4	╽			WIDTH				ř	Н	EFT LANDING	-		HIDIM				×	INDING	_		-	HIDIW				×	NDING	9	P F	
Dect Warn		-	LENG H				25	HANSI ION		Dect Warn		LENGTH				SL		RIGHT TRANSITION	Dect Warn		LENGIH				SL	HIGHT THANSITION		Dect Warn		LENGTH				ည	RIGHT TRANSITION	DATE APPROVED	ABBBOVED	STREET
Y/2		-	HIGHW				×	NOI		ž		MIDTH			į	Ϋ́		NOTION	Ϋ́N		HIDIM				¥	VINCT FOR	_	≺ / z		HIDIW				ř	ANSITION	ROVED	J BV	(zerman
Back Curbs	L		HENGTH				S.	HIGHT LANDING	oden Outbo	Back Curbs	_	LENGTH			-	SL		EIGHT LANDING	Back Curbs		LENGTH				SL	HIGHT LANDING	out out ba	Back Curbs		LENGTH				S	RIGHT LANDING		てラエ	
		_	WITH I				¥	NDING				HIGIW				۲Ę		TINICISM TINICISM			HIDIW		i		×	ANDING				WIDTH HTGIW			í	×	ANDING		a-fr	
02.0		LENGTH		ON CURB	SLOPE					DAIE	LENGTH		ON CURB	SLOPE					DA i E (ENGTL	ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE					DATE	X STREET
DATE CONSTRUCTED					4	LEFT .	g	FLARES		DATE CONSTRUCTED					LEFT		Curb Height	2307 13	DATE CONSTRUCTED					LEFT		FLARES Curb Height		CONSTRUCTED					LEFT	Curo neigni	FLARES			6 32 m
<u> </u>						RIGHT				JIED					RIGHT				CIED					RIGHT				CIED					RIGHT					

RAMP 8 SW TYPE COMPLIANT	RAMP 7 SW TYPE COMPLIANT YN	RAMP 6 SE TYPE COMPLIANT	RAMP 5 SE TYPE COMPLIANT
STREET LANDING TYPE B AND E SL XL LENGTH WIDTH LENGTH WIDTH REMARKS	SI HEEF LANDING TYPE BAND E SL XL XL LENGTH WIDTH LENGTH WIDTH	STREET LANDING TYPE B AND E SL XL LENGTH WIDTH REMARKS C	STREET LANDING TYPE B AND E SL XL LENGTH WIDTH REMARKS
		DE STORY OF THE ST	▎ ▎ ▎
ALL OTHER TYPES SL XL XL XL XL XL XL XL XL XL XL XL XL XL	ALL OTHER TYPES SL XL SL XL LENGTH WIDTH	COUNTER SLOPE ALL OTHER TYPES SL XL LENGTH WIDTH	COUNTER SLOPE ALL OTHER TYPES SL XL LENGTH WIDTH
WIDTH OF STOPE			
SLOPE TYPES TYPES TYPES TOP/LT SL TO	TOP/LT MID BOT/RT AVG COMPLIANT LIP Y/N	OP/L AVG AVG	TOP/LT: MID BOT/RT AVG COMPLIANT LIP Y/N
STREET RAMP SL XL O. O. O. O. O. O. O. O. O. O. O. O. O. O	STREET HAMP SL XL 4, 8 0.0 5, 8 1, 5 LENGTH WIDT 3, 6, 6 7, 8 1, 5	STREET RAMP SL XL 1, 3 1, 4 1, 5 1, 7 Z, 6 4	STREET RAMP SL XL O.7 0.4 C.7 0.4 LENGTH WIDT
	WIDTH WIDTH		
SE XL O.Z. LENGTH WIDT	SE XE CO CI O'S CO CI O'S CO CI O'S LENGTH WIDT	TOP LANDING SL VL O.7 O.9 O.1 O.9 O.1 O.9 O.1 O.9 XL XL XL XL XL XL XL XL XL X	TOP LANDING SL XL 1, 3 0.5 0,5 0.5 C) 1 0.5 LENGTH WIDT
Ξ', ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	<u> </u>		MIDIH MIDIH MIDIH XC O'S O'S O'S O'S
C 2 2 C C C C C C C C	SL XL LENGTH WIDTH	LEFT TRANSITION SL XL LENGTH WIDTH	LEFT TRANSITION SL XL O.O. Z.X D.O. J. L LENGTH WIDTH LENGTH WIDTH
			┇┈╏═╣╶╎┈╏┈╏═╏ ┯┥
LEFT LANDING SL XL 0'8 1.7 1.4 1.6 1.9 0.3 LENGTH WIDT	LEFT LANDING SL XL LENGTH WIDT	LEFT LANDING SL XL 0.5 0.4 0.2 1.0 0.8 0.4 LENGTH WIDT LENGTH WIDT	SL XL LENGTH WIDT
= []	T		
RIGHT TRANSITION SL XL A, 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SL XL 4,4 1,2 4,4 0,4 LENGTH WIDTH 2,2 (\frac{1}{2}, \frac{1}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2},	RIGHT TRANSITION SL XL XL LENGTH WIDTH LENGTH WIDTH	SL XL SL XL LENGTH WIDTH
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
SL XL LENGTH WIDTH	RIGHT LANDING SL XL 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	RIGHT LANDING SL XL LENGTH WIDTH	RIGHT LANDING SL XL 11 O.1 0.8 O.1 1.8 O.1 LENGTH WIDTH LENGTH WIDTH LENGTH WIDTH
		T SH S	
SLOPE ON CURB LENGTH	SLOPE ON CURB LENGTH	SLOPE ON CURB LENGTH	SLOPE ON CURB LENGTH
Curb Height OPE CURB C	Curb Height Curb Height CURB CURB CURB CURB CURB CONSTRUCTED	FLARES Curb Height CURB / / CURB / / CURB / / NGTH Z' DATE CONSTRUCTED	Curb Height CPE CURB CHRB CHRB CHRC CHRC
RIGHT	RIGHT COED	RIGHT	RIGHT O.7

		COMPLIANT		TYPE	, A	RAMP 4			COMPLIANT	ت	7 77		NH H	RAMP 3	·		ΥN	COMPLIANT		TYPE	1 4	HAMP 2			172	COMPLIANT	ン	TYPE		RAMP 1		SUB-CON	CONTRACTOR	CONTRACT NO.
Complained FOR	(2)	REMARKS	LENGTH	•		SL	STREET	•	REMARKS	LENGTH	•			SL	334AL	(\)	REMARKS		LENGTH			SL	TYPEE	STREET	חמואאחמט		LENGTH			2	TYPEE	SUB-CONTRACTOR	TOR	NO.
TXED +OCXIS	6.2		HIGIW			¥	TYPE B AND E			HIDIM				۲	TYPE B AND E	52.0	١,		WIDTH			×	AND E	STREET LANDING			WIDTH			×	TYPE B AND E	RACTOR STREET LANDING	2020	2661
•	7.		LENGTH			SL	ALL OTHER TYPES	-		LENGTH				SL	ALL OTHE				LENGTH			SL	ALT OTHE	COUNTER SLOPE			LENGTH			SL	ALL OTHE		۲]	2-20
	5		HIGIM			¥	ALL OTHER TYPES			MIDIH				¥	ALL OTHER TYPES	J.J. [X]			HIDIM	:		×	ALL OTHER TYPES	H SLOPE			WIDTH			×	ALL OTHER TYPES	COUNTERSTOPE	- 20 W	
	-1K:5	Υ/Ν	COMPLIANT	BOT/RT	TOP/LT MID				Υ/Ν	COMPLIANT	BOT/RT AVG	MID	TOP/LT			× 17 5	_[Y/N LIP	COMPLIANT	вот/нт	MID					Y/N	COMPLIANT	BOT/RT AVG	MiD	1 0 2 1				
· 公司等的公司 · 在全线重播了多数	× 3	1.6	LENGTH	7.6	2/2	75	STREET RAMP		2,5		5,67	6,4	^	SL	SIHEE	\sim		<u></u>	LENGTH	6.6	6.4	SL		STREET RAMP		4.6	LENGTH	6.9	0.8 8.9	SL		2 10 10		
97 - A 2014 -	7.6		WIDTH	0,1	07	ΧL	I RAMP			WIDTH	1,6	G	9.6	۲	HAMP	_		41	HIDIM	1,2	0.2	> -		HAMP		ζ-	HIGIM	0,7	0.0 2.0	×			2	
	7 × 9	7,	LENGTH	0.2	7.0	SL	TOP LANDING		\ <u>\</u>	LENGTH	<u>-</u> جر	יו ـــוי	7	SL	TOP LA	×4.9		۲)	LENGTH	-5	6,1	ST.		TOP LANDING		ζ,	LENGTH	6	0.5	<u>.</u>	TO DINDING	Z Z Z Z Z Z	RB RAMPS	CUR
} } }• •	1.2,3	2	HIGIM	0.1		×	NDING		7	HIGIW		130		×	NDING	,5,5'x'		۲۱	HIGIW	1.0	0 /2 0 /2	ř		NDING		در ر	HIDIW	0,2	0.7	<u>`</u>	Č	CONCR	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	CURB RAMP COMPLIANCE FORM
S.,	2 x2		LENGTH		4	SL	LEFT TRANSITION			LENGTH	7.0	7.7	7 7	S	LEFT/TRANSITION	4,5,2	.		LENGTH		/	SE		LEFT THANSITION		5.31	LENGTH	3.6	0, C \ 0, C \	<u>}</u> ≥	EE I III MAGII JOIN	CONCRETE PLACEMENT	SPECTED	COMPLI
	3, 3,2		HIGIW	4	1	ΧL	NSITION		5	H	2.0	3.9		×	NOTION	5'x5			HIGIW			ř		NSITION			WIDTH.	7.0	50	18	JOIN OF THE PROPERTY OF THE PR	EMENT	WITHIN 7:	ANCE FO
	×46	-1-	LENGTH		2-0	SI	LEFT LANDING		-	LENGTH				SI	LEFT LANDING	6		-	LENGTH		0 8)		LEFT LANDING			LENGTH		1	ST.	בקיים בקיים ואפ		SHOURS O	ЖM
		17	WIDTH	0.1	2 - - -	۲Ł	NDING	<u> </u>		HIGIW	1			×	NDING		-		HIGIW		0,0		Ц	╄			WIDTH	7		ř	Ш			160
	Dect Warn	65	LENGTH	3.4	6.5	SL	RIGHT TRANSITION	Dect Warn		LENGTH		1		<u>s</u>	HIGHT THANSITION	Dect Warn		_	LENGTH	0	- \ - \ - \) -		RIGHT TRANSITION	Dect Warn		LENGTH.			, P	ANOTHER PROPERTY.	DATE APPROVED	APPROVED BY	STREET
	ŢŊN B	7	HIDIM	00	177	¥	NSITION	<u></u>		HIGIW	1			×	NOTION	<u></u>	}	-	WIDIH /		5.17	ř		_	β _N (δ)		WID/H			, <u>×</u>	NOILION	ROVED	BY R	ن والأرياج
	Back Curbs		LENGTH	7.00		SL	RIGHT LANDING	Back Curbs /		LENGTH				Si	RIGHT LANDING	Back Curbs		-				SF.		RIGHT LANDING	Back Curbs :	۲۱)	LENGTH	0,5	0,0) 22	night Dakbing		F1 50 00	
	こチ		HIGIW		_\	۲	NDING	<u></u>		HIGIM	1			×	NDING	\lesssim		_	HIGIW		₹_	×	1	NDING	7	41	HICIW		<i>(٥,۲</i> ٥,۲	×	INDING			
	DATE	LENG! H		ON CURB				251		HENGTH	ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE				DAIEC	LENGTH		ON CURB	SLOPE				DATE	XSTREET
	DATE CONSTRUCTED		-	7.7	LEFT		PLARES Jurb Height	ON I COMO I DOCTED				-		one a regim	FLARES		CONSTRUC	۸,		7.8	LEFT		Curb Height	FLARES	CONSTRUCTED			•	Ę		Curb Height			W:343W
,					RIGHT			ָרָרָרָרָרָרָרָרָרָרָרָרָרָרָרָרָרָרָר) · Ø	< 0°	3.4	3	BIGHT								RIGHT				CIED	8	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	とい	HGH					Ż

COMPLIANT	TYPE	RAMP 8	COMPLIANT Y/N	TYPE	RAMP 7 SW	Ϋ́N	COMPLIANT	SE	RAMP 6	COMPLIANT Y/N		RAMP 5 SE	
REMARKS	_	STREET LANDING TYPE B AND E SL XI.	REMARKS	LENGTH	SI REET LANDING TYPE B AND E SL XL	Culb.28	LENGTH		STREET LANDING TYPE B AND E SL XL	REMARKS	LENGTH	SE	STREET LANDING
2		ANDING AND E XL		WIDTH	AND E	. 28	WIDTH		ANDING AND E		HTDIW	×	ANDING
LENGTH		COUNTER SLOPE ALL OTHER TYPES SL XL		LENGTH	ALL OTHER TYPES SL XL	۲	LENGTH		COUNTER SLOPE ALL OTHER TYPES		LENGTH	SE XE	COUNTER SLOPE
A NOTH		R TYPES XL		WIDTH	R TYPES	»)K:	WIDTH		R TYPES		HIDIM	×	SLOPE
MIDTH COMPLIANT LENGTH WIDTH L	BOT/RT AVG	TOP/LT	Y/N LIP	BOT/HT AVG COMPLIANT	TOP/LT	۲, ۶	칠	TOP/LT MID BOT/RT		Y/N	BOT/RT AVG COMPLIANT	MID MID	
4.5 ' 0,3	6.5	STREET RAMP	اِل	NA 12	STREET RAMP	3)',	S,	25.5	STREET RAMP	6.5		6.3 7.9 ≥	STREET RAMP
wвтн Ч' х3.6,	0.7	XL RAMP	٦١,	WIDTH	XL Q.5	5.8x6.)	C√(t	8,0 8,0	RAMP	2		ν. Συχ Συχ	RAMP
15.4 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	G_ 647	TOP LANDING	^	O, J	SL XL XL	1,7,3	LENGTH	× - 3	TOP LANDING	5	LENGTH	SL 7.0 7.4	TOP LANDING
3.6 6,1	00	XI VDING	4'	WIDTH	O'Y Viping	2.8'	WIDTH 5	0,9	XI	5	T T	(). (). ().	IDING
LENGTH		SL XL	11.3	5.6 LENGTH	씨게 []	4,6'x8.	LENGTH		LEFT TRANSITION	4.5	* [코]	2.8 8.5 18	LEFT TRANSITION
1,5°K	1	XL NSITION		HLDIM 13.0	XL XL	8.2	WIDTH		NOITION	5	HIIO	4, 1×	NOITIEN
1,02,7	1212	LEFT LA		LENGTH	SL LEFT LAI		LENGTH	1.2	LEFT LA		LENGTH		LEFT LA
ر ا ا	24	ANDING XL		HIGIN	ANDING		WIDTH § 1	0.6	ANDING		WIDTH 1	Z	ANDING
LENGTH 7,7	++-	SI HT TRA	Dect Warn	LENGTH	SL SL	Dect Wam	LENGTH	222	RIGHT TRANSITION	Dect Warn	LENGTH	<u>/ 2</u>	RIGHT TRANSITION
Al Aldian	0,2	XL XL		₩ (XL	(V)N	₹' MIDTH	0,1	NOITISN	(3)	WIDTH	A	NSITION
LENGTH WIDT		RIGHT LANDING		LENGTH	SL XI.	Back Curbs	LENGTH		RIGHT LANDING	S Back Curbs	G.C LENGTH) - S	RIGHT LANDING
WIDTH WIDTH	R	XL	X X	HILDIM	XI.)}	WIDTH		NDING	7 5		e 4 ×	NDING
LENGTH DATE	SLOPE ON CURB		LENGTH DATE	ON CURB		DATE	LENGTH	SLOPE ON CURB		DATE	ON CURB	SLOPE	
DATE CONSTRUCTED	2.3	FLARES Curb Height LEFT	S, J		FLARES Curb Height LEFT	CONSTRUCT	18,5	4.7	FLARES Curb Height	DATE CONSTRUCTED		Curb Height	FLARES
CTED		RIGHT	5,7'	=	RIGHT	CTED		RIGHT		OTED 7	5.9	RIGHT	

¥	COMPLIAN		TYPE	Z.	RAMP 4		T	ΥN	COMPLIANT		TYPE		RAMP 3			1612	COMPLIANT	\bigcirc	TYPE	WN	RAMP 2			Ř		TYPE	WN	RAMP 1		CONTRACTOR SUB-CONTRACTOR	CONTRACT NAME
REMARKS	┸┸	LENGTH			SL	TYPE	STREET	REMARKS		LENGTH			SL	H HALL	STREET		BEMARKS	LENGTH			SL	STREET LANDING		DEMARKS	LENGTH			ਨ		Ħ	NAME:
<i>σ</i> 1	_	HIDIM			×	B AND E	STREET LANDING			WIDTH			×	TYPE B AND E	STREET LANDING	5, '		HIGIM			ΧL	+			HIDIM		<u> </u>	1-4		-	2020
		LENGTH			SI	HIO TIN	COUNT			LENGTH			S.	ALL OTHER TYPES	COUNTER SLOPE	5		LENGTH			SL	ALL OTHER TYPES		L.	LENGTH			SL	ALL OTHER TYPES	(a 5)	1.20 1.0 MOS
	_	WIDTH			ř	ALT OTHER TYPES	COUNTER SLOPE			HIDIM			ř	H TYPES	RSLOPE	ととて		WIDTH			ř	TYPES			WIDTH			╀╼┵	TYPES	Show	05 1
	Y/N LP	AVG	вот/ят	MID	TOD# T				۲/ Z	COMPLIANT	BOT/RT	MID	TOP/LT			X X	Y/N	COMPLIANT LIP	BOT/RT	MID TOP/LT		<u> </u>		Y/N	Ź	BOT/RT	TOP/LT MID	<u> </u>			
		LENGTH			Į.	3	STREE			LENGTH			عاد	ũ	STREE	ري م		TENGTH LENGTH	5	2 0	0.00	STREE! HAMP		7.11	Z / C	E	2 C	SL	CIREE RAMP		
		HIGIW			}	<u>≺</u>	STREET RAMP			MIDIH			ř	¥	RAMP	5×7	<u> </u>	WIDTH.	ν. 2	i Sr	, , ,	HAMP			HIGIW	بئ ا	0 & X	×	TAMIT	CUR	
		LENGTH			٢	2	IOPL			LENGTH			Ş	<u>n</u>	JOP L	127	4	LENGTH.	0,0	1 - 1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	I OF LANDING		2	LENGTH	=	0.7		Or Dalabiliad	B RAMPS	20
		HIGHW			}	×	TOP LANDING			HIGIM				×	TOP LANDING	7 3		C. C	2	7-		ADING		\-{		0.	0 7 0 X	* ×		CONCRE	
		LENGTH	+		ļ	20	LEFT IF			LENGTH				S	LEFT TRANSITION	2×6,		LENGTH			2	CEL I STOWNOUT YOUR		2	LENGTH	1,7(720	2 2	-	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	
		WIDTH	1			×	LEFT THANSITION			MIDIM				ř	ANSITION	<u>ښ</u>	.	MIDIM			ř	i di	NETTON .	-	Z M M M	7.5/	10	√ ×		MENT	
		LENGTH				S.	11431			LENGTH				SL	7 1497		-	LENGIH LENGIH	(i, i				LENGTH			<u>S</u>		LEFT LANDING	
		WIDTH				×	LEFT LANDING			MIDTH				¥	LEFT LANDING			C//			<u>}</u>				WIDTH	_	1	¥	\bot	NO CO	
Dect Warn		LENGTH				ST.	HIGHT II	Dect Warn		TENGTH				SL	RIGHT TRANSITION	Dect Warn		4.5.	(4)	201	۲	2	Dect Warn (Y) N		LENGTH			<u></u>		DATE APPROVED	INSPECTOR
۲/ z		WIDTH				ř	RIGHT THANSITION	٧/٧		HIDIM				ΧL	ANSITION	_		t',			υ 1	<u> </u>		\perp	MIDIM	\vdash		ř		OVED	-
Back Curbs		LENGTH				SL.	RIGHT	w		LENGTH				SL		Back Curos		LENGIH	1		۲	2	Back Curbs \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		7 TENGIH		70,4	17'C		RIGHT LANDING	200
		HIGIW	+	† .		¥	LANDING			WIDIH				¥			- P	WIDIH)	≚	NDING 7	-	را / ا HLGIM		<u>'</u> '	× 2.		VIDING	1
	DAIL	LENGTH	ON CORB	SLOPE					DATE	LENGTH		SLOPE					DAIE	LENGTH		SLOPE ON CURB				DAIEC	LENGTH		STOPE		Ç.		DATE
	DATE CONSTRUCTED	_	u		LEFT		Curb Height		DATE CONSTRUCTED				LEFT		Curb Height	FLARES	CONSTRUCTED	5.2	7	47	LEFT	Curb Height	FLARES	DATE CONSTRUCTED		_	_	핔	Curb Height	FLARES	
			_		RIGHT				CIED				RIGHT				CLED				RIGHT			CIED	53	0 , 1	≫ j	RIGHT	<u>ئ</u>		

	0				
RAMP 8 SW TYPE COMPLIANT	RAMP 7 SW TYPE COMPLIANT	TYPE COMPLIANT Y/N	RAMP 6 SE	COMPLIANT Y/N	RAMP 5
STREET LANDING TYPE B AND E SL XL LENGTH WIDTH HEMARKS	STREET LANDING TYPE B AND E SL XL XL LENGTH WIDTH	LENGTH REMARKS	STREET LANDIN TYPE B AND E SL XL	LENGTH	JS SHAFE
WIDTH XC	┝┈┾╃┈╏┈╏╬ ┩	WIDTH	STREET LANDING TYPE B AND E SL XL	WIDTH	TYPE BAND E SL XL
COUNTER SLOPE ALL OTHER TYPES SL XL LENGTH WIDTH	COUNTER SLOPE ALL OTHER TYPES SL XL LENGTH WIDTH	LENGTH	COUNTER SLOPE ALL OTHER TYPES SL XL	LENGTH	ALL OTHER TYPES SL XL
		WIDTH	╺┯╴╏┈┸╍╵╸ ┨	HTGIW	
TOP/LT MID BOT/RT AVG COMPLANT LLP Y/N Y/N Y/N	TOP/LT MID MID BOT/RT AVG COMPLANT LIP Y/N	1 5 7	MID I	AVG COMPLIANT LIP Y/N	MID MID
STREET RAMP SL XL 5,7 0,7 5,1 0,7 5,1 0,7 7,7 0,7 1,5 0,7 1,5 0,7 1,5 0,7	STREET RAMP SL XL S. X O.1 1.3 O.1 LENGTH WIDTI	LENGTH	STREET RAMP	LENGTH	STREET RAMP
WIND AND AND AND AND AND AND AND AND AND A		HIGIM	RAMP XL	WIDTH	XL XL
▐ ▔▔▊▜▔▎░ ▍	TOP LANDING SL XL () 7 0,(C)	LENGTH	TOP LANDING	LENGTH	TOP LANDING
		WIDTH	 	WIDTH	XL
	LEFT TRANSFITION SL XL 1-1,0 2,0 1-2,0 3,3 1.6 1-1,0 4	LENGTH	LEFT TRANSITION	LENGTH	LEFT TRANSITION SL XL
XL VIEW XL NOULISM	├ ├ ├ ├ ├ ├ ├ ├ ├ ├	TE LE	XL	WIDTH TE	XI ISITION
SE EFT LA	SL EFT IA	HTGN	LEFT LANDING	NGTH	LEFT LANDING
		WIDTH	│ ╽ ┩	HTGIW	
Vam (Vam	PIGHT TRANSITION SL XL SL XL LENGTH WIDTH	LENGTH	RIGHT TRANSITION SL XL	LENGTH	RIGHT TRANSITION SL XL
Bax LL Ba		WIDTH	1		XT NSILION
Back Curbs RIGHT LANDING SL XL XL LENGTH WIDTH Back Curbs	Back Curbs RIGHT LANDING SL XL 1. 2. 1. 3. LENGTH WIDTH LENGTH WIDTH	LENGTH	Back Curbs RIGHT LANDING SL XL	LENGTH	RIGHT LANDING
	<u></u>	HTIGIW	XL NO	WIDTH C	'
SLOPE ON CURB LENGTH 4	SLOPE ON CURB	SLOPE ON CURB LENGTH		ON CURB LENGTH DATE CO	
FLARES Curb Height 21', OPE CURB CURB	PLARES Curb Height Curb CURB CURB CURB CURB CURB CURB CURB CURB		FLARES Curb Height	CURB CURB CONSTRUCTED	FLARES Curb Height
TED RIGHT			RIGHT	Ħ	RIGHT

ſ	ž	COMPLIANT		 - - T	j	Z	RAMP 4	_		1 2	COMPLIANT			TYPE	<u>.</u> Д	יווע אַרו	2000			1 XX	COMPLIANT			TYPE		WN	RAMP 2				COMPLIANT			1	WW	RAMP 1		000000	CONTRACTOR	CONTRACT NAME	CONTRACT NO
Compliance F	REMARKS		LENGTH				SL	147	STREE	NEW YORK		LENGTH				ů	<u>n</u>	STREE		REMARKS		LENGTH					<u>S</u>	I BAAL	2	REMARKS	-	LENGTH				ST	TYPE	STREET	RACTOR	NAME	NO.
Compliance Form FIXED 4-07.xls	(X)		HIGIW	-	\dagger		ř	I YPE B AND E	STREET LANDING	٠ د		HIGIM				þ	¥	STREET LANDING		Ų.		WIDIH	-			\ \ \ \	¥	TYPE B AND E	ANITARIZ			HIDIM				ř	TYPE B AND E	STREET LANDING	Tropas	202	1765
8			LENGTH			•	<u>S</u> L	ALL U	+		-	LENGTH	_			Ç.	2	\dashv				LENGIH				<u> </u>	SL	+	4		-	LENGTH				SL	ALL OT	COUNT	5	(,)	7
			H10lM H1		1		- <u>*</u>	ALL OTHER TYPES	COUNTER SLOPE		-	HIGIW H	_		_	- - -	×	COUNTER TYPES				WUI	1				<u>~</u>	ALL OTHER TYPES	100 S 8 1		-	WIDTH				ř	ALL OTHER TYPES	COUNTER SLOPE	Now	15021	
		Y/7	8	AVG	DOT/E	ויייי	┸	ΰ	у m		N/A	- -	AVG	BOT/RT	MiD I	TODA		in in			Y/N	LIP		BOT/RT	MID	TOP/LT		S)			Y/N □	8	AVG	BOT/B	TOP/LT	t	۳	1			
		<u> </u>	, 	ល <u>=</u>) La	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	T	Τ	S			┰╣	<i>γ</i>	끅	<u> </u>	Ť	20	S			H	ANILENGIH	┝	17		7	<u>S</u>	2	2			NT LENGTH	=	1		ह		STRE			
		_	LENGTH W	+	1	-	- IS	╁	STREET RAMP		-	LENGTH W			_	+	\dashv	STREET RAMP			\vdash	-	1			\dashv	\dashv	-	STREET RAMP		_	HIGIW HI				 *		REET RAMP			Ц
			H10IM	.		$\frac{1}{1}$		+	M₽			WIDTH LE				╬	×	Ş			L	אוטוא	+-			+	ř	+	$\frac{1}{2}$		_	H			-	-	+	\dashv	CORB		
			LENGTH	_	1	_	\ <u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>	2	TOP LANDING		L	LENGTH				-	2	I OP LANDING			-	LENGIH	_			_	SI	1	TOP I ANDING			LENGTH V	_	+	-	SL	1	TOP LANDING	SAMPS I		CURB
			HIGIM				ř	<u> </u>	DING			HIDIM	_				×	_				. 8	_			_	ř	_	4			1 HIGIM	_			ř			CONCRET		RAMP C
			LENGTH				ဗု	2	7H1 1-137		-	LENGTH				Ì	13	LEFT TRANSFITON				EENGIN					<u>S</u>		LEFT TRANSITION			LENGTH				Ĭ.	!	LEFT TRANSITION	O BE INSPECTED WITHIT		OMPLIA
			HIGIM				ř	<u>≼</u>	LEFT TRANSITION			HIGIM.					×	MSHION				\$ 0.15		ŀ			¥		NOTION			WIDTH				ř		NOITIEN	CURB RAMPS TO BE INSPECTED WITHIN 72-HOO		CURB RAMP COMPLIANCE FORM
			LENGTH				o c	2	LEF1			LENGTH					SL.	[[LENGIN					JS					LENGTH				SE	2	LEFT L	z-noons or)RM
		-	HIGIM I		1		}	<u> </u>	FT LANDING			High	-				×	- I LANDING	AKITAKITA			_	WATER				Χ̈́L		LANDING			HIGIW				ř	<u>«</u>	LANDING	9	1	ļ
	Dect Wam		LENGTH	\vdash			ğ	2	RIGH	Dect Warn	T	LENGTH	! —				SL	חומחו		Dect Warn			4				SL		RIGH	Dect Warn		LENGTH				ξ	2	RIGHT	DATE APPROVI	ADDOMED	STREET
	э 7/N		HI WIDTH	\vdash				_	RIGHT TRANSITION	n Y/N		HEGIN	i —				×	RIGHT I RANSITION	TOXNOTI	, Y/N	r	-					ΧL		₽	∀ /N		HIGIM				×.	<u> </u>	RIGHT THANSITION	DATE APPROVED		73.6
	N Back Curbs	+	TH LENGTH	┅	_	+	╬	2	+	Ba	+	H	+-			1	SL	nicis	╁	Back Curbs	-	-	H FNGTH				SL	H	+	Back Curbs		LENGIH		+		<u>د</u>	2	H	+	18:13	+
	Curbs	-	+	┝┼	1	+	╁	┨	RIGHT LANDING	urbs	F		_			\dashv			E AND	urbs	-	-	HILLIM		<u> </u>		¥		RIGHT LANDING	rbs		HIGIM HE			+	ř		RIGHT LANDING	i	35	-
		_	HIGIM.	\vdash	9	တ	ŕ	<u>-</u>	NG		+	TE WIDIH	_	2	<u>δ</u>	_	ΧŁ	1		1	+			9	<u>β</u>		_		ត់	Τ.		_		ο <u>ν</u>	ર્દ -	 		G		UA	X STREET
ļ		DAI F C	LENGTH		ON CURB	SLOPE T	_		្នា		DAILE CC	LENGTH	-	ON CURB	SLOPE			Cur :			DAIL CO	LENGTH		ON CURB	SLOPE	 		Curl		7		HTGTH		ON CURB	SLOPE T		Cult]-[DATE	П
		DATE CONSTRUCTED				+	LEFT		FLARES Curb Height		CONSTRUCTED		_		-			Curb Height	FI ARES		DATE CONSTRUCTED		-			LEFT I		Curb Height	FLARES	0010001	NS HI				-	4	Calo neight	FLARES	ļ		6.415
							RIGHT				(JED					RGHT					E					RIGHT				Ţ	Ţ				<u> </u>	BIGHT					

	Ϋ́N	COMPLIANT		HYPE		WS	RAMD 8			Ϋ́N	Ž.	$\overline{}$) IAPE		WS	DAMD 7			Y/N	Å	\overline{C}	1 1 1	ŗ	AAMP 6	1			COMPLIANT		; ;	144.L	SE	RAMP 5	
	REMARKS		LENGTH			ç	TYPE B AND E	STREET LANDING	C1()	REMARKS		LENGTH			ç	2 YPE BANDE	STREET LANDING	Cully:	REMARKS		LENGTH			SL	TYPE B AND E	STREET LANDING		REMARKS	LENGTH				SL	TYPE B AND E
			WIDTH	:		}	AND E	ANDING	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			HIDIM	. ,		ļ	ANDE	ANDING	6	`		WIDTH	į		×	AND E	ANDING			WIDTH				×	TYPE B AND E
			LENGTH			<u>د</u>	ALL OTH	COUNTE		,		LENGTH	i		<u>မှ</u>	ALLOTH	COUNTE				LENGTH			JS	ALL OTH	COLUNT			LENGTH				2	ATO LIA
			HIDIM			ř	ALL OTHER TYPES	COUNTER SLOPE	~~~\X\.			HTCIW			ř	ALL OTHER TYPES	COUNTER SLOPE	() L			HTGIW			×	ALL OTHER TYPES	COUNTER SI OPE			WIDTH				 -	ALL OTHER TYPES
		۲/۷ ټ	COMPLIANT	BOT/RT	MID	T00/1	1 1		K. 21		Y/N	COMPLIANT	BOT/RT	MID	1/40					Y/N LIP	COMPLIANT	BOT/RT	MiD I		<u></u>			Y/Z	COMPLIANT	AVG.	MID	10P/LT		1
			LENGTH			SF		STREET RAMP	こっく	-	651	LENGTH		N. X. J	ع د		STREE	4,3 45,7	- -	48	LENGTH	9.4	4.0	SL	0	STD CT			LENGTH				2	STREE
			HIGIM			×		₹.	<u>-</u>	_	4'	WIDTH	1,0		×		STREET RAMP	,) ,	,	4'	WIDTH	Ģ	6,5	×	OTTICE LIGHT	TDAMB		`	HTGIW				×	STREET RAMP
			LENGTH			SL		TOP I ANDING	プレスダグ	. [グ	LENGTH	(M. 3	9,6	<u>ار</u>		TOP LANDING	4, 30	-	4	LENGTH	1.8	200	SL	Ş	100			LENGTH			ľ	S	JOPL
			WIDTH			XΓ			5.7	. [٦,	WIDTH	1.2"	ر د ح	<u>خ</u>		NDING	Ŏ	_	4	WIDTH	0.7	200	×					WIDTH			ì	×	TOP LANDING
			LENGTH			SL		LEET TRANSPIRION			6,5	LENGTH	2,2	7,7	SL.		LEFT TRANSITION			, U	LENGTH	2,0	62	SL	H				LENGTH			ç	s	LEFT TRANSITION
			WIDTH			¥	a control	NOTION			ť	WIDTH	0,7	0G	×		NOITION			4	WIDTH	C	1.8	XΓ	LEFT TRANSITION				HIGIM			È	×	NOITISMA
			LENGTH			SE	- 1 -	76				LENGTH		 	SL		U LHETI				LENGTH		151	SL					LENGTH			Ç	n	7.1437
			HTGIW			×	LANDING					WIDTH		1	×		LANDING				HTDIW		*	X	LANDING				WIDTH			>:	4	TLANDING
Dect Warn			LENGTH			SL	HANSIION		Dect Warn	Ç	1/2/7	LENGTH	4,4	4	S	-	RIGHT TRANSITION	Dect Warn		15.3	LENGTH	وز وز	4.7	SL	RIGHT TRANSITION	Dect Wam			LENGTH			OL.	2	RIGHTTR
Y / Z			MDTH			¥	AINSHION		(\frac{1}{2})	} -	רי	HTDIM	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	200	×		ANSITION	Ş	<u>}</u>	Ţ	WIDTH	2.0	3.5°	ř	ANSITION				WIDTH			ř	✓	RIGHT TRANSITION
Back Curbs		[]	HNGTH			SL	HIGHT LANDING		Back Curbs			LENGTH			SL		RIGHT LANDING	Back Curbs			LENGTH /		#	SE	RIGHTL	Back Curbs			LENGTH			μ	2	RIGHT
		100	HTGIW			X	ANDING	3				HTGIW		1	×		ANDING	三 予			HIGIM -	\ \ \		×	RIGHT LANDING				HIDIM			ř		RIGHT LANDING
	DATE	LENGTH		ON CURB	S 0 5					DATE	LENGTH		ON CURB	200					DATE	LENGTH		ON CURB	2 OBC				DATE	LENGTH		ON CURB	SLOPE			
	DATE CONSTRUCTED				LSET		FLARES Curb Height			DATE CONSTRUCTED						Curb Height	FLARES		CONSTRUCTED	•			LEFT	Cano Deigni	FLARES		CONSTRUCTED				!		Curb Height	FLARES
		-			RIGHT					CTED				RIGHT		1				-	Ī		RIGHT		*		UCTED				:	RIGHT	Ħ	

	, I	COMPLIANT		TYPE		NE	RAMP 4			ΥN	COMPLIANT	_ 0	1446		NE	RAMP 3			1	COMPLIANT	L	_ _ _ _	TVDE	Z	RAMP 2		T	XX	COMPLIANT			TYPE		NAN .	RAMP 1	_	SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance For		DEMADE	LENGTH				SL	TYPE	0	REMARKS		LENGTH				SL	134AL		\		LENGTH				SL	TYPE	STREET	HEMAHKO		LENGTH				0	3	133HLS	TRACTOR	TO NAME	NO.
Compliance Form FIXED 4-07.xls	0		WIDTH				ХL	TYPE B AND E				HIGIW				۲	TYPE B AND E				HIGIM			<u>.</u>	ř	TYPE B AND E	LANDING			HIGIM				ř	×	STHEET LANDING	- N. S.	2020	177
	2.15		LENGTH				SL	ALL OTH				LENGTH				SF.	ALL OTH		×,		LENGTH		1		SL	ALL OTF	COUNT			LENGTH				Ç	20	ALL OTH	~ (Comps	1 4 1
	<u> </u>	<u> </u>	HIDIM				ΧL	ALL OTHER TYPES				WIDTH				×	ALL OTHER TYPES				HIGIM				¥	ALL OTHER TYPES	ER SLOPE			HIGIM	_			ì	; ;	COUNTER SLOPE	2	65 111	
	2	Υ/N LIP	COMPLIAN	вот/ят	MID	TOP/LT		54			Y/N	밁	BOT/RT	MID	TOP/LT		1-1			Υ/Ν	-8	AVG	77	TOP/LT		<u> - - - - - - - - - -</u>	1		Y/N	COMPLIANT		BOT/RT	MID	TOP/IT					
	一个	12.5	NT LENGTH	0		r 0,2	SL	9	2		195	VI LENGTH	7 2	\c	2	된	9	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	150	177	VI LENGTH	ر	,	26	JS.		S			TENGTH	\neg			\top	2	STRE			
	<u>ر</u> به	1,	HIDIM	Ē		3.0	¥	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			4	HIGIW	9	-	0	ř	O TREE DAME	- C	7	77	HIGIW	117	1	- 0 - 0	¥		STREET BAMP			HIGIW				ì	<u></u>	STREET RAMP			
	-	14:	LENGTH	() ()			SL	Ē			17	LENGTH	0,0	% % %	0	SL	Ş		ر د	7	1 LENGTH	G	> =	900	된	į				LENGTH				ļ	<u>0</u>	1QF	CONCRETE PLACEMENT	4000	C
	- て ~ て	17	H WIDTH	0,		9,7	ΧĽ	- 540 NG			4	H WIDTH	1-1	7.1.6	-	×	TOP LANDING	ANIMA	1	7	. WID	0.5	+	0 0	×		EDINICINA I DO			HTOW				è	<u> </u>	TOP LANDING	NOON		CURB RAMP COMPLIANCE FORM
	~_ ≺ <i>ō</i>	Ш	H LENGTH			<u>م</u>	JS.	-			<u> </u>	H LENGTH	S	· _^	عًا	SI	<u> </u>			126	-		(~	SI	[H LENGTH	1			Ģ	<u>0</u>	LE-I	CONCRETE PLACEMENT		AP COM
	~	$\boldsymbol{\vdash}$	HIGIW HI	1	$\langle $		¥	- Individual Indiv	THE		2 4	HIGIW HI	0	,	2,0	<u>ــ</u> ۲	- RANSI I ON	TOVNICITY		1, -(П	7.0	2	0 7.9	¥		J. ISNVEL			HIGIM	E			2		LEFT TRANSITION	ACEMEN		PLIANCE
	~ ~ ~	 		-	سد	<u>></u>	SL					冒	1			SL					冒	7		1	SL					回				9	2	Ë			FORM
	- <i>i</i> 	<u>-</u>	GTH WIDTH	2		رن (ن	×					GTH WIDTH	t	*<		XL	EFT LANDING	A ROTATION			HIGIM HIDI	7	1	<u>+</u> 1	×					GIH WIDIH			+	}	<u> </u>	-T LANDING	יוס מאט		
	Dect Warn		+	<u>e</u>	6-7	دس ر	SL	חמחו	<u> </u>	}	-ég	H))	<u>.</u>	SL		L	Dect Warn	8,17	TH LENGTH	->	* *))	- SI	Н	╀	Dect Warn		TH LENGTH			_	<u>ا</u>	+	Ц	DATE	RSP	STREET
	Vam Y		EENGTH WI	X		•		THAMSI ION	am CN		プープを	LENGTH WI	5 1.0	ر ا ا	8		RIGHT I HANSITION	(/am (Y)N	7. 8	THE WIDTH	\\ \frac{5}{5}		> ()	_	5	TOANGT	/am Y/N		HIGIM HIE			-	+	\dagger	HIGHT THANSITION	DATE APPROVED	INSPECTOR	П
-		 	WIDIH LE				¥.	$^{+}$				WIDTH LEN	G	+	<u> </u>	XI_ (1		-	╆	1		-	Ϋ́ Ϋ́	H	t			_			1	}	╁		Ē	_	Buiton
	Back Curbs	—	LENGTH W	\rightarrow		4	SL	FIGHT DANDING	Back Curbs			LENGTH W	7		0	SL	HIGHT LANDING		Back Curbs / /		LENGTH W	7	}	4	SL		7	Back Curbs		LENGTH W			+	o P	+	RIGHT LANDING		N318	
		┝	WID I	9		\	¥	JING			<u> </u>	HIDIM	9	S	æ	XL	JING				WIDTH	9		·/ •	ΧL			Т	- -	HIGIM	9	9 (}	<u> </u>	ING			×s
	DATEC	LENGTH	_	ON CURB	SLOPE			<u></u>		DATEC	רבואניו דו		ON CURB	SLOPE			일구		UAI E CC	_	HENGTH	ON CURB	ι Ε	1		Cui		DATE CC	LENGIH			ON CLUBB		-	C S			DATE	X STREET 1
	DATE CONSTRUCTED	بَحَ	1	١	4	LEFT		Curb Height		CONSTRUCTED		\downarrow		_	ᄪ		PLARES Curb Height		CONSTRUCTED					LEFT		Curb Height	ADEG	DATE CONSTRUCTED		\perp			+		Cub Height	LARES			** + Y
	HED					RGHT						-	1,7	\ C	RIGHT				15					RIGHT															٥

	N/A	COMPLIANT	TYPE	4	RAMP 8			Z/N	COMPLIANT		TYPE		RAMP 7				NX	COMPLIANT		TYPE	SE	RAMP 6		į	Y/N	COMPLIANT	フ	JAAL	Q.	RAMP 5	i
	REMARKS	LENGIH			<u>ග</u>	TYPE E	STREET	HIMAHA		LENGTH			SL	TYPE	STREET		REMARKS		LENGTH			S	TYPET	Cost	REMARKS		LENGTH			SE	STREET
·		WID!H			×	TYPE B AND E	STREET LANDING			HIDIM			ΧĽ	TYPE B AND E	STREET LANDING				HTGIW			×	STREET LANDING	<u>ن</u> و			HTGIW	į		ΧĽ	STREET LANDING
		LENGIH			SL	ALL OTHER TYPES	COUNTE			LENGTH			JS	ALL OTHER TYPES	COUNTER SLOPE				FNGTH			SL.	COUNTER SLOPE	6			LENGTH			SL	COUNTER SLOPE
		HICH			×	ER TYPES	COUNTER SLOPE		,	WIDTH		•	XL	ER TYPES	RSLOPE				HTCIW			×	R SLOPE	Wal			WIDTH			X	R SLOPE
;	1/12	COMPLIANT	BOT/RT AVG	MID.					Y/N LIP	COMPLIANT	BOT/RT AVG	MID	TOP/IT					LIP Y/N	AVG	BOT/RT	TOP/LT			X X	L		COMPLIANT	BOT/RT	MID MID		
		LENGIH			SL		STREET RAMP			LENGTH			ZI.		STREET RAMP				HTONE			2	STREET RAMP	らた、 シンの		2.(.	HTCNA	C _i O	\$ \$ \$	SL	STREET RAMP
		ΝÜ			Ϋ́		BAMP			WJDTH			×		RAMP				W I I			×	RAMP	x(,2		2	HTCIW	ñ		×	RAMP
		LENGTH			SL		TOP LANDING			LENGTH			SL		TOP LANDING			<u>[</u>	H TOND			2	TOP LANDING	. 3	ŀ	_	FNGTH		ه ار ر	SE	TOP LANDING
		HIGH			ř		DING	٠		WIDTH			×		DING				W DTL			×	DING		-	-	¥IDTH		1	×	Н
		LENGTH	\leftarrow		SL		LEFT TRANSITION			LENGTH	į		SL		LEFT TRANSITION							S	LEFT TRANSITION		L		I ENGTH			SL	LEFT TRANSITION
	_	WIDTH	-		×		NOLLIS			WIDTH I			×		NOTTIES			-	MIDTL			×	ISITION		-	_	M T	<u>/</u> [×	SITION
		LENGTH			SL		I FFT I AN			LENGTH			દ	- 1	LEFT LAN							S	LEFT LAN				-	X	$\left(\right)$	<u>S</u>	LEFT LAN
9		WIDTH			X	4	ANDING	D ₀		HTGIW			×	_	LANDING F			100	╉┈┼	ļ.		<u> </u>	LANDING F	De			THE P)	×	LANDING
Dect Warn		LENGTH			SL		RIGHT TRANSITION	Dect Warn		LENGTH			SL		RIGHT TRANSITION	Dect Warn			+ +			န	RIGHT TRANSITION	Dect Warn	L		┥~	X		SE	RIGHT TRANSITION
Y/N Ba		WIDTH			X	100	NOTION	Y/N Ba		WIDTH L			ř		NOITIS	Y/N Ba	4		╉╾┼			×	П	Ва	╀	7	╨	/		×	\forall
Back Curbs	_	LENGTH			SL		RIGHT I ANDING	Back Curbs		LENGTH			2		RIGHT LANDING	Back Curbs			+			2	RIGHT LANDING	Back Curbs N	-	2	╈		0 12 12	ध	RIGHT LANDING
	_	HTDIW			×			l		HTGIW			ř		DING							<u>*</u>	DNIG		-	<u> </u>			~	×	DING
 		ENGTH	ON CURB			<u>و</u>		DATE C	LENGTH		ON CURB	SLOPE -		<u>၂</u>			DATE C	LENGTH		SLOPE ON CURB	П	2			DATEC	LENGTH	\downarrow	ON CURB	SLOPE	إ	
	DATE CONSTRUCTED			TEFT		Curb Height	EI ABEC	DATE CONSTRUCTED		\downarrow			1 1	Curb Height	FLARES		DATE CONSTRUCTED				LEFT	Curo Height	FLARES		DATE CONSTRUCTED			_	FF	Culu neight	FLARES
	Ħ H			RIGHT			I	TED				HGH	7				TED				RIGHT				ē		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ے ح	RIGHT		

,		NA.	COMPI GANO		TYPE		N.	RAMP 4	-			COMPLIANT			TYPE		Ä	RAMP 3				YN DA	COMPLIANT		TYPE		NW W	RAMP 2			Y/N	COMPLIANT		TYPE		WN	RAMP 1		STREET STREET	CONTRACTOR	CONTRACT NAME	
Compliance For		REMARKS		LENGTH				SL	3441	77		HEMARKS	LENGIH					SL	3441	SHE	į	REMARKS		TENGTH				SL	JAAAL SI HEEI		HEMARKS		1 ENGTH				TS	TYPE	SHEET	TOR	T NO.	
Compliance Form FIXED 4-07.xls	÷	1	_	WIDTH				ΧL	TYPE B AND E	ANDING		<u> </u>	MIDIM					ΧL	TYPE B AND E	STREET LANDING	•	1		HIDIM				×	TYPE B AND F				FNGTH WIDTH				¥	TYPE B AND E	STREET ANDING	LMdu	2010	
6				LENGTH			-	SL	H	1			LENGTH					SL	H	┨		ŀ	_	LENGIH				SE S	+	i	ŀ		ENGTH				SL	\vdash	1		7	ı
		}		HIGIW H				ΧΓ	HER TYPES				HIGIW	-				ΧĽ	ALL OTHER TYPES	COUNTER SLOPE		F	_	HIDIM				<u>-</u>	ALL: OTHER TYPES		ŀ		WIDTH				ΧĽ	ALL OTHER TYPES	COUNTER SLOPE	Parson 5	mos 111	
		7 / 14		H COMPLIAN	BOT/RT	MID	TOP/LT		S	71		V/V	LIP COMPLIAN		вот/ят	MID	TOP/LT		S			1/14	- 1	AVG H COMPLIANT	вот/ят	MID	TOP/LT		יו מ		1/12		AVG	вот/ят	MID	TOP/LT		8 '				
		-	٠,	ANT LENGTH			-	SL	9	22		H	LENG IH	-	lT.		T	SL	٩	n		ŀ	$\overline{}$	NT LENGTH	17		T	SL	118		ŀ	' Т	NT I FNGTH		· ·	. 1	SL	(2			l
		-		-	-			H	_	STREET RAMP		\vdash	HIGIM HIE							STREET RAMP		ŀ		_		ŀ	╬	×	STREET RAMP		ŀ	_	HINGING				ΧL		STEET HAMP	<u> </u>		l
		ŀ	-	WIDTH			ļ	ΧL	=	ਹੈ -		\vdash	_	_				XL	=	ū		-	_	WIDTH LE			╁	\dashv	10		F	-	4	,	٠		Н			CURBI		
		ŀ	_	LENGTH				SL	- [EUNICINA I GOT		L	LENGTH	_				SL	- S	SINICINA LACAL		-	_	LENGTH	_		_	န	TOP LANDING		-	_	FNGTH	,			SL			RAMPS T	CURB	
		L		HIGIW				¥	2	SINIC TO TO TO TO TO TO TO TO TO TO TO TO TO T			WIDIH	_		,		ΧL	Silva	SINIC			_	HIGIW				ř	OING		L	_	WITH I				×		CONCRETE PLACEMENT	O BE INS	RAMP	
				LENGTH				<u>S</u>					LENGTH					SL	בניין ות					LENGTH				SI	'HT 1431				ENGLE				SL		TE PLAC	PECTEL	OMPL	
			Ì	WIDTH				Ϋ́		FFT TRANSITION			HIDIM	_				XL		NOTION				HIGIW				¥	LEFT TRANSITION				WINTE				ΧĽ		TE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HOU	CURB RAMP COMPLIANCE FORM	
				LENGTH									LENGTH					SL						LENGTH				ည	ובודר								SL		77	72-HOURS	ORM	
		ľ	_	WIDTH				ΧĻ		SMICINA			HIGIM	1				ΧĽ	- AINDING	EFT ANDING			_	WIDTH				×	T LANDING		ĺ	T	W 51				ΧĽ		FINICINA	RS OF		
	Dect Warn		-	LENGTH				SL	10001	BIGH	Dect Warn		LENGTH	-				SL		BENE	Dect Warn	1	_	LENGTH				SE	RIGHT 1	Dect Wam	Ī		ENGTH				SL		DA LE AL	APPROVED BY	STREET (
	7/N	ŀ		HIDIM				×		NOTESNABLE TRANSPORT	Y/N		HIDIM	_				ΧĽ		RICHT TRANSITION	Y/N	r		WIDTH			1	×	RIGHT TRANSITION	۲/ Z	l						¥		DATE APPROVED	'ED BY	OH BU	
	Back Curbs	1	-	HENGTH				SL	Ħ	†	Back Curbs	<u> </u>	+ LENGTH	_				SL	\vdash	+	Back Curbs	\dagger	_	LENGTH	.		1	ST.	十	<u> </u>	1	_	TENCTH	·			SI		1	_	Ru(+0x	
	sdri	ŀ	_	HIGIM HI	+			۲		RIGHTI ANDING	ırbs		H WIDTH	-		_		ΧL	ר באיסווים		ırbs	ŀ	_	TH WIDTH		+		×	RIGHT LANDING	rbs	ŀ		WIDTH				Χ̈́		RICHT I ANDING		ア エ	
	:	1		Ħ	<u> </u>	SI			Í	á	Т	\vdash	_	-	Q.	SL		Г	á	ā		+	_	∄ -	ON ON	န		+	iG		$\frac{1}{1}$		_	ON O	SE			-	2		D/ D/	
		DAIE CO	LENGTH		ON CURB	SLOPE			Cu.	1	5		LENGTH		ON CURB	SLOPE			Cui	_	1		LENGTH	+	ON CURB	SLOPE		9	2 2)A - CO	LENGTH	<u> </u>	ON CURB	SLOPE			Cur	ņ		DATE L	
		DATE CONSTRUCTED							Curb Height	E ARES	מאנה ססואסו הססובט						LEFT		Curb Height	ARES		DATE CONSTRUCTED					FF7	S. C.	FLARES		DATE CONSTRUCTED		L			LEFT		Curb Height	E) ARES		V.36 m	
		HED					RIGHT										RIGHT										BGHT									RIGHT					S	

	1714	COMPLIANT		-	T ∇DE	WS	RAMP 8			COMPLIANT Y/N		- 47		SW				ΝΥ	COMPLIANT	P	TYPE	ű	RAMP 6			N/A	COMPLIANT	\cap	- YPE	ų n	RAMP 5	
	DEMONDA	DEMARKS	LENGTH WIDTH			+	I YPE BAND E	STREET LANDING		REMARKS	LENGTH WIL			× ×	EBAN	STREET LANDING	Co	REMARKS		LENGTH WIDTH			SL X	TYPE B AND E	6 100	REMARKS		LENGTH WI			X JS	STREET LANDING
			HIBNETH LENGTH			+	Ļ	+			WIDTH LENGTH			SL SL	L	Н	5	-		OTH LENGTH			Ц	┿	┨╌╌) 		WIDTH LENGTH			Ц	+
			HTGIW			ř	ALL OTHER TYPES	COUNTER SLOPE			HTDIW			×	ALL OTHER TYPES	COUNTER SLOPE	£.			WIDTH			ř	ALL OTHER TYPES	2000	, ;		WIDTH			ř	ALL OTHER TYPES
		Υ/N	Ž	AVG	MID	T0P/LT				۸/ X آ	COMPLIANT	AVG	MD	10p/					Y/N LIP	깈	BOT/RT AVG	MID TOP/LT			7	•	Y/N LIP	3	BOT/RT	MID		
			LENGTH			ģ	2	STREET F	-	:	LENGTH		٠.	SL		Hi.	ر د د	`	1,72	LENGTH	\perp	90	Н	STREET RAMP				LENGTH	۲,۲	2 ~ 2	SL	STREET RAMP
			WIDTH LE	-		}	┞	HAMP		_	WIDTH LE			X		MP /	ω ,	.	ر ح	WIDTH LE	6	10,7	ř	RAMP	~	_	_	WIDTH LE	0,5	ر الراد	×	AMP
			LENGTH W	1		2	H	TOP LANDING			LENGTH W			SL		OP LAN	メガタ	` \		LENGTH W	[A	┰	SL	TOP LANDING	ت ×	-	6 4 6	LENGTH W	0,40		SL	TOP LANDING
-			WIDTH LEN			~		Ц			WIDTH LEN		-	X	4	4.	`^ ?_!	. (3		WIDTH LEN	5. ~	() ()	× ×	+	1		1 1	WIDTH LEN	0.4		XI.	\dashv
			LENGTH WIDTH			χ	H	LEFT TRANSITION		H	LENGTH WIDTH			SL XI		LEFT TRANSITION			£	LENGTH WIDTH	9	1.2 P	SL XL	LEFT TRANSITION			7	LENGTH WIDTH	9.0 8	2.0 S	ZIXI	LEFT TRANSITION
			LENG	-		<u>S</u>		H		-	TH LENGTH			SL	1	后		-		EN S				ON LEF		-	_	TH LENGTH	6	* ^	SE	\forall
			TH WIDTH			ř		FT LANDING			HTGIM HI			×		FT LANDING		-	\dashv	HIGIM HI		¥	×	TLANDING				HTGIM HI	1		<u> </u>	LEFT LANDING
	Dect Warn		LENGTH			2		RIGHT T	Dect Wam		LENGTH			715		RIGHT T	Dect Warn	1		LENGTH			<u>S</u>	RIGHT T	Dect Wam		22,	LENGTH	7,6	7 7	SE	RIGHT 1
	Y/N		HTGIW			×		RIGHT TRANSITION	Y/N		HIDIM		-	×		RIGHT TRANSITION	(<u>}</u>	``)	_	WIDTH		`\\	×	RIGHT TRANSITION	(Y)	>	_	HTGIW	9.8	0	ř	RIGHT TRANSITION
Con Con Co	Back Climbs		LENGTH			SL		RIGHT LANDING	Back Curbs		LENGTH			S		RIGHT LANDING	Back Curbs 1			LENGTH	V	,	S	RIGHT LANDING	Back Curbs			LENGTH (7	<u>S</u>	RIGHT LANDING
		-	HTGIW			×		ANDING			WIDTH			×		ANDING	-			HIGIM		┷┩	×	ANDING				HTdIW		Щ	×	ANDING
:	DATE C	LENGTH		ON CURB	SLOPE		CL		DATEC	LENGTH		ON CURB	SLOPE T		<u></u> [DATEC	LENGTH		ON CURB		2			DATE CO	LENGTH		ON CURB	SLOPE T	2	
	DATE CONSTRUCTED				<u> </u>	┦│	Curb Height	FLARES	DATE CONSTRUCTED		<u> </u>		<u>-</u>	1 1	Curb Height	FLARES		DATE CONSTRUCTED					Culo neigna	FLARES		CONSTRUCTED		1	·	LEFT	Caro neight	FLARES
	围				HIGH I				TED				HIGHT					롕	(18 km/45		S	RIGHT				(B)				RIGHT		

	Y/Z	COMPLIAN		TYPE		RAMP 4		T	1/14	COMPLIAN		TYPE		N .	RAMP 3			COMPLIAN Y/N	٦	フ TYPE	Z	HAME				COMPLIANT	\bigcirc	TYPE	NA	RAMP 1	-	SUB-CO	CONTRACTOR	CONTRACT NO.
Compliance Fo	HEMAHKS		LENGTH			2	Түү	STREE	70837770		LENGTH	<u> </u>		Т	Τ	STREE	C (1)	REMARKS	LENGTH			Q.	Т	STREE		NT REMARKS	LENGT			SE SE	- 1	SUB-CONTRACTOR	CONTRACTOR	ACT NO.
Compliance Form FIXED 4-07.xts	cr.		HEGIN			×	YPE B AND E	STREET LANDING			HIGIW			}	און און און און און און און און און און	STREET LANDING	.); i	\S	HTDIW			ř	TYPE B AND E	STREET LANDING	ĉ	À	LENGTH WIDTH			×	TYPE B AND E		232	+
		├ ──	LENGTH			SF	₩	┨			LENGTH			٥	2 2	Н			LENGTH			SE	ALL OT	_			LENGTH			SL	╂┼	-li	2 2	77
			HTOIW			×	ALL OTHER TYPES	COUNTER SLOPE			WIDTH			ř	ALL OTHER TYPES	COUNTER SLOPE	しらて		HIGIM			ř	ALL OTHER TYPES	COUNTER SLOPE			H WIDTH	i		¥	ALL OTHER TYPES		Private in	20
			AVG	BOT/RT	MID I	700	194			Y/ 2	ا	BOT/RT	MID	TOB/I	10	1	11.5	۲/ ۷	LIP	BOT/RT AVG	MID		[6]			Y/N	3	BOT/RT	TOP/LT	T	S .			
			VT LENGTH			ST.		SIRE			VT LENGTH	7		· β	2	STRE	× (16.1	層	_	7 2 7	+		BHIS			NT LENGTH	1 1	17/2	JS.	017	9 10 10		
		1	WIDTH			×		STREET HAMP			HIGIN			ř	1	STREET RAMP	- - - - - -	1-5-1	HIGIM		0.6	ř		STREET HAMP		-5-	H WIDTH	\alpha	20%	Χ̈́	OF DAMIN			
		┝	LENGTH			S _T		Q		_	LENGTH			SE	2	QO.I	べい、	7	LENGTH	0	00	ZF SF		Į Į		v	LENGTH	0.6	30	SL	Ç		OURB RAN	Я
			WIDTH			×		TOP LANDING			WIDTH		1	×		TOP L'ANDING	, 25	7	I	0,7	0 0 1 0	×		TOP LANDING		5'	WIDTH	0	20 20 20	Χ̈́	LANDING	CONC	IPS TO RE	CURB RAMP COMPLIANCE FORM
			ENGTH			SL	1	F F F F F			LENGTH			SL		11-1-11	× C		LENGTH			SL		_ LEF1 1		4.6	LENGTH	7	- G	-IS		CONCRETE PLACEMENT	NSDECT	P COMP
			WIDTH			×		HET TRANSITION			WIDTH			×		JEFT TRANSITION			HIGIM		$\langle \! $	¥		LEFT TRANSITION	a.	(J)	HTOWN H	000		۲	LEFT THANSITION	CEMENT		LIANCE
	;	Ī				JS.	ŗ				LENGTH			<u>S</u>		-			LENGTH		7	22		1			LENGTH	2	王	JS.	-	1 2 1000	CURB RAMPS TO RE INSPECTED WITHIN 79-HOURS OF	FORM
			WIDTH			×		F C ANDING			HIGIM			×		FT LANDING			HIGIM			×				_	HIDIM	1	 	¥	EFT LANDING	2	r O	
	Dect Wam	_	ENG-14			SL		0020	Dect Warn		LENGTH			SI.		RIGHT	Dect Wam	٠,	LENGTH	0.9	-0;6	SL		HENE	Dect Warn		LENGTH			SL	RIGHT	DATE APPROV	ABBBOYED	STREET
	Υ/2 2	_	W 7			×		A NICH TOWN	٧/٧ ا		WIDIH			×		RIGHT TRANSITION	Ţ	<u>.</u>	MIDIH	14.	0 0 0 0	Ϋ́		HICHT TRANSTON	3	\rightarrow	HIGIW /	*		¥	HIGHT TRANSITION	DATE APPROVED	FOR	Casin
	Back Curbs	[1]	ENICATE			25	\top	1	Back Curbs		LENGTH			22	П	†	Back Curbs		LENGTH		7	SL		_	Back Curbs		LENGTH		7	SL	Н	+	MASIK	in de
	ľ		1			×	night LANDING		İ		HIDIM			×		HIGHT LANDING	<u> </u>		HIGIW	The state of the s	<u> </u>	ΧL	LAINDING		L	-	WIDIH	*	\	×	RIGHT LANDING		الماد	
	DATE	LENGTH		ON CURB	<u>2</u>				DATE	LENGTH	T	ON CURB	2			†	DA I	LENGIH		ON CURB	SI OPE				UAIL	LENGTH		ON CURB	2				DATE	X STREET
	CONSTRUCTED				LEFT		Curb Height		DATE CONSTRUCTED				LEFT		Curb Height	FLARES	CONSTRUCTED			1,3	1437		Curb Height	7.052	DATE CONSTRUCTED			<u>.₩</u>	LEFT		FLARES			ξ.
	OCIED .	•			RIGHT								RIGHT		Ĭ		OCIED CIED		1		RIGHT		ıt		OCTED.	52.	-	A —	RIGHT					36,47

	COMPLIANT Y/N		1	TYPE	SW				Y/N	COMPLIANT		TYPE		SW /	,			Y/N	COMPLIANT		TYPE	ď	HAMP 6				ΧN	COMPLIANT		TYPE		SE SE)	
	REMARKS	LENGTH			OF.	TYPE B AND E	STREET LANDING		REMARKS	_	LENGTH			Ϋ́	TYPE B AND E	STREET LANDING		REMARKS	_	LENGTH			SL	TYPE B AND E	STREET LANDING	-	REMARKS	_	LENGTH			S	TYPE B AND E	STREET LANDING
`		WIDTH		1	₽	Ļ	Н				WIDTH			ř	Ļ	Н			-	HTGIW			ř	L				-	WIDTH			ř	Ļ	Н
		LENGTH			Ľ.	ALL OTHER TYPES	COUNTER SLOPE			_	ENGTH			۲	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			SE	ALL OTHER TYPES	COUNTER SLOPE			_	LENGTH			S	ALL OTHER TYPES	COUNTER SLOPE
		WIDTH	\vdash		ř	TYPES	SLOPE		L		WIDTH	Im		ř	TYPES	SLOPE				WIDTH	I m	<u> </u>	ř	TYPES	SLOPE		ļ		WIDTH	læ	T .	ř	TYPES	SLOPE
	Y/2	Ź	AVG	MID .	TOP/LT				:		AVG	BOT/HT	MID	100/						Ź	BOT/RT AVG	₹ Ş						$\overline{}$	4	BOT/RT	M C	OP/L		\exists
	L	LENGTH			Ÿ.	2	STREET RAMP			_	LENGTH		_	Ÿ.		STREET RAMP			-	LENGTH			SL		STREET RAMP			_	HIENS	\coprod		S	-	STREET RAMP
	_	WIDTH			ř	\$	RAMP			-	WIDTH I			ř		3AMP			_	WIDTH L			×	L	RAMP			-	HTCIIW		1	×	_	BAMP
		LENGTH			د		TOP LANDING				ENGTH			Š		TOP LANDING				LENGTH			SL		TOP LANDING		-	_	FNGTH 1		1	<u>S</u>		TOP LANDING
		WIDTH			ř						WIDTH			χĻ		H				HTGIW			ř		Н		-	-	WIDTH 1			ř		Н
	L	LENGTH			ģ	2	LEFT TRANSITION				HTGNA			S.		LEFT TRANSITION				LENGTH	<u> </u>		SL		LEFT TRANSITION		ŀ		I HTONATI	\prod		<u>S</u>		LEFT THANSITION
		HTGIW			}		SITION				WIDTH		_	ř		SITION				WIDTH L			ř	L	NOLLIS		-		HTCIW		1	×		SITION
		LENGTH			Ļ	_	LEFT LAN			-	HTGNA			Ş		LEFT LAN				LENGTH			2		LEFT LAN		-		FNGTH V	\prod	+	SF		LEFT LANDING
D		WIDTH			ř		LANDING F	- De	_	-	WIDTH			ř	L	LANDING R	D _e			WIDTH			ř	L	LANDING R	De	1	<u> </u> _	WIDTH I I		+	ř		Ц
Dect Warn		LENGTH			ř	_	RIGHT TRANSITION	Dect Warn			HTRNA			S.		RIGHT TRANSITION	Dect Warn		-	LENGTH 1	-		SL		RIGHT TRANSITION	Dect Warn	ŀ	t	HERMAH			75		RIGHT TRANSITION
Y/N Ba		WIDTH			ř	_	ISI⊤ION	Y/N Ba			WIDTH I			ř		H	Y/N Ba			WIDTH L	-		ř		H	Y/N Ba			WIDTH			ř		Н
Back Curbs	_	LENGTH			٢		RIGHT LANDING	Back Curbs	ļ	T	HTGNH		-	<u>v</u>		RIGHT LAN	Back Curbs			LENGTH		_	SL		RIGHT LANDING	Back Curbs	-		HIGH		1	<u>S</u>		RIGHT LANDING
		MIDTH L		$\prod_{i=1}^{n}$	<u>}</u>		NDING				HTGIW	Ü		×		LANDING	T			HTGIW	\prod		×		DING	- ·	_		HTCKW	ļ	1	×	L	DING
	DATEC	ENGTH	0	SLOPE		ζ.			DATE CO	LENGTH	\downarrow	ON CURB	Т		ပ်			DATE CO	LENGTH	_	ON CURB	SLOPE		Cu			DATEC	LENGTH	 	ON CURB	Т	-	5 F	
	DATE CONSTRUCTED				LEFT	Curb Height	FLARES		DATE CONSTRUCTED		\downarrow		+		Curb Height	FLARES		DATE CONSTRUCTED				<u>-</u>	ł	Curb Height	FLARES		DATE CONSTRUCTED		1		+		Curb Height	FLARES
	ŒĐ				RIGHT				TED					RIGHT				CED				HGH					Ð					RGH		

	COMPLIANT Y/N		TYPE		Z	RAMP 4			COMPLIANT Y/N		JYPE		NE S			N/A	COMPLIANT	フ	TYPE		RAMP 2			Ϋ́N	COMPLIANT	<u>ー</u> ク	TYPE		RAMP 1	!	SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xls	HEMARKS	LENGTH				SL	3 HEE		REMARKS	LENGTH			ξ	TYPE	SHEFF	HEMARKS	!	FUGTH			SL	TYPE	SHE	HEMAHKS		LENGTH			2	TYPE	TRACTOF	STOR SALL	T NO.
FIXED 4-07.xls		HIGIM				ΧĽ	TYPE B AND E			LENGTH WIDTH			ř	TYPE B AND E			_	WIDTH	1		Ϋ́	TYPE B AND E	ANIDING		-	WIDTH			¥	TYPE B AND E	2		17,7
		LENGTH				SL	ALL OTH			LENGTH			ည	ALT OTH					1		SL	ALL OTH	CX)			LENGTH			ည	╋		r M	<u>.</u> '.
	i	HIGIM				ΧL	ALL OTHER TYPES			HIGIM			×	ALL OTHER TYPES			3	1	1		¥	ALL OTHER TYPES	E GLODE		_	HIGIN			×	ALL OTHER TYPES	COUNTER SLOPE) a w	
	Y/V	COMPLIANT	BOT/RT AVG	MID	TOP/LT				Y/ Y	COMPLIAN	вот/ят	MID	T // QCT	<u></u>		Y/Z	LIP	AVG	BOT/BT	TOP/LT		<u> </u>			_	AVG	BOT/RT	MID	1	<u> </u>			
		LENGTH				SL	STREE			LENGTH			٦			5.3					SL	0150		0.		TENGTH			2		STREE		
		MIDIH				첟	STREET HAMP			HIGIW			ř	טווורר האומו		2			716		¥	מיחכנו האועור			_	WIDTH	0.0) (- (- (- (- (- (- (- (- (- (- (- (- (-	? } }		HAMP		٦
		LENGTH			:	ည	TOPL			LENGTH			ည			-	LENGIH	ic.	3 C	20,0	SL	Ç		-	-	+	1/3	35	SE	9		URB RAM	2
		HIGIM				¥	TOP LANDING			WIDTH			×	LANDING			HIGIM) } } }		ΧL	LANDING		-	- -	HICKW	0:3	7. C	ΧĽ	CI ENTROLING	CONC	CURB RAMPS TO BE INSPECTED WITHIN 79-HOURS OF	CURB RAMP COMPLIANCE FORM
		LENGTH			i	SL	HI 1437			LENGTH			દ	<u> </u>			LENGTH			/	SL			ľ					SL		CONCRETE PLACEMENT	INSPECTE	COMP
		WIDTH				×	LEFT TRANSITION			WIDTH			ř	LET I HANSIIION			HTGIW		1		×	LEFT THANSITION			1	_	X	1	×	CET I HOUSE HON	CEMENT	DWITHIN	IANCE F
		LENGTH				SL	11437			LENGTH			S _E	LEFIL			LENGTH			1	SL	11-497			E 140			7	SL			79-HOLIE	ORM
		HIGIW				×	LEFT LANDING			HtGIW			×	LEF I LANDING			HIGIM				¥,	≟FT LANDING		-	8010	1 1		\	×	LEFT LANDING		Ä	
Dect Wam		LENGTH				2	RIGHT TH	Dect Warn		LENGTH			SL	RIGHT TE	Dect Warn	8	LENGTH	0,5	7,0	5,0	SL	HIGHT TH	Dect Warn		LENGIH				되	HGH	DATE AP	INSPECTOR APPROVED BY	STREET
Y/N		WIDTH				×	HIGHT THANSITION	Y/N		WIDTH			¥	RIGHT TRANSITION	N(A)N	5	HIGIM	2,	0.5	2.0	×	HIGHT THANSITION	(Y)	}	HIGHA		X		×	HIGHT THANSITION	DATE APPROVED		Char
Back Curbs		LENGTH			Š	<u>S</u>	RIGHT	Back Curbs		LENGTH			SL	RIGHT	Back Curbs		LENGTH	1	2	×	SL	RIGHT 1	Back Curbs		LENGIH			1	<u>S</u> L	RIGHT		WB1+	くらず
e .		WIDTH			Í	×	RIGHT LANDING			WIDTH			¥	ANDING	\ \frac{1}{2}		HICIW	*	1		×	RIGHT LANDING	<u>></u>		₩.		*		×	RIGHT LANDING		+	
DATE	LENGTH		ON·CURB	SLOPE				DAIE	LENGTH		ON CURB	200			9	JA F	LENGTH	ON CURB						DAIE	LENGTH		ON CURB	!		T		DATE	XSTREET
DATE CONSTRUCTED					LEFT	Curp magni	FLARES	DATE CONSTRUCTED				LEFT		FLARES Curb Height		L C	ر ا ا	2,2		[타		FLARES Curb Height		CONSTRUCTED		•		H		FLARES		\Box	ω, <u>ξι</u> s
CIED					RIGHT			CIED				RIGHT								RIGHT					1,2	ر د	ر الر	RIGHT					ST

	¥	Back Curbs	(\frac{\frac{1}{2}}{2}	Dect Wam														
DATE CONSTRUCTED			7													S)	REMARKS	Ϋ́N
LENGTH									ん	7,	べ	25	Y/N F₽				<u> </u>	COMPLIAN
1	HTDIW	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTDIW	LENGTH	WIDTH	LENGTH	HIDIM	LENGTH	COMPLIANT	HIDIM	LENGTH	HTDIW	LENGTH	Ĵ
ON CURB	1/2				***************************************				2	- در در	1:5	7.3	AVG					- 176
Т									2,0	1,	70	2.0	MID					PVDE
133 (1	<u>ځ</u>	^ 2) }	٩	}	5	Ì	۱	 - 	, ,	`\ `\	# C	TOP/L	ì	(ì	T	WS
Curb Height		2	•	2	 	Q.	<u>†</u>	2	4	n	×	n		ALL CIHER TYPES	201	SL X		RAMP 8
FLARES	NDING	RIGHT LANDING	RIGHT TRANSITION	RIGHT TH	LANDING	11437	LEFT TRANSITION	LEFT TH	TOP LANDING	TOPI	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STRE	
	¥50	Back Curbs	C N	Dect Warn														
DATE CONSTRUCTED)								j							6	HEMAHKS	N/Y
LENGTH	LE				区	ÊV	٦,	25	だ	١٠)	건	2,5	Y/N LIP					COMPLIANT
1	HTGIW	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTDIW	LENGTH	HTGIW	LENGTH	COMPLIANT	WIDTH	LENGTH	HTQIW	LENGTH	
ON CURB	/ / 9				1		0,1	17.51	1,3	بر	رڌ	2,6	BOT/RT AVG	-) YPE
SLOPE	8		1	/		7	i i	8:3		1,2	0.0	2,2	MID					
	Ϋ́	SL	×	\ <u>S</u>	ř	Ş.	√ ×	ر نا ا	\dagger	<u>ب</u> د	G Z	ر ا ا	TOP/LT	ř	υĽ	}	ğ	WS
Curb Height											3		_	ALL OTHER TYPES	ALL OIH	I YPE B AND E	T	
FLARES	NDING	RIGHT LANDING	ANSITION	RIGHT TRANSITION	LANDING	LEFT	LEFT TRANSITION	LEFT TR	TOP LANDING	TOPL	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STRE	
		Back Curbs	۲/ 2	Dect Warn														
DATE CONSTRUCTED	<u> </u>				-	ľ				ļ	ľ					ŝ	REMARKS	Y/N
LENGTH													LJP Y/N	·				COMPLIANT
	HTDIW	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTCIW	LENGTH	COMPLIANT	WIDTH	LENGTH	HTDIW	LENGTH	
ON CURB	9												BOT/RT AVG					TYPE
SLOPE LEFT	S												MID N					ŭ
	×	SL	×	SL	×ι	<u>S</u>	×	-TS	×	SL	×	SL		×	_S	×Ι	2	RAMP 6
Curb Height														ALL OTHER TYPES	ALL OTH	TYPE B AND E	П	
		BIOLITIA		DICUT TO	ANDING		LEET TRANSITION		TOP I ANDING		STREET RAMP	STREE		COLINTER SLOPE		STREET I ANDING	STRF	
DATE CONSTRUCTED	T	Back Curbs	۲ ۲	Dect Warn												â	 	1
DATE COM													Y/N			(S)	REMARKS	COMPLIANT
LENGTH	TE	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	COMPLIANT	HIGIN	LENGTH	HIDIM	EENG IH	
ON CURB									┱				AVG	1		1		- - -
П	S												MED					
	<u>}</u>	ģ	4	ρ	> 1	Ų.	}	o L	}	Ş	ļ	ç	TOP/LT	ì	ç	}	Т	æ
Calonegii	 			۾		2	1	2	†	2	×	2		→	5	×	T	RAMP 5
	TO INC		240							9				ALL OTHER TYPES	ALL OTH	TYPE B AND E	Į	
FLARES	SINICIN	RIGHT LANDING	NCITIZNA	RIGHT TRANSITION	ANDING		LEFT TRANSITION	1 FFT TB,	TOP LANDING	TOPL	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STREE	

	Y.Z	COMPLIANT		TYPE		NE	RAMP 4			Y/N	COMPLIANT		TYPE		NE	RAMP 3			NA	COMPLIANT		TYPE		WW	RAMP 2			Y/N	COMPLIANT		TYPE	!	WN	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xls	REMARKS		LENGTH				JS	JYPE		REMARKS		LENGTH				SL	TYPET	Z D E E	DEIMMANAO	DEMARKS	LENGTH				SL	TAPE	Д П	REMARKS		LENGTH				SL	TYPE B AND E	RACTOR	TOR	T NO.
FIXED 4-07.xls			WIDTH				Χ̈́	TYPE B AND E				LENGTH WIDTH				XL	TYPE B AND E				WIDTH				¥	TYPE B AND E		i		HIDIM			į	XL	AND E	STREET LANDING	100	250
		-	LENGTH				JS.	ALL OTH				LENGTH				SL	ALL OTH				LENGTH				SL	ALL OTH				LENGTH				SL	ALL OTHER TYPES	, COUNTE	y pavine	1000 CAMB
			WIDTH				¥	ALL OTHER TYPES		ľ	_	MIDIH				ΧĽ	ALL OTHER TYPES				WIDTH				¥	ALL OTHER TYPES	200			MIDIH				XL	ER TYPES	R SLOPE	/.\\\.¢	111 50
		Y/N F	COMPLIAN	BOT/RT AVG	MID	TOP/LT		<u> </u>		7/10	_	AVG	BOT/RT	MID	TOP/LT					Υ/Ν	COMPLIAN	BOT/RT	ΜiD	TOP/LT	-				Y/V	COMPLIANT	BOT/RT	MiD	TOP/LT					
			TENGTH				SL	O HE	·	ľ	٠,	LENGTH				SL	0170	2010			LENGTH				SL	OIRE	E CHIDIE			LENGTH				SL		SHE		
			HIGIM				×	SIREEI RAMP			_	WIDTH				ΧĮ		DANA			WIDTH				×	OIRCEI RAMIP	BANG .			HIGIW				ΧL		STREET RAMP	Ω	
.			LENGTH	,			21	5				LENGTH				SL	Ş		•		LENGTH				SL	Ç				LENGTH				SL	i i	G G	JRB RAMI	CU
			WIDTH			1.11	×	- ANDING		l	_	WIDTH				ΧĽ	OF DANDING				WIDTH				¥	I OF LANDING	A SUPPLIE			WIDTH				ΧĽ.		CONC	S TO BE	RAMI
			LENGTH				S.				-	LENGTH				SL					LENGTH				SL					LENGTH				SL	!	CONCRETE PLACEMENT	INSPECTE	COMP
		i	HIGIM				¥	LEFT TRANSITION		-		HIGIM	-			ΧŁ	LEFT TRANSITION	SAKIOTION			HIGIW				Ϋ́	LEFT THANSITION				WIDTH				ΧŁ		TE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HO	CURB RAMP COMPLIANCE FORM
			LENGTH				ZI.		İ			LENGTH				SL	ָ ֖֖֖֖֡				LENGTH				SL	\top	1			LENGTH				JS			72-HOURS	ORM
ļ			HIGIM				×	EFT LANDING		ľ		WIDTH				¥	EF I CANDING				WIDTH				ΧL	LEFT LANDING				WIDTH				ΧL		ETTANDING	URS OF	
	Dect Warn		LENGTH				ટા	HIGHT 1	Dect Warn			LENGTH				SL	7.00		Dect Warn		LENGTH				SL	HIGHT	Doct Man			LENGTH				SL		DATE AF	APPROVED BY	STREET
	Y/N	\vdash	HIGIM				×	RIGHT TRANSITION	Y/N	ľ	_	HIGIW				Ϋ́	RIGHT I RANSITION		۲/۷		WIDTH				ΧL	HIGHT THANSTION		X		WIDTH				¥		DATE APPROVED	ED BY	PWD 1
ľ	Back Curbs		LENGTH				ઇ	十	Ва		-	LENG H				SL	+	t	Back Curbs		LENGTH				SL	\top	ğ	-		LENGTH				SL	\dagger	Ħ		
	v,	_	HIGIW		ļ		×	RIGHT LANDING	3 0			WID				¥	HIGHT LANDING		-		HIGIW				XL	HIGHT LANDING	ľ			HIGIM	 			¥			1,00	FIVIVI
	JA1E	LENGTH	+	ON CURB	SLOPE					DAIL	LENGTH		ON CURB	SLOPE			1		DA I		I ENGTH	ON CURB	SLOPE	J		1		DAIL	LENGTH	╙┼	ON CURB	SLOPE			\dagger		!! :; !	X STREET
			:	8	-	LEFT		FLARES Curb Height		DATE CONSTRUCTED	<u> </u>		8		LEFT		Curb Height		DATE CONSTRUCTED	F				LEFT		Curb Height		DATE CONSTRUCTED			Ψ.		LEFT		Curb Height	E ABEC		٤,
	CONSTRUCTED		\parallel			ныя		, T		TO ED					RIGHT		Ħ,		I OCI ED					RIGHT		₹ *		(UCLED					RIGHT		™			12+*

		bs	Back Curbs	Y/N	Dect Warn											:			
DATE CONSTRUCTED	DAT	ŀ				ļ	Ī	ļ									KS	REMARKS	N/Y
<u> </u>	LENGTH													Y/N					COMPLIANT
	4	H WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	WIDTH	T LENGTH	COMPLIANT	HTGIW	LENGTH	HTGIW H	LENGTH	
<u>8</u>	ON CURB													BOT/RT AVG					14/7
LEFT RIGHT	SLOPE		 											MID					
		×	SI	×	S	×	SL	×	SL	×	SL	ř	SL	100/	ř	2	×	SL	RAMP 8
Curb Height			7											<u> </u>	ALL OTHER TYPES	ALL OT	TYPE B AND E	П	!
FLARES	\dagger	RIGHT I ANDING	1	RIGHT TRANSITION	RIGHT TE	LANDING		LEFT TRANSITION		TOP LANDING	T T T T T	ET RAMP	STREET		111		LANDING	STRE	
בה כפואסו חסטו בס	5		Back Curbs	Ş	Dect Warn								×=_	<u>で</u>	3	رسی ۔		Cus	
1.0 7.0) 			1-2	4,2'			<u>-ī</u>	7.7	17	1	2	15	Υ/Ν	-		KS	REMARKS	COMPLIANT
7 1 2	HIÐNƏTH	HTDIW H	LENGTH	HTGIW	LENGTH	WIDTH	LENGTH	+	LENGTH	Τ.	╁			COMPLIANT	WIDI	LENG1H	WIDIH	LENGIH	フ
" 5.6 5 N	ON CUR	\$		0.5	57	\$		₩	F	╉┼	┫ ┤┈	 	$\boldsymbol{-}$		+		1		7
	SLOPE			20	G ,				7.7	1.8		ها		MID					TVDE
LEFT RIGHT		· -	_ <u> </u>	2 10	. n	_	; [0	ر در ک	2.2	1,6	0.8		61	TOP/LT	Ì	i i	 		WS
Curb Height		4	1	1	2	 	2	1	Δ	+	2	×	20		SL XI	ALLOIT	SL XL	T	RAMP 7
FLARES		RIGHT LANDING	П	RIGHT TRANSITION	RIGHTTI	LANDING	LEFTL	LEFT TRANSITION	TEFT TH	TOP LANDING	TOPL	STREET RAMP	STRE	_	COUNTER SLOPE	COUNT	STREET LANDING	STRE	
		=	Back Curbs	Ş	Dect Warn							<u>`</u>	×	、 ス	~	5	(b ! 15	CU()	
CONSTRU	DATE	.			6		Ī	ŀ				֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		.		, an		REMARKS	N/A
H 4.2, CC.	LENGTH		f	~	6			<u>^</u>	7.2	7	7	Ţ	1/, 31	Y/N LIP					COMPLIANT
1		HTQIW H	TENGTH I	HTGIW	LENGTH	HIGIM	ENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTDIW	LENGTH	Я	HTGIW 1	LENGTH	HIDIW H	LENGTH	1
 	ON CURB		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u>ر</u>	2,9			Ĩ~	-	17	0,	1.0	2	BOT/RT					TYPE
LEFT RIGHT	SI OPE		Z Z	- 2	7117			2,2	h.2	6.8 8.02	0.6	0.5	16	MID TOP/LT					S.
Caronagan	†	×	_S	×	JS	ΧĽ	SI	×	22	×	SE	×	SL	⊢	×	2	×	П	RAMP 6
FLARES		RIGHT LANDING	Ħ	RIGHT TRANSITION	RIGHT TI	LANDING	LEFT	LEFT TRANSITION	LEFTTR	TOP LANDING	T I I	STREET RAMP	STREE	<u>, ,</u>	ALL OTHER TYPES	ALL OTH	TYPE B AND E	14 K	
		S	Back Curbs	Y/N	Dect Warn														
DATE CONSTRUCTED	DAT	-						-						,			S	REMARKS	N/A
ヹ	LENGTH	- †		-		_				_					$\overline{}$	\vdash			COMPLIANT
		HTGIW	LENGTH	HIGIW	LENGTH	WIDTH	HTGNGTH	HTGIW	LENGTH	HTGIW	LENGTH	HIDIM	TENGTH	힜	HIGIM	LENGTH	HTGIM H	LENGTH	
ĩã '	ON CURB													BOT/RT	_				TYPE
LEFT RIGHT	- SI OPE	$\frac{1}{1}$												MID -					Ų.
		Ϋ́	SL	ΧĽ	SL	XL	SL	¥	SL	×	SL	×	SL		×	န	 ×	<u></u>	KAMP 5
Curb Height	\dagger		7												ALL OTHER TYPES	ALL OTH	TYPE B AND E		!
FLARES	1	RIGHT LANDING	1	RIGHT TRANSITION	RIGHT TE	LANDING		LEFT TRANSITION		TOP LANDING	TOPL	STREET RAMP	STREE	1	COUNTER SLOPE	COUNT	STREET LANDING	STRE	

	COMPLIANT Y/N	T TAR	Z if	RAMP 4			Y/N			TYPE	N E	RAMP 3			N/Y	COMPLIANT		344£		- NEW - N	DAMBO	<u> </u>		COMPLIANT		TYPE		NW		000	CONTRACTOR	CONTRACT NAM
Compliance Form FIXED 4-07,xls	HEMAHKS	LENGTH		SL.	JAAL	2 055	REMARKS	LENGIH				SL SL	TYPE	2	REMARKS	┸-	LENGTH			Ģ	т	STHEE			LENGTH	<u> </u>		Į.	2 149	STREET	CTOR	CONTRACT NAME
1 FIXED 4-07,xls	_	HIGIW		×	TYPE BAND E	A KINGS		H£Q!M		1		ř	TYPE B AND E		1		WIDH			<u>}</u>	BANDE	STREET LANDING	C		HICIW			×	I YPE B AND E	STREET LANDING	\vdash	202
		LENGTH	-	ZL	-	4		LENGTH		1	·	SL.	╇┼	ł		_	FILEDNA FILEDNA			Į.	+-	H	•		LENGTH			S	ALL OT	₩.		c
	_	HIGIW		¥	ALL OTHER TYPES			HIGIM			-	¥	ALL OTHER TYPES			_	Winte			ř	ALL OTHER TYPES	COUNTER SLOPE			HIGIW			×	ALL OTHER TYPES	COUNTER SLOPE	Day my	12
		8 👨	TOP/LT MID		EL_		Y/N	COMPLIAN	_	ROT/BT	TOP/LT				Y/N		AVG	вот/нт	MID TOP/LT		L°1			Y/N F	Ş,	BOT/RT	MID	T NGOT	1 º⁴			7
			14,2	SL	STREE		ľ	TENGTH				SL	SIE		r		1			SF.		SIRE			NT LENGTH			SF.		SIHE		
	ř	W C	72.7	¥	STREET RAMP			HIGIW				ΧL	STREET RAMP							ř		STREET RAMP			WIDTH		-	¥		STREET RAMP		
	12	C S	ا ا	SL	TOP			LENGTH				SL	TOP		-	TONG IT			+	75		Q Q			LENGTH			۶		Į Į	URB RAN	ç
	2,		200	ΧĽ	I OP LANDING			WIDTH				¥	TOP LANDING			HIGHW				×		TOP LANDING			HIGIM I			¥		CONC TOP LANDING	IPS TO BE	HB KAN
			/	SL	11 1437			LENGTH				SL	TEFT 11			LENGIH	-			SF.					LENGTH		-	SL	H	CONCRETE PLACEMENT	INSPECT	
	_			۲	LEFT TRANSITION			HIGIM				ř	LEFT TRANSITION		-	HIGIW	-			×		LEET THANSITION			HIGIW			×		TE PLACEMENT	ED WITHIN	CORB HAMP COMPLIANCE FORM
	LENGIN			SL	11437			LENGTH				S S	H			LENGTH	-			SL		1	İ	Ī	LENGTH			ZI.	1		CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	FORM
;	\$			×	FT LANDING			HIGIW				×	FT LANDING			HTGIW				X			ŀ		WIDTH			×			S OF	
Dect Warn	6.7°	7	7,7	ZF.	RIGHT	Dect Warn		LENGTH				<u>s</u>	RIGHT 1	Dect Warn		LENGTH		-		SL	100	Dect Warn		-	LENGIH			ZI.	night	DATE A	APPROVED BY	STREET
(P/)	V, H	7,7	===	×	RIGHT TRANSITION	Y/N		HTCIW				×	RIGHT TRANSITION	Y/N		HIDIM				×	TANSITION	۲\ 2	ŀ	_	WD I			×	- Indian I I I I I I I I I I I I I I I I I I I	DATE APPROVED	TOR	[Cochi
Back Curbs	LENGIH		7	SL	++	Back Curbs		LENGTH			ş	2	††	Back Curbs		LENGTH				ည	+	Ba		_	HENGTH	+		ည	_	╂┼	W.W	Ã
). K	HIGIW		Ţ	×	RIGHT LANDING			HIDIM	-		ì	<u>×</u>	RIGHT LANDING	0.		HIOIM	1			×	RIGHT LANDING	er I			W			×	HIGHT LANDING		¥	
DATE	LENGTH	ON CURB	2			DAIL	LENGIH	4	ON CURB	SLOPE		†		UA		4		SLOPE					DATE	LENGTH	4—	SLOPE ON CLIRB					DATE	X STREET
DATE CONSTRUCTED			LEFT	Curb Height	FLARES	DATE CONSTRUCTED			_ ພ		LE FI	Curo Beight	FLARES	DATE CONSTRUCTED				`	떝뒤		FLARES Curb Height			<u> </u>		<u> </u>	LEFT		FLARES			ET 60.3
UCTED			RIGHT			UCTED					RIGHT			10C IE					RIGHT		S HA		CONSTRUCTED				RIGHT		S .			

XX	COMPLIANT	TYPE	WS	RAMP 8		i	COMPLIANT		TYPE		RAMP 7				Ϋ́N	COMPLIANT		ЭЧҮТ	Ç	RAMP 6			COMPLIANT	(TYPE	ų.	RAMP 5	
HEMAHKS	LENGTH	1		SL XL	STREET LANDING		REMARKS	LENGTH			SL	TYPE B AND E	STREET LANDING		REMARKS		LENGTH \			SL JS	TYPE B AND E		REMARKS	LENGTH			SL	STREET LANDING
	HIGIM	-		╀	H			MIDTH			×	L	Н				HTGIW			Н	+	ł	<u></u>	HIDIM L			Ϋ́	
	LENGTH			ALL OTHER TYPES	COUNTER SLOPE			LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			SI	ALL OTHER TYPES			LENGTH			SL	ALL OTHER TYPES
į	WIDTH			A TYPES	SLOPE			WIDTH			×	TYPES	SLOPE				WIDTH			ř	STOPE STOPE		L	WIDTH			ř	SLOPE SLOPE
	COMPLIANT LIP Y/N	BOT/RT AVG	TOP/LT				Y/N	COMPLIANT	BOT/RT AVG	MID	7/40					Y/N □	COMPLIANT	BOT/RT AVG	MID :	700/1			Y/N	COMPLIANT	BOT/RT AVG	MID MID	L	
	(3)	LH	2,42	<u> </u>	STREE			LENGTH			SL		STREET RAMP				LENGTH			<u>S</u>	STHEET HAMP		(2,3)	LENGTH	9.4	7.7	S	STREET RAMP
	LTGIN 2	1,6	1,20	×	STREET RAMP			HTDIW			×Γ		TRAMP				HTDIW			ΧL	HAIMIP		7	HTGIW	S,0	0.9	ΧĽ	RAMP
	LENGTH C	13	×,7	22	TOPL			LENGTH			SL		TOPL				LENGTH			22	197		5	LENGTH	9/9	5,0 12,0	JS	7 401
	T, T.	1	ر 20	×	TOP LANDING			HTGIW			ΧĽ		TOP LANDING				WIDTH			×	TOP LANDING		7	HIDIM	6.1	6.7	×	TOP LANDING
	CENGTH	3,8	2,2	JS	LEFT TF			LENGTH			JS		TEFT TF				LENGTH			<u>S</u>			1	LENGTH	1.8	2.3	ΙН	LEFT TR
	T HEGIN		3	×	LEFT TRANSITION			HTGIW			×		LEFT TRANSITION		ĺ		WIDTH			×	LEFT THANSITION		5	HIDIM	111	116	×	LEFT TRANSITION
	LENGT		7	S	LEFT			LENGTH	•		SL		LEFT		ŀ		LENGTH		<u> </u>	2				LENGTH	1		75	LEFT
	HTI			×	LANDING			HTQ!W H			ΧĽ		LANDING		ľ		HTOIW			×	LANDING			HTGIW			×	LANDING
Dect Warn	,ς', ι 1, ι 1, ι 1, ι 1, ι 1, ι 1, ι 1, ι	 	, c, c, c, c, c, c, c, c, c, c, c, c, c,	22	RIGHT	Dect Wam		LENGTH					RIGHT	Dect Warn	1		LENGTH			SP	HIGH	Dect Warn	<u>~</u>	╁	12.7	7.5 7.7.7.	SE	RIGHT 1
3	ر ر HLGIM	Н	D.C	 	RIGHT TRANSITION	۲/N		HTGIW			XΙ		RIGHT TRANSITION	Y/N	ŀ		HTGIW			 A	HIGHT THANSITION	(v.) N	ゔ゚゚゚	HTDIW	10,4 10,4	1,6	×	RIGHT TRANSITION
Back Curbs	LENGTH			<u>S</u>	N RIGHT	Back Curbs	1	LENGTH			SL		Н	Back Curbs			LENGTH			2	十	Ba		LENGTH	1	大 水	2]2	
N/	HTGIW		2	 	T LANDING	bs.		HTUIW			ΧĽ	-	RIGHT LANDING	S	ŀ		H WIDTH			A	HIGHT LANDING	F		HTGIW H	17		×	RIGHT LANDING
DA	<u>-</u>	┯	SLOPE				DATE	4	ON CURB	SLOPE	H				DA	LENGTH	4	ON CURB	SLOPE	$\dagger \dagger$	\dagger			HI ENGTH	ON CUF	SLOPE	Н	\dagger
DATE CONSTRUCTED	Ξ Ξ	8	E LEFT	Curb Height	FLARES	j			<u> </u>	Т		Curb Height	FLARES		DATE CONSTRUCTED	工		<u> </u>			Curb Height		DATE CONSTRUCTED	E	<u> </u>			FLARES Curb Height
RUCTED	y 4		RIGHT	ight	S	1	BLICTED	\dashv				ght	Ö		HUCTED		+	· <u>-</u>	Ti GIT				ALCTED.			RIGHT	1 1	tht S

Г	· I	ol		_									·			_		_	_	Ol		_	1	_			_	1	O I		_	_				16	ग्र	וסור
	χ	AN T		TYPE		N	RAMP 4			COMPLIANT Y/N			TYPE		m ·	RAMP 3			Y/N	COMPLIANT	-	TYPE		WW	RAMP 2			ΥN	COMPLIANT		TYPE		WW	RAMP 1		STREET	CONTRACTOR	CONTRACT NAME
Compliance Form FIXED 4-07 xls	REMARKS	-	LENGTH				JS	TYPE!		REMARKS	LENGIH					TS	SIREE		HEMAHKS		LENGTH				JS	JAA1	2	REMARKS	,	LENGTH				SL	JAAL I	STREET	TOR	T NAME
1 FIXED 4-07.xks		${\color{red}{oldsymbol{ o}}}$	WIDTH				ΧĽ	TYPE B AND E			WIDIT					¥	TYPE B AND E			J	HIGIW	• :			¥	TYPE B AND E				WIDTH				×	3 AND E	STREET LANDING	Lmx,	707
		_	LENGTH				SI	ALL OIL			LENGIH					ZL	+				LENGTH				SL	+	4			LENGTH				SL	H	Н		0,00
		_	HIGIM				×	ALL OTHER TYPES			WIDIH					ř	ALL OTHER TYPES				WIDTH				×	ALL OTHER TYPES				WIDIH				×	ALL OTHER TYPES	COUNTER SLOPE	Por Jan 3	2
			AVG	вот/ят	MID	TOP/LT		S		Υ/Ν	COMPLIAN		BOT/RT	MID	TOP/LT		<i>σ</i> ,				AVG	BOT/RT	MID	TOP/LT		or.			Y/N LIP	9	BOT/RT	MID	TOP/LT		o,			5
			NT LENGTH	Ĩ		<u>∃</u>	ZI.	STE		H	LENGIH	1	Ĩ		1	SL	STE				LENGTH	î.		T	SI	or T			<u> </u>	LENGTH	17		-	SL		HIS		
İ		\Box	TH WIDTH				۲	STREET RAMP		-	HICHW				1	×	STREET RAMP			_	H WIDTH				×	STACE RAMP				н мотн	-			۲	_	STREET HAMP		
		_	TH LENGTH				SL	+		-	IH LENGIH				+	SL	\dagger				H TENGTH	 - 		-	SF.	+				TH LENGTH				SL	Н	-	CURB R/	_
		_	HIGIW HIS			-	×	TOP LANDING		-	HIGIM HIE			-	-	×	TOP LANDING			_	HIGH	!		+	, ×	LANDING				TH WIDTH				XL		TOP LANDING	MPS TO	ORB R/
			_			\dashv	-	\perp			_	-			╬	+	\bot			-	_			+		+				Η-				Н	Ц	ᆜ엺	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	CURB RAMP COMPLIANCE FORM
			LENGTH W	<u> </u>			SL	LEFT TRANSITION			LENGTH	_		+	+	2	LEFT TRANSITION			_	ENGTH W			╬	2	LEFT THANSITION				LENGTH W				SL		LEFT TRANSITION	CTED WI	MPLIAN
			WIDTH LEN			_	ř	$\overline{}$			WIDTH LEN			1		×	NOL			- - - -	WINTE			+	ř	+	1			WIDTH LEN	-			XL	+	Ä	THIN 72-H	CE FOR
			GH GH				ZI.	LEFT LANDING		L	GTH			+	1	SI	LEFT LANDING							-	SL	LEFT L'ANDING				GIH				SL		LEFT LANDING	OURS OF	Z
L	0	_	WIDTH				¥	Щ	-		HTGIW	_			1	×	4				ETELIAN				×	4				HIGIW	_			¥	4	4_		∍lω
	Dect Wam	_	LENG I H				22	HIGHT TRANSITION	Dect Warn		LENGTH				ļ	<u> </u>	RIGHT TRANSITION	Dect Warn		1					ည	RIGHT THANSITION	Dect Warn			LENGTH				SL		DATE APPROVED	APPROVED BY	STREET (
	Y/N		WIDTH				ř	NSITION			HTGIW				ļ	×	NOITISM	Y / X	_	ĵ					×	NSITION				HIGIM				×		NOTION) BY	3
	Back Curbs		LENGTH				SL	RIGHTL	Back Curbs		LENGTH					S	RIGHT	Back Curbs			FENCETH				SL	RIGHT	Back Curbs			LENGTH				SL		RIGHT		2017
			WIDTH				×	RIGHT LANDING			HIGIM				ì	×	RIGHT LANDING			***	(A)				×	RIGHT LANDING				HIDIM				Ϋ́		RIGHT LANDING		
	DATE	LENGTH		ON CURB	SLOPE		1	\prod	9		HTENGTH		ON CURB	SLOPE			\prod		DATE	LENGTH		ON CURB	SLOPE	brace				DATE	LENGTH		ON CURB	SLOPE						X STREET
				w	Т			FLARES Curb Height			_		w	T			FLARES Curb Height		DATE CONSTRUCTED	<u>-</u> -L		JJ.	T	LEFT		FLARES		DATE CONSTRUCTED			<u></u>	·····I	旧리		Curb Height	FLARES		1 (W.52)+x
	CONSTRUCTED					RIGHT		∏	<u> </u>					-	BIGHT	, ,			(UCLED					RIGHT		bł S		INCLES.					RIGHT	,	nt			242

		COMPLIANT	 	3dA1		HAMP 8	1			COMPLIANT Y/N RE	' T	ᆛ	TYPE	SW	RAMP 7	1,		YN	Ä	ا ا	i i	RAMP 6	100		YN RE	COMPLIANT		ТҮРЕ	SE	RAMP 5	T
		BEMARKS	LENGTH V			Ę.	TYPE B AND E	STREET LANDING		REMARKS	_ 		_		SL	TYPE B AND E	1	REMARKS				<u>S</u>	STREET LANDING		REMARKS		1	-		SI	TYPE B AND E
			HTGIW			ř	Н	┥				W 5	_		Ц	+	-		⊢		· •	₩	┿	1		1	╃	1		4	┽
			LENGTH			Ş	ALL OTHER TYPES	COUNTER SLOPE			i i				SE	ALL OTHER TYPES				-	<u>.</u>	SI.	COUNTER SLOPE				1	1		18	ALL OTHER TYPES
		L	HTGIW			ř	₹ TYPES	SLOPE			į				ΧĽ	TYPES						×	SLOPE			1	_			×	TYPES
		۲/۷ ۲	COMPLIANT	BOT/RT AVG	MID	00/				Y/N	LIP COME LIMIN	AVG	BOT/RT	TOP/LT					Y/N LIP	AVG	MID	705%				N/A	AVG	BOT/RT	TOP/LT		
			LENGTH			22		STREE		7.6	E 10				SL	STREET RAWP); 		۲, کے ایر کی ایر	3 3	7.7	32	STREET RAMP				TROTIL			S	
	٠		WIDTH			X		STREET RAMP			(رر		ر ا ا	1.7	ΧL	HAMP			ر <u>.</u>	(,2.	9.0 0.0	×	T RAMP			\$ 0.0				×	
			LENGTH			SL		TOPL		7	, (- Ac	2.0	SL	Ę			ڊر . سيمان	0.6	ر د د	22	TOPL			LENG I				<u>S</u>	
			HTGIW			×		TOP LANDING		2.) , (7,13	9.0	×	I OP LANDING			7	7.0	; c	×	TOP LANDING			\$ DIT				ř	
			LENGTH		1	SL		LEFT TI		7				7.9	SL	F			LENGIA		7	SI	LEFT TE			LENGIH				2	
			HTGIW			×		LEFT TRANSITION		٦	7 7	╅┼) ••0	Н	×	LEFT THANSITION			WIDIO	1 X	1	×	LEFT TRANSITION			*	+			Ă	
			LENG			SL	H	٦			LENG	1	<u> </u>	7	SL	Ę			LENG		/	<u>S</u>			ľ	ENG				2	
			TH WIDTH			Ϋ́		LEFT LANDING			TO WILLIAM		1	ì	×	LANDING			2	1 X		 *	LANDING			¥	1			ř	
	Dect Warn		LENGTH			SL		RIGHT	Dect Wam	U	+	╉┼	- (^ - (^	٨.(ر	SL	HIGHT	Dect Wam		\$ 1	╉┼	+ 4:0	SE SE	RIGHT	Dect Warn		LENGIH	╉┤				
	∃ Y/N		HTGIW H			×	_	RIGHT TRANSITION	₃ (₹)		7 7 10 10 10 10 10 10 10 10 10 10 10 10 10	1	- - - -	10	×	RIGHT TRANSITION	Ğ		~	+		I≱	RIGHT TRANSITION	n Y/N	ŀ	WIDIH	╉┤			 	
	Back Curbs		H LENGTH		-	JS	H	1	Back Curbs	\dagger	H LENGIH	╅	1		<u>S</u>	RIGHT	- Ba		H LENGIH	.l.		<u>S</u>	Н	Ва	+	HENGIH	┫	+		<u> </u>	7
	ırbs		TH WIDTH		<u> </u> -	×		RIGHT LANDING			H WILLIAM	1 1	*	\ }	×	HT LANDING	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		H WILLIAM			 	RIGHT LANDING	irbs	ŀ	HIUIW	1	1	╁	<u> </u>	
F	Ţ	F	+	ON CURB	SLOPE	H	H	<u> </u>	Ī	n	LENGTH	┷	SLOPE		1	G	-	Γ.	<u> </u>	ON CURB	SLOPE		G			LENGTH		ON CURB		+	1
	A F CON	ETNG 1 H	1	ÜRB	Т		Curb	린		ATE CON	GH.			П	1	Clirch FLX		ATE CON	3.2 HTE	URB 5,	Т		LEL.A		ATE CON	돼		URB.	П		
	DATE CONSTRUCTED				FFT		Curb Height	FLARES		DATE CONSTRUCTED		_		LEFT R	9	FLARES Curb Height		DATE CONSTRUCTED	2	7) - -	┨╏	FLARES		DATE CONSTRUCTED					ď	Curb Height
	<u></u>				HGH					8				RIGHT				ED			HZ-				F				RIGHT	ĺ	

	2	COMPLIAN	·	TYPE		N M	RAMP 4			N/A	COMPINE	(TYPE	Ā	N T	DAMD			COMPLIAN	(_	TYPE		W	RAMP 2			Υ/N	COMPLIAN		TYPE		WW	RAMP 1		SUB-COI	CONTRACTOR	CONTRACT NAME
Compliance Fo		TIL.	LENGTH				SL	3441	3 (2)	REMARKS	-	LENGTH			ρ	Τ	STREE	601	HEMARKS	[] []	E C			Т	Т	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		REMARKS	<u>:</u> 1	LENGTH	<u>. </u>			SL	IdAL.	SUB-CONTRACTOR	CTOR	CONTRACT NAME
Compliance Form FIXED 4-07.xls	Ċ		HIGIM				۲	TYPE B AND E				WIDTH			}	OF BANDE	STREET LANDING	1	8	Wicin	7	:		ì	×	TYPE BANDE		S		WIDTH				¥	TYPE B AND E	AND		27-
क	÷		LENGTH		 		SL	┝╌┝	6	:		LENGTH			Ϋ́	2 2	+	\sim	-	רבואפוז				G	2	_	i	ŀ		LENGTH				SL	₩	-	8	
			H WIDTH				ΧĽ	ALL OTHER TYPES		ŀ	\dashv	HIGIM H			¥	ALL OTHER TYPES	COUNTER SLOPE	<u></u>	ŀ	MICH.				}	- ; × ;	ALL OTHER TYPES		ŀ		H WIDTH				ΧĽ	ALL OTHER TYPES	ALER SLOP	7,7,7	Camps III
		Y/N	닒	BOT/RT	MID	TOP/LT		S	ري ا	, Y/N		AVG H COMPLIAN	BOT/RT	MID I	┸	υ, 107	'nΨ	Ualk	Y/N	LIP		вот/нт	MID	TOP/I T	18	S ř			٧/ الم	<u> </u>	BOT/RT	MiD	TOP/LT		S	Ĭ,	ψ 	=
		1	, 	2 퓌		<u>, LT</u>	SL		0 × c	يا	٠.,	-		7,¢.	, ,	, T.	S	: (F	_	_	-	7	Í	<u>n</u>	S			֟֟֟֝֟֟֟֝֟֟֟ ֖	_	'AT		ľΤ	SL	,	S		
			LENGTH W				Н		-	- -		TENGTH W	(), ()	- C	,	╁	STREET HAMP	:1'x3.2	F	Ī	-	2	۷ \رو ارد	^ <u>'</u> -	+	STREET RAMP		ŀ		LENGTH W				-		STREE RAMP		
		_	WIDTH LE				Χ̈́L	3	×	\vdash	_	WIDTH		م د م	-		МP	12	F	WIDIH LE	_		•		<u> </u>	MP		ŀ	-	WIDTH LE			-	¥		N P	CURB	
			LENGTH				ST.	I OF LANDING	7	· -	_	<u> </u>) A	<u></u>		TOP LANDING	<u>-</u> 0	7	<u> </u>	-	ا ب	90	د ر ا ^د	<u>0</u>	TOP LANDING		-		LENGTH				SL	<u> </u>	CONC	RAMPS:	CURB
		<u> </u>	WIDTH				¥	JING		_	_	HIDIH		25	\×		DING	χ <u>ς</u> ,	7,	╀	\vdash	7	- اد	- }	≤	DINIC				HIOW				ř		CONCRE	TO BE IN	RAMP
			LENGTH				Ş	LEFT HANSITION		25	*	LENGTH	6.0	1. J.) SE		LEFT TRANSITION			LENGTH			1	ĺμ	2	LEFT THANSITION				LENGTH				SL	- Industrion	CONCRETE PLACEMENT	SPECTED	COMPLI
			WIDTH				×	NSITION				HIDIM	0.8	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	×		NOTION			HIGIM		<i>\</i>	$\sqrt{}$	ř	≤	NOTISM				WIDTH				χ	avoi iov	EMENT	NIHTIW (CURB RAMP COMPLIANCE FORM
			LENGTH				SL	F				LENGTH		7	SL		LEFT.			LENGTH				Į.	2	1431				LENGTH	W.			ည	[7]	ח	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	ORM
			HIGIW				×	HILANDING			_	T / J		7	×		EFT LANDING		T	HIGIM	Н		7	×	≦	LEFT LANDING		r		WIDTH				×	LANDING	TELL ANDING	SOF	
F	Dect Wari		LENGTH				SI.	HIGH	Dect Wam	1	╌┠╸	+	4.7	22	SI-		RIGHT	Dect Warn	2,5	LENGTH	\vdash	J.C) 2	2	RIGHT	Dect Wam	t		LENGTH				SL	וחמות	DATE /	APPRO	STREET
	ы Y/N		H WIDTH				×	HIGHT THANSITION	N (A)	\vdash	_	HICION		25.6	×		RIGHT TRANSITION	3 (Y)	بُ آ	HI WIDTH	\rightarrow	0;	~ .) 	<u>.</u>	RIGHT TRANSITION	m Y/N	-	_	H10IM H		-		×	AIGHT TRANSITION	DATE APPROVED	APPROVED BY	ET OR
F	Back Curbs		H LENGTH				JS	┪	Ba	+	┰	H ENGTH	1	1	SI SI	Ħ	T	Back Curbs	+	H LENGIH	1	6	<u>r</u>	<u></u>	+	П	Back Curbs	+		TH LENGTH			+	SL	╁			74700 7
	urbs		_			4		RIGHT LANDING	(C) squi		┰	+ 4	X	2	-	H	RIGHT LANDING	urbs /	-	Н	7	\	7	╀	+	RIGHT LANDING	urbs	F		_		+	+	+	HIGHT LANDING	AKITA AKITA	1	W. 1.1.
L			HTDIW	<u>8</u>	<u>δ</u>	4	¥	NG	Н	+		HIGHW	<u>-</u> کر و	20	ř		NG:		<u> </u>	HIGIM	<u> </u>	γ Q	2	<u> </u>	-	NG		1		HIDIM	Q Q	<u>ရ</u>	 	ř	NG.			×s
	DATECC		-	ON CURB	SLOPE			Cu		DATE CO	LENGTH		ON CURB			Cu				LENGTH	•	ON CURB	S OF S	-	Cu		1		LENGTH	-	ON CURB	SLOPE	-		<u>و</u> -		i	X STREET DATE
	CONSTRUCTED					LEFT		FLARES Curb Height		DATE CONSTRUCTED				LEFT		Curb Height	FLARES						 	┨	Curb Height	FLARES		DA F CONSTRUCTED				-		Q	Curb Height			ku. 37
) ED					RIGHT)TEO				RIGHT									RIGHT					1					BIGHT					7

		COMPLIANT			TYPE	4	RAMP 8				COMPLIANT			HAPE		SW /				N/A	COMPLIANT)		S	RAMP 6			N/A	COMPLIANT			TYPE	Ų.	RAMP 5	İ
		REMARKS	_	HT FN FI			SL	TYPE B AND E	51DFFFF	[REMARKS	LENGTH				S.	I YPE B AND E	STREET LANDING	Cush.	REMARKS		LENGTH				S	TYPE B AND E		HEWAKKS		LENGIH				SL	STREET LANDING
			100	+			ř	AND E				HIGIM				ř	AND E	ANDING	0			HTGIW				×	ANDING				WIDTH			_	ΧĽ	AND E
		_		-			SL	ALL OTHER TYPES				LENGTH				Ş	ALL OTHER TYPES	COUNTER SLOPE	5			LENGTH			1	SL XI	ALL OTHER TYPES				LENGTH				JS	COUNTER SLOPE ALL OTHER TYPES
		L		_		<u> </u>	Н	SLOPE			Ļ	WIDTH	1-		1	×	TYPES	SLOPE	W-1K-		1	WIDTH C			1	X T	SLOPE			<u> </u>	WIDTH		1		۲	STOPE
		Y/N	LIP		BOT/RT	MID I	L				Ϋ́ Ϋ́ Ϋ́	3	AVG			700	•		4 ×	. 1	L,	Š	AVG	₩	10p/	_	_			Y/N	N.	AVG	BOT/AT	TOP/LT		
		L	LENGIH	1			S.	STREET RAMP				ENGTH		 -		SL		STREET RAMP	υ,	┢	ネ シ ニ	LENGTH	7.7	6,7	1	n	STREET RAMP				LENGTH		1		SL	STREET RAMP
		L	MIDIM	┿		 	ř	AMP				WIDTH			-	ř			x,2,x	L	ر: ا	WIDTH	\	3.5	2 2	4	HMAF				1 HEGIM		<u> </u>		×	RAMP
	•	_	LENGTH		1		TS.	TOP LANDING				LENGTH				SL		TOP LANDING	×,	L	7 7	LENGTH	1,2	4	ļ	2	TOP LANDING				LENGTH				Z	TOP LANDING
			WIDTH LE	\vdash	1		×					WIDTH L				X	_	4		L		WIDTH L	07	4	L	<u> </u>	Ц				WIDTH L		<u> </u>		×	$\bot \!\!\!\! I$
•	i		LENGTH V	\vdash	i		ZIS.	LEFT TRANSITION				LENGTH V				22		LEFT TRANSITION		-		LENGTH	\perp	7 2 5	ļ M	<u>}</u>	LEFT TRANSITION				LENGTH \		<u> </u>		2	LEFT TRANSITION
			WIDTH LE				×	П				WIDTH LI	+			×	1	SITION		-	-	WIDTH	2	Q-	 -		NOLLIS				WIDTH: L		-		×	SITION
			LENGTH				2	LEFT LANDING				LENGTH V				SL	$\frac{1}{2}$	LEFT LANDING		-	_	LENGTH V	1	7	<u>د</u>	-	LEFT LANDING				LENGTH				2	LEFT LANDING
	Dac		HTGIM		<u> </u>		Ă 	Ш	Dec	_		WIDTH LE				×	4	4	Dec		ᅪ	HTGIW		< 1	 -		Ц	Dec	4		WIDTH LE			ig	ř	Ц
	Dect Warn		LENGTH W		-		<u>S</u>	RIGHT TRANSITION	Dect Wam			LENGTH W				2		RIGHT TRANSITION	Dect Warn	C. 1	-	LENGTH V		2	<u>S</u>		RIGHT TRANSITION	Dect Warn			LENGTH V				န	RIGHT TRANSITION
-	Y/N Bac		WIDTH LE	+		$\mid \cdot \mid$	<u>*</u>	Ħ	Y/N Bac	_		WIDTH LE				<u></u>	+	✝	ŴN Bac			HTGIW	ix Ti	1/1	ř	Н	┪	Y/N Bac	-		WIDTH LE		$\frac{1}{1}$	 - -	* +	Ħ
	Back Curbs		LENGTH W			 - -	2	RIGHT LANDING	Back Curbs		_	LENGTH W			-	Ş.		BIGHT AND	Back Curbs (L	╅	LENGTH W		1	<u>S</u>		RIGHT LANDING	Back Curbs			LENGTH V	-			S	RIGHT LANDING
-	_	— <u>.</u>	WIDTH	9	S		≜	OING	_	-		HTDIW	<u> </u>	s	4	 			ラ T	<u> </u>		HTGIW		<u></u>	×		ONIG				HTQIW	9		1	* +	DING
	DATE CO	במקוח	Į.	ON CURB	SLOPE		Curt			DATE CO	LENGTH	$\frac{1}{1}$	ON CURB	SLOPE		Qui.			DATECO		LENGTH		ON CURB	SLOPE L		Curl			DATE CO	LENGTH	1	ON CURB	T		Cur	
	CONSTRUCTED		$\frac{1}{1}$	_	<u> </u>		Curb Height	FLARES		CONSTRUCTED		+		+		Odi bi i i i i i i i i i	Tiph Haide	ADEC	DATE CONSTRUCTED			1		LEFT R		Curb Height	FLARES		CONSTRUCTED		$\frac{1}{1}$		-+	LEFT R	Curb Height	FLARES
	B					RIGHT				E					RGHT				E					RIGHT					ŒD.					RIGHT		

истн жиртн
ΧĽ
EFT LANDING
HIGIM HIS
-
Χ̈́
EFT LANDING
VGTH WIDTH
XI XI
EF I LANDING
WEITH WIDTH
SL XL
EF LANDING
T I AKIISIKIA
CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF

		8	Back Curbs	Y/V	Dect Wam													-	
DATE CONSTRUCTED	<u>بر</u>									:							HKS	HEMAHKS	Y/N
TH.	LENGTH													Y/N					COMPLIANT
	┸╌╂╴	HTGIW H	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	WIDTH	LENGTH	MIDTH	LENGTH	COMPLIANT	HTGIW	LENGTH	HTGIM HTS	LENGTH	
JRB	ON CURB		-						1					AVG				1	
PE LEFT RIGHT	SLOPE													MID					יייי ייייי
		×	2	×	_IS	×	SL	ΧĽ	SL	ΧĽ	JS	ΧĿ	28	1/00	×	SE	×	S	SW
Curb Height			\top											- - 1	ALL OTHER TYPES	ALL OT	PE B AND E	П]
FLARES	3)	RIGHT LANDING	1	RIGHT TRANSITION	RIGHTT	LEFT LANDING	LEFT L	LEFT TRANSITION	TE 1.13	TOP LANDING		STREET RAMP	STREE		COUNTER SLOPE	COUNT	STREET LANDING	STR	
	Т	٣	Back Curbs \	(<u>{</u>	Dect Warn				(x2	ر ا ا	ر بن م)	× ~ ~ .	 رين آ	として	12 1	Cush: 7,	\mathcal{L}	
DATE CONSTRUCTED		-	\dagger	}													RKS	REMARKS	N/A
TH_	LENGTH			۷,	ر کار			٤,	۲.1.	ا در ا	7	ζſ	ر. ئن	۲ <u>-</u>				Ä	COMPLIANT
	4	HTDIW H	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	COMPLIANT	HTGIW F	LENGTH	HTDIW HTE	LENGTH	<u></u>
JRB	ON CURB	\ \ \ \	-	1.7	G	1	1	Ē,	نز	9.6	1.7	1:7	ار ا	AVG					
	SLOPE	<	Y	0.8	1,4	Y	7	3:0	7	2.2	5	1,5	2.0	MiD				-	TVDC
LEFT RIGHT	1	+	+		7.3	,		S.	5.4	٥٤	- 1	C	1 ,C	TOP/LT					WS
Corporation	+	 	S	ř	2	×	S	×	S	×	22	×	75		×	SL	XL		RAMP 7
Curb Height	T _G	HIGHT LANDING	\dagger	night inanoition	night	LANDING		LEFT THANSITION			5			•	ALL OTHER TYPES	ALL OTI	TYPE B AND E	7	
21 2010	1		t	JANIE TION	DICUT TO	ANDING		NOITIBIA	1557 75	TOP I ANDING	I GOT	STREET BAMP			COLINTER SLOPE	Π,	D	STR	
		<u>×</u>	Back Curbs	₹	Dect Warn							<u>َ</u> کُ	~ ^	(; C)	ビング・	<u>ک</u> ر	ر الم ماري الم	رے ح	
DATE CONSTRUCTED	 	-	\dagger	>													RKS	REMARKS	N/Y
⁻ 건 '	LENGTH			Ž	12'					ر. د	17	4	ري	Y/N				깈	COMPLIANT
_	ч	H_MIDTH	LENGTH	Н	LENGTH	WIDTH	LENGTH	HIDIM	LENGTH	WIDTH	LENGTH	HTDIW	LENGTH	COMPLIANT	HEGIM F	LENGTH	HTGIW HTS	LENGTH	1
0.2	- -	1	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	6,0			/	Ţ	1		V. 5		AVG				ᆚ	
3	STOPE	上 业	+	2	, c		\bigvee	1			*		-	BOT/BT				1	TYPE
LEFT RIGHT				24	7.7					6:0	11,3	8,0	2,7	TOP/LT					S.
	+	×		×	SL	×	SL	×	SI	×	SL	×	SL		¥	SI	×	П	RAMP 6
FLARES	G	RIGHT LANDING	+	RIGHT TRANSITION	HIGH I	LANDING		LEFT TRANSITION		I OF LANDING	5	OTHEET HAWE	0 170	•	ALL OTHER TYPES	ALL OT	TYPE B AND E	7	
			<u> </u>	17/14	Dect Mail										i 2 2	201	AND NO	211	
DATE CONSTRUCTED	Ş		}	Š													HNU	MEIVIAHNO	1/10
		-												Y/N		r		_	COMPLIANT
<u> </u>	TENGTH	H WiDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	COMPLIANT	HIGHW	LENGIH	HICH	LENGIH	1
		H	Н	П				Н		H		П	_	AVG	_		1	-	
ĤB .	ON CURB	+	1											BOT/RT				+	JAAL
F LEFT RIGHT			\dagger																ŭ
1 1	H	×	22	×	SL	×	SL	×	SI	×	SL	×			ř	S	×	<u>5</u>	RAMP 5
Curb Height	$\frac{1}{1}$	•	\dashv												ALL OTHER TYPES	ALL OTI	TYPE B AND E	Т	[
FLARES	3	RIGHT LANDING	7	RIGHT TRANSITION	RIGHTTF	LANDING		LEFT TRANSITION	TEFT TR	TOP LANDING	140 <u>1</u>	STREET RAMP	STREE		COUNTER SLOPE	COUNT	STREET LANDING	STR	

	į	COMPLIANT			TVDE	Z	RAMP 4		T	7/2	COMPLIANT			TYPE		NE	RAMP 3		T		COMPLIAN			HAVE		Z K	RAMP 2			N/Y [COMBINA	<u>С</u>	1471		W	RAMP 1		SUB-C	CONT	CONT
Complia	<u></u>		員		+		Τ	ТТ	<u> </u> -			Ē		Ш	_		Γ	П	1				· r	ň		T	T	<u>α</u>	C	نہا	AN T	\ 届	ļň	+	~	Т	П	SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xls	ć	HEMARKS.	LENGTH		-		<u>5</u> 1	TYPE B AND E	STREET ANDING	HEWIAHKS	_	LENGIH					SL	TYPE B AND E	STREETTANIDING		BEMADIZO	LENGTH		1		_	<u>s</u>	TYPE 8 AND E	Culp	REMARKS		LENGTH		1	-	ည	TYPE B AND E	H H	7)	AME O
D 4-07.xls			HIGIM				¥	NDE	SINICIA SINICIA			WIDTH					¥	NDE				HIDIM				Ì	×		8			HIGIM				×	NOE	ANDING	アジス	زرد
			LENGTH				SF	ALL OTH				LENGTH					SL	ALT OTH	C. C. C. C. C. C. C. C. C. C. C. C. C. C			WIDTH LENGTH				Ş	2	ALLOTH	8			LENGTH				SL	ALL OT	3	ረ Γ	72 -20
		j -	LENGTH WIDTH	•			¥	ALL OTHER TYPES	COMMITTED & CORE			HIGIM	_				ΧĽ	ALL OTHER TYPES				HIGIM		1		ř	→	ALL OTHER TYPES	5		_	HIGIW				X	ALL OTHER TYPES			C
		Y/N =	' 기	AVG	MID	TOP/LT					Y/N	COMPLIANT	_	BOT/RT	MID	TOP/LT		<u> </u>			Y/N	8	AVG			101		71	<u></u> :\\.`	Y/Z		AVG	BOT/RT	GiM	TOP/LT		<u>ကြ</u> .) -	<u>.</u>
		\sqcap	NT LENGTH		+		S.	9	3		L	NT LENGTH		┑			SL	٥				NT LENGTH		1	+	į ν	2	S) × %	7		NT LENGTH		\sim	3	SL	0			
			HTGIW HI	-		-	ΧL	OLACEL RAMP				Н					\dashv	OTHER HAMIF			-	H		1		╁	╁	STREET RAMP	ني	F	-t	_	0	0	۲),		OTHER HAMP			4
			-	<u> </u>	-	<u> </u>		ī				WIDTH LE			\dashv		ř	+				WIDTH LE		+	+	X.	<u> </u>	╁┨			-	W HIGH	6	0	<u>ا</u> د	ř	₹		CURB	
			LENGTH	-			SL	LANDING				LENG TH					S.	LANDING				LENGTH				<u>S</u>	2	13	メン		-	HIENGER	10).(c	K	ည	I CP LANDING		RAMPS	CURE
			HIGIM			,	¥	DENG			:	HIGIW					ř	DING				WIDTH				ř		DING	J.	7		WID III	7.1	0.6	0,7	×	JUING	CONCE	TO BE	RAMP
		ا ئ	LENGTH				SL	LEFT TH				LENGTH					SL	LEFT TH				LENGTH				SL		11 1-131		5,8	7	ENIC	3.5	5,0	5.4	SF.	LEFTT	ETE PLA	NSPECTE CTE	COMP
		41, 30	HIGIW				×	LEFT THANSITION		Ī		MIDIH					×	LEFT TRANSITION				HIGIW				×		LEFT TRANSITION		7	╁	╂┈	2.0	700	7	×	LEFT TRANSITION	CONCRETE PLACEMENT	NITHIN	CURB RAMP COMPLIANCE FORM
		*2.	LENGTH				Sī			f		LENGTH					S	\rightarrow			-	LENGTH			-	2				-	LENGIH	7		ا لا	<u> </u>	ည		4 / Z-HOO	CURB RAMPS TO BE INSPECTED WITHIN 79-HOLIDS OF	FORM
			HIGIM				¥	LEFT LANDING				HTGIW H	1			 }	×	LEFT LANDING		ŀ		HIDIW		$\frac{1}{1}$		×		EFT LANDING			# W IC	1	7		$\frac{1}{2}$	×	EFT LANDING	רט כר	000	
ŀ	Dect Warn	_	1 LENGTH				JS.	RIGHT	Dect Wam		_	LENGTH	+			+	<u>.0</u>	RIGHT	Dect Warn	1		H LENGTH			+	TS.		нісн	Dect Warn	 -	H LENGIH				-	S	Ш	DATE	INSPE	STREET
l	л Y/N		HICIIW				×	RIGHT TRANSITION	3 Y/N	┞		HTOW H		-	+	<u> </u>	<u> </u>	THANSITION	m Y/N	ŀ		HIQIW HI	+		+-	×		RIGHT TRANSITION	TY N	-	HIGH			4	1	×	RIGHT TRANSITION	DATE APPROVED	NSPECTOR	7
L	Back Curbs		4—				┪	$\dagger \dagger$	N Back Curbs	_[_		4	1	+	1	╁	+	+7				_			-	H	Ħ	╅			_	-		$\frac{1}{\sqrt{1}}$	╁	+		E	_	me s s
	urbs		N HESSIAN				SL	RIGHT LANDING	Curbs	-	_	LENGTH V	+	$\frac{1}{1}$	-		Ω	HIGHT LANDING	Back Curbs		_	LENGTH				SL.		RIGHT LANDING	Back Curbs		LENGTH		\bigvee	$\frac{1}{1}$	_	2	RIGHT LANDING		416	Λαζ
L			W D H				ř	JNG G	.,			HIGIW				}	≤	DING				WID				¥.			_		WIDTH	\perp				×	DING			
	DAIE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		CNCOAD	OLOTE	200					DAIE	LENGTH		ON CURB	SLOPE					DAILE		ENICTL		ON CURB	SLOPE					DATE	K STREET
	DATE CONSTRUCTED					LEFT	Outo Height	FARES		DATE CONSTRUCTED				-	-		ung mengint	FLARES		DATE CONSTRUCTED					LEFT		Curb Heigh	FLARES	CONSTRUCTED					[133	Curp Heic	FLARES		1 1	W. 747
	CLED					RIGHT				UCIED		1			HIGH		Ī			DC IED					RIGHT		Ħ		JUCIED					+	BIGHT					747

	Z						3.0	ر بر د	0.0) X C	10	۲ ۲	7.	2	010	7,91	()	
	7	Back Curbs	YY	Dect Warn			<u>~</u>	7'\	<u>,</u>	< · · /	<u></u>	7 2 2	<u>√</u>	- - -	~	C C ONC CONTRACTOR ACTION CONTRACTOR	HEMARKS	Ý
1.5)			51	1					5	v.	7,	6.5	۲/۷ آت					COMPLIANT
	WIDTH	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH		LENGTH	WIDTH	LEN	COMPLIANT	HTGIW	LENGTH	H WIDTH	LENGTH	0
ON CURB			196	2.0		1	X			0,7	2,0	7.	BOT/RT	,				TYPE
S	7	7	3.0	21.7	1		1			0 C:00	2,0	27.7	MID					SW
	ΧĽ	SL	ΧĽ	ΤŚ	ΣĽ	SL	×	SL	χL	2	×	SL		×	SL	ř	SL	RAMP 8
П														ALL OTHER TYPES	ALL OTH	TYPE B AND E		
	ANDING	RIGHT LANDING	RIGHT TRANSITION	RIGHT TH	FT LANDING		LEFT TRANSITION	LEFT TR.	TOP LANDING	TOP L	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STRE	
	<u>Z</u>	Back Curbs	(ž	Dect Warn													_	
DATE CONSTRUCTED)													S)	REMARKS	Y/N
LENGTH							م	7,	3'	٠ž	4	9.1.	Y/N					COMPLIANT
	WIDTH	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	COMPLIANT	WIDTH	LENGTH	H WIDTH	LENGTH	V
ON CURB					\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		O.C.	6.7	0.7	1,7	0,6	9.4	BOT/RT AVG					YPE
SLOPE					4		10.7	ر. ئۇرى	0.8	1.0	<u> </u>	٥.	MID		,			
	Ϋ́	/ 일	ΧĽ	<u>S</u>	~ ×	SE.	\$ ² ×	ر ا	/) X	- K		- E	TOP/LT	> -	ρĹ	}	ار ا	MS
								?						ALL OTHER TYPES	ALLO TIV	I YPE B AND E	2 - 2	
П	ANDING	RIGHT LANDING	RIGHT TRANSITION	RIGHT TR	FT LANDING	나타	LEFT TRANSITION	'HI 1437	TOP LANDING	1 do L	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STRE	
	<u>></u>	Back Curbs	₹ <u></u>	Dect Warn	_				× 8.7	(1)	8.08	< 62	K: 31	とかべ:	5	CU16:65	Сь	
DATE CONSTRUCTED															ا .	ß	REMARKS	Y/N
LENGTH			5 1	7.1,	5)	17	٤,	8.2,	٦١,	<u>,</u>	ا جا ،	9,6	Y/N ∏	-			<u> </u>	COMPLIANT
	HIGIMA	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	COMPLIANT	WIDTH	LENGTH	H WIDTH	LENGTH	P
ON CURB	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	/~ \	1, 2	7	1, 11	0 6	7.1	0.6	7.1	1,7	00	1.2	AVG					1 7
SLOPE	7		J' J	24	15	0.3	J.	0,5	, , ,	14	<u>\$</u> 0	اح. اح	MID					TVDE
			2.6	ز		<i>Q</i>	- ×	,	1.7		/1	ر ا ز	TOP/LT					SE
Ī	ř	S	×	2	ř	S	×	S	×	2	×			X	SE XE	SL XL	8	RAMP 6
	ANDING	BIGHT LANDING	RIGHT TRANSITION	RIGHT TR	T LANDING	나크	LEFT TRANSITION	'81 1437	TOP LANDING	TOPL	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STRE	
		Back Curbs	Y/2	Dect Warn		. (
DATE CONSTRUCTED					• :											S	REMARKS	N/Y
LENGTH				I G	- - -	[]		<u> </u>					LIP Y/N			\vdash	-''-	COMPLIANT
T	WIDTH HTCIW	HTSN31	HTCIIW	HENGTH	HTCIIW	HTGIH	WIDTH	IFNOTH	WIDTH	HTQTH	HTCIW	LENGTH	COMPLIANT	WIDTH	LENGTH	HTGIW	LENGTH	
ON CURB													BOT/RT					HAYT
SLOPE													MID.					
	ř	SL	×	<u>S</u>	×	SL	ř	SL	×	SL	ř	SL	TOP/LT	×	ğ	×	μ	SE
														ALL OTHER TYPES	ALL OTHE	YPE B AND E	2 ~~	
	ANDING	RIGHT LANDING	ANSITION	RIGHT TRANSITION	T LANDING	ובדוע	LEFT TRANSITION	LEFT TR	TOP LANDING	TOP L∕	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	I HE	
																		l

	COMPLIANT	TYPE	- R	RAMP 4			COMPLIANT	<u> </u>	TYPE	N m	RAMP 3			Y/N	COMPLIANT		Z	RAMP 2			COMPLIANT	<u>フ</u>	TYPE	N W	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07, Ms	REMARKS		*	SL	STREET		SZIGWWEIE	LENGTH			SL	13dAL		REMARKS	LENGIH			ក	TYPE	8	REMARKS	LENGTH			SL	TYPE B AND E	TRACTOR	TNAME	T NO.
FIXED 4-07.xls	\$ 0.5			ΧL	STREET LANDING TYPE B AND E			HIGIM			¥	TYPE B AND E			LENGIH WIDIH		<u>.</u>	¥	TYPE BAND E			HIGIM			ΧL	TYPE B AND E	7000	1010	7
	LENGIA			SL	ALL OTH			LENGTH			SL	ALL OTHER TYPES			LENGIH			SL	ALL OTHER TYPES			LENGTH	•		SĽ	ALL OTHER TYPES	-6	7	72-20
	. DI			ΧĽ	COUNTER SLOPE			WIDTH	į		Ϋ́	ALL OTHER TYPES			WIDIH			X	ALL OTHER TYPES			HIGIM			¥	R TYPES	2	3000 S 15	
	COMPLIAN LIP Y/N	BOT/RT AVG	TOP/LT				Y/N	AVG	BOT/RT	TOP/LT				1/17	COMPLIANT	BOT/RT AVG	MID I OP/LI	H } H			Y/N	AVG COMPLIANT	вот/нт	TOP/LT					
	ス LENGTH	7.77	ن 2 ا	SL	STREE		11/1,	LENGTH	3,7	N (v)	SL	SIREE			LENGTH	3,6	3.7	SL	מואמני			LENGTH	4,2	5.2	SL	SIREEIRAMP			
	Ç NIII	2,0	7,7	Ϋ́	STREET RAMP		17	HIGIW	9,6	5.0	ХL	STREET RAMP			HIGIM	7	12	×	OTHEET HAIVIT			HIDIM		<i>3,</i> © €	ΧĽ	HAMP	٤	2	
	C LENGIH	1,',	ر در ا	SL	71 401		ή	LENGIH	5	1,2	SL	TOPL			LENGTH	\$7.0	ر مرز مرز	SL	105			LENGTH	1,(ζ¢ - -	SL	1070	no nawr		띪
į	C'C	1,6	0,0	ΧL	TOP LANDING		4	WIDTH	0,0	40	XL	TOP LANDING			WIDTH	6,7	100	ř	LANDING			WIDTH	0,0	ر م م م	¥	LANDING	CONCRETE PLACEMENT		CURB RAMP COMPLIANCE FORM
	LENGIH			SL	LEFT TRV		16'	LENGTH	1,9	20	SL	/H1.1437			LENGTH			SL	CET 143	*1		LENGTH	77	2,2	ST.	LEFT TRANSITION	CONCRETE PLACEMENT		
:	WIDTH	X		XL	LEFT TRANSITION		(,'	WIDTH	13	6.7	XL	LEFT TRANSITION			WIDTH			¥	LET HANSIJON			WIDTH	0.76	7 - 7	¥	NSITION	EMENT		ANCE FO
	LENGTH			SL	LEFT L			LENGTH		<u>; {</u>	SL				LENGTH			SE	LEFT LANDING			LENGTH		7	SL	711491	_		R
	WIDTH			XL	LEFT LANDING			WIDTH		12)	ΧL	LEFT LANDING			WIDTH			¥	NUING			WIDTH	7	1	×	-I LANDING			
Dect Warn	1,4,1	Z.(2.2	SL	RIGHT TRANSITION	Dect Wam		LENGTH			SL	RIGHT TRANSITION	Dect Warn		LENGTH			JS T	RIGHT TRANSITION	Dect Warn	!	LENGIH			SL	RIGHT TRANSITION	DATE APPROVED	INSPECTOR	STREET
(Z)	(c	64		ΧL	ANSITION	(Ž		WIDTH			ΧĽ	ANSITION	(Y/)		WIDTH	/		¥	ANSITION			WIDTH		1	¥	ANSITION	ROVED	JH W	()
Back Curbs	LENGTH	12	7 +	SL	HIGHT LANDING	Back Curbs		LENGTH			SL	HIGHT LANDING	Back Curbs /		LENGTH		X	SL.	RIGHT LANDING	Back Curbs		LENGTH		1	SL	RIGHT LANDING		16 S. CV	}
UK	WIDTH		*	XL	ANDING	<u> </u>		WIDTH /			۲L	ANDING	NA		HIGIM	1		¥	ANDING	UA I		WIDTH			¥	ANDING			
	HENGTH	SLOPE ON CURB				DATE	LENGTH		ON CURB	∃dO IS				DATE	HLENGLH	ON CURB	SLOPE			5	LENGIH		ON CURB					DATE	x STREET
	NGTH		LEFT		FLARES Curb Height	CONSTRUCTED				LEFT		FLARES Curb Height		DATE CONSTRUCTED	372	3,6	LEFT		FLARES Curb Height	DATE CONSTRUCTED				LEFT		FLARES Curb Height		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7
	EU		THDIR							пнын							RIGHT				35		۲,۲	HIGHT					Ź

RAMP 8 SW TYPE COMPLIANT Y/N	RAMP 7 SW TYPE COMPLANT Y/N	RAMP 6 SE TYPE COMPLIANT	RAMP 5 SE TYPE COMPLIANT Y/N
STREET LANDING TYPE B AND E SL XL XL LENGTH WIDTH REMARKS	STREET LANDING TYPE B AND E SL XL LENGTH WIDTH REMARKS	STREET LANDING TYPE B AND E SL XL LENGTH WIDTH HEMARKS	STREET LANDING TYPE B AND E SL XL XL LENGTH WIDTH REMARKS
· I - 	 - - - 		
COUNTER SLOPE ALL OTHER TYPES SL XL SL XL LENGTH WIDTH	COUNTER SLOPE ALL OTHER TYPES SL XL XL LENGIH WIDTH	COUNTER SLOPE ALL OTHER TYPES SL XL XL XL XL XL XL XL XL XL XL XL XL XL	COUNTER SLOPE ALL OTHER TYPES SL XL LENGTH WIDTH
TOP/LT MID BOT/RT AVG LIP Y/N	TOP/LT MID BOT/RT AVG LIP	TOP/LT MID BOT/RT AVG AVG LIP Y/N	TOPALT MID BOT/RT AVG
			\u00e4 = \u00e4
STREET RAMP SL XL ACT INSTRICT WIDTH NIGHT WIDTH	STREET RAMP SL XL 4,9) X 6,9) X 1,5 NGTH WIDTH	STREET RAMP SL XL C. C. O. G C. C. C. O. G C. C. C. O. G C. C. C. O. G C. C. C. C C. C. C C. C. C C. C. C C. C. C C	SIREEL HAMP SI XI NGJH MIDJH NGJH MIDJH
TOP LANDING St Xt O 1 12 O 1 12 O 1 12 O 1 12	TOP LANDING SL SL C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 4 C, 7 C, 6 C, 7 C, 7 C, 1 C, 7 C, 1 C, 7 C, 1 C, 7 C, 1 C, 7 C,	TOP LANDING SL XL O.72 O.4 O.73 O.4 LENGTH WIDT	TOP LANDING SI XI O. C 1.3 O. C 1.3 C 1.4 O. C 1.3
LENGTH WIDTH	MINANAH HEB	SL XL LENGTH WIDTH	LEFT TRANSITION SL XL 4.7 0.4 5.1 0.4 1.3 LENGTH WIDTH TENGTH WIDTH
TH LENGTH	TENGT ST.	TH LENGT	TH LENGT
H WIDTH XI	H WIDING	H HIGHW H	H HTGING Y.
RIGHT TRANSITION SL SL XL C(,7 0,5 4(,3 0,5 4(,	RIGHT TRANSITION SL XL SL XL LENGTH WIDTH	SL XL SL XL SL XL SL YL	SL XL XL LENGTH WIDTH
	WINDLING NOT SERVICE AND THE S	WICH NOULISMY	
RIGHT LANDING SL XL SL XL LENGTH WIDTI	RIGHT LANDING SL XL SL XL LENGTH WIDTH	RIGHT LANDING SL XL SL XL LENGTH WIDT	RIGHT LANDING SL XL XL LENGTH WIDTH
	T DIT X	XI ING	<u> </u>
Curb Height SLOPE ON CURB 7, 4 LENGTH 4,7 DATE CONSTRUCTED	SLOPE ON CURB PATE CONSTRUCTED	Curb Height SLOPE CURB & 7 LENGTH 2,7 LENGTH 2,7 DATE CONSTRUCTED	FLARES Curb Height LEFT RIGH SLOPE ON CURB (A, 6, 7) LENGTH (A, 7) DATE CONSTRUCTED
eight RIGHT	eight RIGHT 7, 7	eight I RIGHT	eight RIGHT

ــــــــــــــــــــــــــــــــــــــ	COMPLIANT	一 II	TYPE		iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	BAMP 4	1.7		COMPLIANT Y/N RE	┰		TYPE		A .	RAMP 3	,,		Y/N RE		- - 		WW	RAMP 2	1	/	Y/N HE	COMPLIANT	n	TYPE		WN	RAMP 1	1	STREET	CONTRACTOR	CONTRACT NAME
Compliance Form FIXED 4-07.xs	REMARKS	LENGTH	<u> </u>	_	1	<u>s</u>	STREET LANDING		REMARKS	I E A G				f	N YI	STREET LANDING		REMARKS	LENGTH				SL	TYPE B AND E	STREETLANDING	HEMARKS		LENGTH WIDTH				ည	TYPE B AND E	STREET LANDING		\perp
ED 4-07.xks		HIGIW		_		4	+			\$4101H	_			ř	4	┦			WIDTH				χĻ					WIDTH				¥	ND E	ANDING	Emp : se	7020 %
		LENGTH			ľ		COUNTER SLOPE			LENGIH	_	-		Ģ	ALL OTHER TYPES	COUNTER SLOPE			LENGTH				SL	ALL OTHER TYPES				LENGTH				SL	ALL OTHE	COUNTE	عم	3
		WIDTH	:		ř	<u>×</u>	H TYPES			WIDIH				<u> </u>	H TPES	3 SLOPE			WIDTH				XL	R TYPES	200			HIGIM				ΧĽ	ALL OTHER TYPES	H SLOPE	کی	~
	Y/N LIP	AVG COMPLIANT	1H/108	MID	TOP/LT				N/A	COMPLIANT	AVG	BOT/RT	MID	T 1/404				Y/N	COMPLIAN	BOT/RT	MID	TOP/LT					Y/N F	AVG	BOT/RT	MID	TOP/LT					
		LENGTH			٢	2	SIREE			LENGTH				Į.	2	STREE		Γ	LENGTH				SL	0170				LENGTH				SI	Ĉ	27 27		
		HIDIW			}	<u> </u>	STREET HAMP			HTGIW				ř		STREET RAMP			WIDTH		1		×	OINEE HAMP			$\overline{}$	HIGIW				×		SI BEEL BAMD		
		LENGTH			Į.	2	1001			LENGTH	_		+	SE	2	ТОР			LENGTH				SI	Ş		ľ		LENGTH			1	Si	<u> </u>		URB RAN	۶
		HIGIW				<u> </u>	TOP LANDING			HIGIW	-			ř		TOP LANDING			HIGIW	1			×	LANDING		f	_	HIGIW				×	OF DANDING	CON	IPS TO BE	IAU KAN
		LENGTH			<u>μ</u>	1				LENGTH				\ <u>S</u>				r	LENGTH		,		<u>S</u>	LEFT	!	-	_	LENGTH			1	ည	F	CONCRETE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-H	CURB RAMP COMPLIANCE FORM
	_	HIDIM			ř		LEFT THANSITION			HIGIM	-	,		 ×		LEFT TRANSITION		-	H WIDTH				×	LEH TRANSITION		ŀ		H WIDTH				×	LEFT TRANSPRON	ACEMENT	ED WITH	LIANCE
		LENGTH			SE	\dagger				LENGTH				SE SE	1	┪.		_	豆				<u>S</u>	Ţ,		\mid	į				 	2	†		N 72-HOU	FORM
		HTIDIM			 <u> </u>		FT LANDING		-	HIGIM		-		ř		LEFT LANDING		H	HIDIM MIDIH				×	EFT LANDING		\mid	_	H W H I SI			+	×	EFT LANDING		OURS OF	
Dect Warn		HENGTH			ည		4	Dect Warn	-	H LENGTH		-		SL	H	4	Dect Warn		H LENGTH			\dashv	2	Ц	Dect Warn	$\frac{1}{1}$		-		-	╀	2	╀		APPE	STREET
⊞ Y/N	_	HIGIM		-	¥	H	RIGHT TRANSITION	M/V	-	TH WIDTH			+	×	H	HIGHT THANSITION	am Y/N	\vdash	HIGIM HE			-	×	RIGHT TRANSITION	am Y/N		200	_			+	<u> </u>	RIGHT TRANSITION	DATE APPROVED	APPROVED BY	ET 6
N Back Curbs	_	HENGTH			SL	Н	1	N Back Curbs		TH LENGTH	_			<u>ا</u> چ	H	1	N Back Curbs		_	:	-	+	+	Ħ	-	$\frac{1}{1}$	-		-		+	+	П			Comman
urbs		1			┢	H	RIGHT LANDING	sdruć		_	-	<u> </u>		┞		RIGHT L'ANDING	Jurbs		LENGTH WI			+	2	RIGHT LANDING	Back Curbs	-	LEING I L	1	-		╁	<u>^</u>	RIGHT LANDING		127	ľ
		H	<u>Θ</u> ε	<u> </u>	ř		KG	丁		HIGIW	9	<u> </u>		Ϋ́			Ţ	Ē	HIGIW	<u>9</u>	<u>S</u>			NG	<u> </u>	+	LE MINISTER	₩	<u>9</u>	<u>s</u>	ř	<u></u>	NG.			×s
DATE CO	LENGTH	_	ON CURB		-	Cun		DATECO	LENGIH		<u>.</u>	SLOPE	Т		Cur		DATEC	רבואקוח		ON CURB	SLOPE		Ē			Δ F -	LENGTH		ON CURB	SLOPE		Ç.			DATE	X STREET
CONSTRUCTED		-		EFT F	-	Curb Height	FLARES	DATE CONSTRUCTED		-		-	필		Curb Height	ABER	DATE CONSTRUCTED		_		+		Curb Height	FLAHES		CONSTRUCT				+		Curb Height	FLARES			6.32
ē				RIGHT				Ē		1			RIGHT				ED					RIGHT			[-										Š

COMPLIANT	SW TYPE	RAMP 8	N/A	COMPLIANT	7 PE !	RAMP 7		¥Z	COMPLIANT	ТУРЕ	RAMP 6		COMPLIANT	TYPE	SE	RAMP 5
REMARKS		STREET LANDING TYPE B AND E SL XL	REMARKS	LENGTH WIDTH		SL XL	STREET LANDING	C J();			TYPE B AND E	STREET LANDING	LENGTH WIDTH		\vdash	TYPE B AND E
LENGTH		ALL OTHER TYPES SL XL		LENGTH		SL I	+	0	LENGTH		╌╂╌┤	IG COUNTER SLOPE	LENGTH			ALL OTHER TYPES SL XL
WIDTH COMPLIANT LENGTH LP 7/N 2.7' 3.5	TOP/LT MID BOT/RT AVG	XI.		Ž	MID BOT/RT AVG	XL TOP// T	OPE	(141)	WIDTH COMPLIANT LIP Y/N	MID BOT/RT AVG	YPES TOP/LT	OPE	WIDTH COMPLIANT LIP Y/N	BOT/RT AVG		NES PEE
- 1- wild	0.1 0.5	STREET RAMP		$3l''_{i}$ $4l$	3,8 0.6	CI SI N	STREET RAMP	x11.7,6.	Z/°, A.	1.5 1.4	1. 3. X.	STREET RAMP	LENGTH WIDTH	ho 40		STREET RAMP
Z LENGTH	1,2	TOP LANDING		الength)	000 000 000		TOP LANDING	3' 89.5	() LENGTH		D:7	TOP LANDING	LENGTH			TOP LANDING
MIDTH LENGTH	1.17 2.17 1.17 1.17 1.18 1.18 1.18 1.18 1.18 1	NG LEFT TRANSITION XL SL XL		WIDTH LENGTH	17.0	X SE	NG LEFT TRANSITION	(WIDTH LENGTH	7 %	+++	VG LEFT TRANSITION	LLI JY	4 0.2		NG LEFT TRANSITION
MIDTH LENGTH	1,1 8,1 1,1 2,1 8,0 5,0	++	,	WIDTH LENGTH		XI SI.	15		WIDTH LENGTH	0.3) 2 2		WIDTH LENGT	1.6 1		S E
CI.	2,0	LEFT LANDING R	Dec	HTGIW		×	FT LANDING RI	Dec	√/ i HTαIM		++	Dec	TH WIDTH LE		$\frac{1}{2}$	T LANDING RI
Silling Cing	1.3 25 1.3 25	RIGHT TRANSITION	Dect Warn (Y)N	LENGTH WIDTH	7,0 h'h 2'1 h'h 2'1 h'h	Ħ	RIGHT TRANSITION	Dect Warn YUN	LENGTH WIDTH		ZE XE	Dect Warn (Y)N	LENGTH WIDTH	 		RIGHT TRANSITION
Back Curbs A)		RIGHT LANDING	Back Curbs)	LENGTH WIDTH	8:0 2:0 1:1 1:1 1:1 1:1 1:1 1:1 1:1 1:1 1:1 1	SL XL	RIGHT LANDING	Back Curbs / \	LENGTH WIDTH		SLXL	Back Curbs / / RIGHT LANDING	C)' YI	1.8 01	0 8	RIGHT LANDING
Ē	SLOPE CON CURB			LENGTH	SLOPE ON CURB				E	SLOPE ON CURB		+		ON CURB	SLOPE	
DATE CONSTRUCTED	LEFT RIGHT	FLARES Curb Height	DATE CONSTRUCTED			Curb Height	FLARES	DATE CONSTRUCTED	3'		Curb Height	FLARES	NGTH 3,5	0.7	LEFT RIGHT	FLARES Curb Height

	NA	COMPLIANT		TYPE		NE NE	RAMP 4			N/A	COMPLIAN	6	TYPE		N E	RAMP 3			Y/N	COMPLIAN	7	TYPE		WN	RAMP 2			N/A	COMPLIANT		TYPE		WN	RAMP 1		SUB-COI	CONTRACTOR	CONTRA	CONTRACT NO.
Compliance F	REMARKS		HENGTH					SIHER	Cusb	REMARKS	-11	LENGT	<u> </u>				3441	(-(1)	HEMAHKS	——	LENGTH					NHEE		REMARKS	<u> </u>	LENGTH				SL	HALL HALL	SUB-CONTRACTOR	CTOR	CONTRACT NAME	CT NO.
Compliance Form FIXED 4-07.xks	S	_	WIDTH			_	ΧĽ	TYPE B AND E	ئى گىس	ာ S		LENGTH WIDTH				¥	TYPE B AND E	· ·			HIDIM				ΧL	TYPE B AND E		S		HIGIW				¥	TYPE B AND E	AND		20	1772-
हिं			T ENGTH			.	JS	+	1	-		LENGTH				S.	+	レ	` }.		LENGTH			-	-	+	1			LENGTH				SL	┉	-	Ĺ	I	2 20
		-					XL	ALL OTHER TYPES	といえ			H WIDTH				¥	ALL OTHER TYPES	(Z-)/.	-		HIGIM		J		۲	ALL OTHER TYPES				HIGIW				XL	ALL OTHER TYPES	140 IS BE	h	المراجعة	
			AVG	вот/пт	MID	TOP/LT		ω ¹¹	6	, ,	Y/N	<u></u>	вот/пт	MID	TOP/LT		<i>ω</i> ''	7.8	,	¥/N =	8	BOT/RT	MID	TOP/LT		<u></u>		ŀ	Y/V F	٥ ١	BOT/RT	MID	TOP/LT		194				
			NT FNGTH	T		Т	75	o.	×		16/2 1	NT LENGTH	0.5	$\overline{\ \ }$	_	SL	<u>0</u>	х ^	`	488	NT LENGTH	7.4	7.5	ヹ゚	SL	ď.		ŀ		NT LENGTH	-			SL	0	SIR			
			HIGIW				¥	SIREEI RAMP	- - X		Į.	H WIDTH			ا 0 ز	¥	OIREEI RAMP		•	7	H MIDIM	9.0	0,7	0.41	۲	SIHEEI HAMP				H WIDTH				¥	<u> </u>	STREET RAMP			1
		-	H LENGTH				SL	ç	2		(1)	1 LENGTH	J. O. L	H	O 69	SL	Ę	5.5			LENGTH		1,3),(Ę		ŀ		LENGTH				SL	Ġ	TOP	URB RAN		2
			WIDTH				×	I OP LANDING			7	HTOW H	0.0	\vdash	5.2	ΧĻ	I OP LANDING	` ✓			HIGIW	7.0	15.0	ن.i	ΧĽ	- LANDING		ŀ		H WIDTH	+			Χ̈́		CONC	IPS TO BE		RB RAM
		┷	TENGTH				SL	<u></u>)b,'4,'	LENGTH	1.1	F. 1	7 5	SL	F -				LENGTH	+		À	SL	<u> </u>		ŀ		LENGTH				SL	<u> </u>	CONCRETE PLACEMENT	INSPECT		P COMP
		-	H WIDTH				Χ̈́L	LET HANSITION			, 5.	H WIDTH	0.8	7.6	25	×	LEFT THANSITION				H WIDTH	\nearrow		<u> </u>	X	LEFT THANSITION		ŀ		HIDIM				¥		TEPT TRANSITION	CURB RAMPS TO BE INSPECTED WITHIN 72-HO		CURB RAMP COMPLIANCE FORM
			LENGTH				JS Č		1			1 LENGTH		<u> </u>	7	SL	+	1			LENGTH	\downarrow		^	SL	_		ŀ		LENGTH				SL	,		172-HOUR		FORM
		_	WIDTH				¥	EF I LANDING				H WIDTH	7	M		¥	LEFT LANDING			<u> </u>	H WIDTH	/			¥	LANDING		ŀ		ч wibтн				¥		-FITTANDING	URS OF		
	Dect Warn	-	H LENGTH				J.S	RIGH.	Dect Wam			LENGTH	2.8	4,4	۲. ۲	JS SL	_	١.,	Dect Warn	4,2	LENGTH	5,8	9'15	دا ۲	SL	HIGH	Dect Warn	1		LENGTH				SL .	111111111111111111111111111111111111111	DATE A	APPROVED BY	INSPECTOR	STREET
	n Y/N		HWIDTH				۲	HANSITION	Ğ		5.	H WIDTH	0.5	1,6	7.7	¥	HANSITION	Ç	\ \{\}	117	HIDIM	-	١, ر	2,0	¥	HIGHT THANSITION	- - - - - - - - - - - - -	l		WIDTH				¥		DATE APPROVED	/ED BY	1운	\neg
	Back Curbs	-	LENGTH				SL	RIGHT	Бa	1		LENGTH			Ŧ	SL			Back Curbs		LENGTH		M	Ī	SL		B ₀			LENGTH				SL	╁	1	Н	(1) Y	Por User
	bs	┅	HIDIN	:			¥	LANDING) 	-		HIDIM		7	<u></u>	¥	HIGH! LANDING	ころ	й -		HIGIM	7)		¥	HIGH I LANDING	Ö	ŀ		HTGIW				Χ̈́		RIGHT LANDING		1)4	
	DA.	<u></u>	1	ON CURB	SLOPE	L.				DAIE	LENGIH	Ч-	ON CURB	SLOPE					DAIE	LENG I II		ON CURB	SLOPE					DAT	LENGTH	4	ON CURB	SLOPE	L.,					DATE	X STREET
	DATE CONSTRUCTED	<u> </u>	\dagger	B.	,:I	LEFT		Curb Height		E CONST		+	ä	1	LEFT		Curb Height				+	Œ		LEFT		Curb Height		DATE CONSTRUCTED		+	_ &		LEFT		Curb Height	FLARES	!	\Box	1 62.27
	HOCIED		-			RIGHT		旷		CONSTRUCTED			•		RIGHT		뉡	1	CONSTRUCTED		+	_		RIGHT		int .		TUCTED					RIGHT		it '				77

	COMPLIANT		TYPE	OW.	RAMP 8			Y/N	AN T		YPE		WS	RAMP 7			Y/N	ANT		3dA.L	o i	RAMP 6			ľ	COMPLIANT		- 17	TVDE	SE	RAMP 5	
E MOLECULA	SXBAMBER	LENGTH			JS	TYPE B AND E	STREET	HEWIAHKU		LENGTH			-	SLEDANDE	STREET LANDING		REMARKS		LENGTH			SL	TYPE B AND E	STREET LANDING	LWSAID	DEMADKS	LENGTH				SL	STREET LANDING
		WIDTH			ΧĽ	ANDE	ANIDINIO			WIDTH			ì	X	ANDING				WIDTH			ΧĽ	AND E	ANDING			WIDTH				Ϋ́	ANDING
	-	LENGTH			SL	ALL OTHER TYPES	COLINITE		-	LENGTH			f	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE			LENGTH				ZI	COUNTER SLOPE
		HTGIW			Ϋ́	H TYPES	O CO			HIGIM			ř	X TEU	SLOPE				WIDTH			ΧĽ	R TYPES	SLOPE	-		HTDIW				×	SLOPE
	Y/N L#	COMPLIANT	BOT/RT	S CP/L		-			Y/N □	COMPLIANT	BOT/RT AVG	MD	10P/L1					Y/N LIP	COMPLIANT	BOT/RT	MD -					Y/N	COMPLIANT	AVG	MID	TOP/LT		
		LENGTH			SL	OINCE HAMP				LENGTH			ŗ	מ	STREET RAMP				LENGTH			SL		STREET RAMP			LENGTH				2	STREET RAMP
		WIDTH			X	HAMIT				WIDTH			È	4	RAMP	-			HTGIW			ΧĽ		GMAN			HIGIM				×	RAMP
		LENGTH			SL	I OF LANDING				LENGTH			ç	D	TOP LANDING				LENGTH			<u>S</u> Ł		TOP ANDING			LENGTH				ဌ	TOP LANDING
		HTGIW			ΧL	NUING	j Di			HTGIW			}		NDING				HTQIW			×		SINICIA SINICI			WIDTH				×	NDING
		LENGTH			ZL	LEFT TRANSFILON				LENGTH			o r	2	LEFT TRANSITION				LENGTH		_	S		LEET TRANSITION			LENGTH				S	LEFT TRANSITION
		HTGIW			ΧŁ	NSITION				HTGIW			À	4	NSITION				WIDTH			×		NOTION			HTGIW				Ă	NSITION
		LENGTH			SL	[EF-1 [2				LENGTH		_	ŏ.	2	TEFT IV				LENGTH			<u>S</u>					LENGTH				2	LEFTLA
		HIGIM			X	LANDING		1		HTDIW			ř		LANDING				WIDTH			×		ANDING			WIDTH					LANDING
Dect Warn		LENGTH			SL	RIGHT TRANSITION	Dect Warn			LENGTH			ğ		RIGHT TRANSITION	Dect Warn			LENGTH			SL			Dect Warn		LENGTH			ļ	20	RIGHT TRANSITION
Y/Z		HTGIW			×	NOITION				HTGIW			ř		NOTISNA	Y/N	_		HTGIW			×	34011014		< 2		HILDIM			i	×	NOITION
Back Curbs		LENGTH			SL	RIGHT LANDING	Back Curbs			LENGTH			<u>ç</u>		RIGHT LANDING	Back Curbs			LENGTH			SL			700		LENGTH			ļ	s	RIGHT LANDING
		HTGIW		Ē	¥	ANDING				₩IDTH			ř		ANDING				WIDTH			×	SINDING				HTGIW			Î	1	ANDING
DATE	LENGTH		ON CURB	2				DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	SIOPE				DATE	LENGIH		ON CURB	SLOPE			
DATE CONSTRUCTED	201			LEFT		FLARES Curb Height		DATE CONSTRUCTED				اِ	1331	Curb Height	FLARES		DATE CONSTRUCTED				LEFT		Curb Height		CONSTRUCTED					LEFT.	Curb Height	FLARES
JCTED	7			THEIR				CTED					BIGHT				CTED				RIGHT				ICTED					RIGHT		

)				_		_	_	ol		7 1		_		T	T (2	_	Т		_		$\overline{1}$	$\overline{}$	ျှ		F	_			ίΩ	olo	त
1,1	COMPLIANT YN			TYPE	Ž	XANT 4			1/10	COMPLIANT	0	TYPE	Z	RAMP 3			YN	TINALIBRAC	フ 	TYPE	W.	RAMP 2			Y/N	ANT	<i>""</i>	TYPE		RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
	REMARKS	LENGIH				75	3 BAAL	STREET	n Ewanto	DEWARDE	LENGTH			SL	1 TYPE B	(015)	REMARKS	LENG! H				SF.	В ЭДУТ	S H H H	HEWIAHKS		LENGTH			SL		P S	TOR	T NO.
		HIGIM		Î	•	×	TYPE B AND E	STREET LANDING	~		HIGIM			¥	TYPE B AND E	· ·		WIDIH				¥	TYPE B AND E	STREET ANDING			HIGIM			¥	TYPE B AND E	AND COM	2020	ر
	13	LENGIH				Ę.	ALD TIV	COUNT	٠		LENGTH			SL	ALL OTH	0		LEINGIH				SL	ALL OTH	TN IOS			LENGTH	-	erre.	SL	ALT OTH		3	2
		HIOIM				ř	ALL OTHER TYPES	COUNTER SLOPE			WIDTH			¥	ALL OTHER TYPES	()\\\\.		HIOIN				¥	ALL OTHER TYPES	CONNIER SI OPE			HEGIW			×	ALL OTHER TYPES			
	N/A	COMPLIANT	AVG	вот/ят	MID I			7	ア・フ	۸/۸ تاری	8	вот/ят	TOP/LT	٠	<u> </u>	(.)		COMPLIAN		BOT/RT	TOP/LT		1_1.			Y/N	COMPLIANT	BOT/RT	MID		<u> </u>	,,,	11(5 0 Maria	
	ľ	LENGTH	-			<u>\sigma}</u>	!	٦ ,	х ~	1.5	UT LENGTH	à		22	N H	X C S	(a):2) LENGIH	_		20	SL	9	0 0		126	TENGTH		7.6	1	0,710			
	r	HIDIM	_			ř		HAM.	ر. کر	1, 1,	WIDTH	0,7	002		SIREEI HAMP	_	-	(, NE	-	00	2.0	¥		STREET DAMP		4	WIDTH	1.0	11.7	×	יייייייייייייייייייייייייייייייייייייי	-		
•	H	LENGTH				SE		를 (7,	LENGTH	9	000	<u>ا</u>	Ę	×68	, -	(, LENGIH	-	2	1,6	ST.	<u> </u>			٦,	LENGTH	40	0.1		ξ			د
		HTQIW H				 ×		TOP LANDING	\io	٦٠ ا	H WIDTH	0.8	1.7	×	OP LANDING		- -	T WIDIH	\vdash	- 1.	2.c	ř				4'	H WIDTH	1	7 5	+-	LANDING	CONCRETE PLACEMENT	i de la composição de l	IRB RAN
	F.	LENGTH	\vdash			SE				16.	LENGTH		7,1		LEFT.	O.	+	LENGTH	\vdash		/	<u>ي</u>	<u> </u>			93	LENGTH	2.0	7,7	<u> </u>	₩	CHETE PL		IP COMF
		H WIDTH	\neg			 <u>×</u>		LEFT TRANSITION		5	H WIDTH	0) () ()	×	LEFT TRANSITION		-	H1GiM H		\downarrow	$\frac{4}{1}$	×	Sivo			, ' ' '	H WIDTH	7.7		1 😾	LEFT HANSITION	CONCRETE PLACEMENT		CURB RAMP COMPLIANCE FORM
		LEN				<u>S</u>		7		_	LEN			ည	E		2	- E	k	<u>/</u> 	- 6-7	SL	F				LENG	1	7	SE	F			FORM
	H	GTH WIDTH	\Box			 -	┨	LEFT LANDING			GIH WIDTH			ΧL	FT LANDING		- (HIGIM HIS	\vdash	ر ا ا	8,11	XL	LANDING		÷		TH WIDTH.	7	1	<u> </u>	r i LANDING	9) 	
Dect Warn	<u> </u> 	TENGTH	\vdash			SL	Н	4	Dect Wam	6.2'	TH LENGTH	6.17	e:	SL			10,6	<u> </u>	\vdash	7:	7.7	SL	Щ	Ļ.,	,		H. LENGTH		1	SL	Щ		INSPE	STREET
am Y/N	-	HIGIM. HIE	-		+	 -	H	뀰	am V)N	1 4	HIGIM HIE			χL	HIGHT TRANSITION	am Y/N	┢		_	7 0.7		. XI	HANSIION		, (2)		HIGIW HIS	X	1	×	RIGHT I RANSITION	DATE APPROVED	힐위	\dashv
N Back Curbs	-	_			-	┝	Ħ	+			_	2	7		H	Ва		TH LENGTH	7				П	Ų,		_	_	6.2	0 (ا (د	T	╁	\coprod	Mellose
Surbs		LENGTH WI	\neg	-		SL ×	H	≸` `	Back Curbs ,		LENGTH WII		4	SL	RIGHT LANDING	Back Curbs N	-	_	7	7		SL X	HIGHT LANDING) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	>=		LENGTH WIDTH	0	7 7	_	HIGHT LANDING		にはい	
	-	WIDTH	_	<u> </u>	22	×		NG -	Τ		WIDTH .	Q.	SE	ΧL	NG		1	TEN		2 ×	+	ΧL	NG	3	П			NO A	کار کیارہ	, Y	NG		D/	X ST
5		LENGTH		ON CURB			Curt		DAIECO	LENGTH	\perp	ON CURB	SLOPE L		Curt		OATE CO	LENGTH)		ON CURB 🛠	$\boldsymbol{\top}$		Curt		DATE CO	LENGTH		ON CURB.	SLOPE		Curb			へ LEBELLS X
100					LEFT	-	Curb Height	FLARES	DA LE CONSTRUCTED		_		LEFT		FLARES Curb Height		DATE CONSTRUCTED	٦,	, /	٦	LEFT		Curb Height		CONSTRUCTED		_				FLARES Curb Height		45	>W105 p10
	1				RIGHT								RIGHT				티				RIGHT				E	ت	› ~	\sim	RIGHT				1	<u>۷</u>

	Y/N	COMPLIANT	•	TYPE	WS	RAMP 8			N/V	COMPLIANT		TYPE	986	RAMP 7				ΥN	COMPLIANT		TYPE	Ç	SE				YY !	COMPLIANT		TYPE	Ú	RAMP 5	:
(~)	REMARKS		LENGTH			SE	TYPE B AND E		REMARKS		LENGTH			75	TYPE B	STREET LANDING	Colb:	REMARKS		LENGTH			S.	TYPE B AND E	STREET LANDING		REMARKS		HTGNE			<u>1</u>	STREET LANDING TYPE B AND E
11.27			WIDTH			X	ANDE				WIDTH			ΧĽ	BANDE	ANDING	٠ د	,		WIDTH			ř	AND E	ANDING				S/IDTE			×	ANDING AND E
).5.			LENGTH			SL	ALL OTHER TYPES				LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE	ζ			LENGTH			<u>S</u>	ALL OTHER TYPES	COUNTER SLOPE			<u> </u>	_			21	ALL OTHER TYPES
2014			W HTGIW			ř	RTYPES				HTDIW			×	R TYPES	SLOPE	13/1m			WIDTH		_	ř	R TYPES	SLOPE			1	_			×	H TYPES
~			COMPLIANT	вот/ят	MID NID					Y/N	COMPLIANT	BOT/RT	MID				2x, h		Y/N	COMPLIANT	BOT/RT AVG	ME	70				17.12		AVG	вот/ят	M CP/C		
Mr. 18. 5 × 14.4, 6.8 × 11.4		_	LENGTH		o	S	STREET RAMP			را ،	LENGTH	0	<u></u>	SL		STREET RAMP	x20.2'		3.2'	LENGTH	6.4	-2 : E C	ြ		STREET RAMP			LENGIN	╅			SL	STREET RAMP
1.6		_	WIDTH	0.4	7.4	×	RAMP			٦ ا	WIDTH	د	7=	×		RAMP			, ا ا	WIDTH	8.0	-	×		BAMP			WEI	╋			×	RAMP
8 X		_	HTOTH	C L	250	ည်	TOP LANDING		٠,	4	Ĥ	0.3	0 2 2	SL		TOP LANDING			دا ا	LENGTH	1	√α 0 C	<u>S</u>		TOP I ANDING			LENGIH				SL	TOP LANDING
1,4	.	-	WIDTH.	16	2.7	ř	iDING		į	۲,	WIDTH	0	-0	X		DING			4	WIDTH	Ç,	√€ 00	×	\sqcup	4			WIDIH	┿			×	\dashv
			HTSUN /		/	SE	LEFT TRANSITION		ļ	<u>ر</u>	LENGTH	1,4,	- 22	SL		LEFT TRANSITION			10,2,	LENGTH	7	2 - 2	SL		LEET TRANSITION		L	LENGI.H	1			13	LEFT TRANSITION
			MTH/			×	NOITION			31	WIDTH	15/	~`^	×		NOITION		ŀ	4	HTGIW	7.4	G-2	×		NOTTIE			₩U.H	╇			×	ISITION
	ŀ		HTGINE		7 (°	Z.	LEFT LAN			"	LENGTH		7	S		LEFT LAN				LENGTH	77		SI	1 1				LENGIH	1			ည	LEFT LAN
	-	-	WIT I	000	\$.0	×	LANDING				WIDTH			×	4	LANDING	<u></u>	1		HTGIW		$\frac{1}{4}$	×	\sqcup	ANDING	-	-	HIGH	┺	4		×	LANDING F
Dect Warn	- - -	C.,	E CONTR	7.0	174	ह	RIGHT TRANSITION	Dect Warn			LENGTH		4	22		RIGHT TRANSITION	Dect Warn		(LENGTH	3.00	2, <u>1</u> 2	SI		RICHT TRANSITION	Dect Wam		TENGIH	1			SI	RIGHT TRANSITION
(Y	\\ -	<u>م</u>	┿	12,0	P. 1	×	NOITION	Š			HTGIW	4	\downarrow	ř		NOITION	(Y)	<u>`</u>	7	WIDTH (28/		×			Y/N B	L	¥	╀			X	NOLLIST
Back Curbs					 	ဌ	RIGHT LANDING	Back Gurbs λ		٠ کر	LENGTH	++		<u>S</u>		RIGHT I ANDING	Back Curbs			ENGTH	\\ -	1	13		RIGHT I ANDING	Back Curbs		LENG! H				JS	RIGHT LANDING
<u> </u>		- 2	Wiji 1			ř	NDING	<u> </u>		- ر	HTGIW		747 OC	×		NDING!	<u>ک</u> ح	_		HIGIM	Ž	*	ř		OINIO		L	HIGIM				×	NDING
	DATEC	ENGTH		ON CURB (200				DATEC	LENGTH		ON CURB	SLOPE -					DATEC	LENGTH	\downarrow	ON CURB	SLOPE		C		5		LENGTH		ON CURB	SLOPE -		0
	CONSTRUCTED	33,		hh	LEFT	Cap negin	FLARES		CONSTRUCTED				LEFT		Curb Height	FLARES		DATE CONSTRUCTED						Curb Height	17 1050	100					LEFT		FLARES Curb Height
	TED				RIGHT				STED	36	~	Ĵ	RIGHT					TEB				HGH					TEN I				RIGHT		

		COMPLIAN	C	7	ТҮРЕ		NE	RAMP 4			Υ'N	COMPLIANT	 ン	TYPE		NE	RAMP 3			YN.	COMPLIANT) H	1	W.	RAMP 2			1/1/	COMPLIANT	·		TYPE		WW	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NAME	CONTRACT NO.
Compliance Fo	{	_T REMARKS	LENGIH		<u> </u>			SL	SIKEE		REMARKS	-	LENGTH				SL	SIHEE	C ()	HEMARKS		LENGTH		Ì		SL	TYPE	STREET	מתאשחת		LENGTH					SL	13dil	TRACTOR	TOR	TNAME	T NO.
Compliance Form FIXED 4-07.xls	0		WIDIN	-				۲Ł	TYPE B AND E	A SELECTION OF THE PERSON OF T	٧.		HIGIW				Χ̈́	TYPE B AND E		_		HIGIM		Ì		×	TYPE B AND E	LANDING			HIGIM					۲	TYPE B AND E	RACTOR STREET ANDING	L.nd.	2000	1772
	بَ		LEINGLE	-				SL	ALL OTH	22							SL	ALL OTH	6	•		LENGTH	_	Ì		ZF.	ALC OTH	COUNT			LENGTH					SL	ALC OTH	7 ~		1 1	27.70
	2		WID:	•				XI.	ALL OTHER TYPES				LENGTH WIDTH				ΧĽ	ALL OTHER TYPES	5/2/7	<u>{</u>		WIDTH		Ī		×	ALL OTHER TYPES	ER SLOPE			HTGIW	-				¥	ALL OTHER TYPES		ÁĆ	111 50	
	17 Y	Y/N	LIP	╄	вот/нт	MID	TOP/LT		<u> </u>			Y/N	8,	BOT/RT	MID	TOP/LT			1	V	Y/N	8	AVG		TOP/LT					Y/Z	COMPLIAN	AVG	вот/нт	MID	TOP/LT						
	1,1917	1 4 4		╄	7.5	2.0	707	잂	0175			がイ	LENGTH	Ċ	(,7	ゾレー	SL	O. H.	~	<u>, 2</u>	┌	TENGTH				S _L		STRE			TENGTH				┪	SF.	0	2 01			
		1,	t	┪	0	うのか	ر ان	ΧL	OINCEI BANK	BAND		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	HIGIM 1	0:1	2,0	7.01	ΧL	SIREEI HAMP				WIDTH				ř		STREET RAMP			HIDIM	-			1	¥		DAMO	0	\\ `\-\.2	٦
	7,0	5	LENGIN	╀	1,0	1,7	2.0	SL		1		¿(, ¹	LENGTH	C	2.0	0.1	SL	Ę				LENGTH				2		4O1			LENGTH	-			1	SL	Š		URB RAMI		2
ł	, ,,	1.	MIDIN.	╅╌	0,4	2.0	0.2	ΧL	LANDING	A SIGNA		ا در ۱	HTGIW H	0,4	, S	0.8	ΧĽ	LANDING				HIGIM				×		TOP LANDING			HTOW				1	¥	C. C. C.	CONC	CURB RAMPS TO BE INSPECTED WITHIN 72-HOI		CURB RAMP COMPLIANCE FORM
	×8.5	-	1. LEINGIT	+			_	SL	רטוי				LENGTH	0.0	,	0.0	SL	ָרָן בַּיִּ				LENGTH				SL.			•		LENGTH	\vdash			7	SL	E	CONCRETE PLACEMENT	INSPECTE		COMP
ł	7.7		\$ 000000000000000000000000000000000000	٠.	X			XL				1,1	HTOIW H	=		2.0	XL	LEFT TRAINSTITION	Total Carried Street			H.MIDI.H				ř		LEFT TRANSITION		-	HTGIW	-			1	¥	- 101	TE PLACEMENT	INHTIM C		LIANCE
	x (0,2%)	6,0	, 		9,0		0	ř					LENGTH	7		Ĺ	SL		1			LENGTH				SL	П				LENGTH					SL	ŀ				FORM
		1.5	╼	✝	69	C	S 0.1	۲۲		ANDINE			H WIDTH	2		, ,	ΧL	LEFT LANDING	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		-	HIDIM				¥		FILANDING			HIGIM					۲			JRS OF		
-	Dect Warn	-5-	LENGIN	╄	0.1		1.6	SL	100		Dect Warn		H LENGTH			/ <	SL	HIGH		Dect Warn		LENGTH				SL.		RIGHT	Dect Warn		LENGTH	-	:			SL		DATE A	APPRO	INSPECTOR	STREET
	3 (₹)	5	WICH	╁	1.0	1.2	1.6	ΧŁ	HANGI ION		N (V)		H WIDTH	abla	*		ΧL	RIGHT TRANSITION	TRANSIE .	3 3	_	H10IM H				ř		RIGHT TRANSITION	¬ Y/N		H. WIDIH	_				۲		DATE APPROVED	APPROVED BY	TOR	Н
-	Back Curbs	-	TENGIA	╉┈	,	フ		SL	Ħ	Ş	Back Curbs	85	H LENGTH		0.0	1.6	SL	\top	1	Back Curbs		H LENGTH	-			SF.	H	┪	Back Curbs		LENGTH	_				SL	_	+	├	H UM	Meltose
		-	TO VAIOUR	-				¥	THE LANDING			, 4,	╄═┩╌	E	1.2	0.9	ΧL	RIGHT LANDING	2	bs F		H WIDTH		+	+	¥	\parallel	RIGHT LANDING	DS .	-	HICH	_				ΧĽ		RICHT ANDING		Ĭ	
ŀ		JA	 LENGTH		ON CURB	SLOPE	<u></u>		1	1	UA	EENG		ON CURB	SLOPE						-	LENGTH	ON CORB					†	5	<u> </u>	LENGTH		ON CURB	SLOPE		-		,		DATE	X STREET
	į,		<u>로</u> _		RB	ř	LEFT		Curb Height	EI A056	DATE CONSTRUCTED	13.51	7	1	J	LEFT	7"	Curb Height		л	_	<u>로</u>	<u> </u>	5 .			Curb Height	FLARE	SALE COMPANIES		<u> </u>		<u> </u>		LEFT		Curb Height	FLARES			ξ
		CONSTRUCTED	(2 '	\vdash	6.5	ງ ງ	T RIGHT	۱,	ight	Ö	HUCIED		+	×	<u>. </u>	T RIGHT		ght	Ö	CONSTRUCTED	-				RIGHT	-	ght	S	100					-	RIGHT		ght	va.			28 79

...

	Y/N	COMPLIAN:		フ え え		N M	RAMP 4			COMPLIANT	O	TYPE	N E	RAMP 3			N/A	COMPLIANT	`,	TYPE	Z Z	RAMP 2			COMPLIANT	(TYPE		WN	RAMP 1		SUB-CONTRACTOR	CONTRACT NAME	CONTRACT NO.
Compliance For	HEMARKS		LENGTH	I			SL	STREET		REMARKS	HENGTH			SL	TYPE	C . () .	REMARKS		EKOTU			SL	TYPE B AND E		REMARKS	FENGIH				SL	STREET LANDING	RACTOR	TNAME	T NO.
ED 45	, \		HIGIM	-			X	STREET LANDING			HIGIM			۲L	TYPE B AND E	ر ح						¥	TYPE B AND E			MIDIH			_	¥	AND E	2	63	177
	رس		LENGTH	_			SL	ALC OTH			LENGTH			SL	ALL OTHER TYPES	-			TENETU			ક્	ALL OTHER TYPES			LENGIH				SL	ALL OTHER TYPES	7 401	75	2-20
\\ \\ \\ \ \ \ \ \ \ \ \ \ \ \			HIGIM				ΧL	ALL OTHER TYPES			HIGIW			¥	ALL OTHER TYPES	とうだ			7			×	R TYPES		L	MIDIH				¥	R TYPES	5.75	0 MOS 111	
		√ _Z {	COMPLIANT	AVG	MID	TOP/LT				Y/N	COMPLIANT	вот/ят	TOP/LT MID			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Y/N	AVG	BOT/RT	MID	1			Y/N	COMPLIANT	AVG	MID	TOP/LT		.,			
7	(,',,),	(C)	LENGTH	5.7	2,2	1,2	-TS	STREE		3,1	LENGTH	2,0	8.P 0.2	SL	011	22		65	ENGLE	1.2	5.1	<u> </u>	SIREE HAMP		1,1	LENGTH	7	-3	2.9	SL	STREET RAMP			
\ \ \		7.	HIGIM		Ċ	5.0	Ϋ́	STREET RAMP		4	HIGIM	0 %	1,2	×	10-1041	× × 7	-	دا،	WID TH	0.5	1.3	- ×	HAME		7,	WIDTH	0.7		17.7	¥	RAMP	9	2	
	- 7	2,	LENGTH	~	0,6	0,2	SL	TOPL		\ \ -	LENGTH	0.1	0.6 1.0	SL	9	^		رز. ا		20	0,3	_ 	I OP LANDING			LENGTH	0.5		0.2	SL	TOP LANDING			CURE
2	(x ^ , c)	41	HIDIM	0.5	~~	17.1	ΧĽ	TOP LANDING	:	را ،	HIDIM	0.6	0.2	¥	Cincina	ヘルメ	ì	7	W D	8.0	0.9	$-1 \times$	NDING		<u></u>	WIDTH	0.5	0.5	5.0	¥.	DING	CONCRETE PLACEMENT	TO PR	CURB RAMP COMPLIANCE FORM
, v	, 2, 2,		LENGTH				SL	LEFT TRANSITION		7. 1.	LENGTH	32	47.6	SL		107						2	LEFT TRANSFIRON			LENGTH	2.6	Ι.	2.6	SL	LET I HANSI ION	CONCRETE PLACEMENT	BECTED	OMPLIA
, O.	4,2,2		HLGIM	1	15		ΧL	INSITION			WIDTH	0.9	-27	×		NGTION				2		×	NSI PON		6.	HIGIW		1,2	11.7	ΧL	SILICN	MENT	CZ NIHLIW	NCE FO
Ü		۲,	LENGTH	Ē		1.7	SL	LEFT LA			LENGTH			: SL					TENT'S THE			ျှ				LENGTH) / (SL	LEFT LANDING		HOHRS OF	R
		4	MIDTH	0.6	0.0	0.7	ΧL	EFT LANDING			WIDTH	7	Z	×								¥	4	-		HTGIW	-		_	ř	DING			ام
	Dect Warn	17.3	LENGTH	4.1	رب - بـ	7.5	SL	RIGHT TRANSITION	Dect Warn		LENGTH		profession and the	SL		BIGHT THANKITION	Tool William	8.5	HENGH	7,0	1,2	<u> </u>	RIGHT HANSITION	Dect Warn		LENGTH	\vdash	\angle		SL	HANSIION	DATE APPROVED	APPROVED BY	STREET
(Ŷ	()	WIDTH	(), 0	3 - - - -	- - -	¥	ANSITION			HTGIW	1	,	¥			<u>ر</u> ک	4	HTGIW	6.6	2.0	ر د ک	NO			HIGIM	-			¥	NOTION	OVED	1	Mellos
	Back Curbs		LENGTH		2		SL	HIGH LANDING	Back Curbs	-	囯	0.2	004	SE SE		BIGHT ANDING	Dack Curbs A		LENG H		才	2	DANDING	Back Curbs		LENGIH	-	2 2		SL	HIGHT CANDING	N THEN	ر در	٤ ع
10	27		HIGIM		\\ \\	+	ΧL	ANDING	ヘア	7	HIGIW	7.0	7	ν̈́					HIGIM	5	7	×	NOING			1				¥	NOING	ATTINIZE .		×
	5	I I	HTRNATH	ON CORB							LENGTH	ON CURB	SLOPE				DATE			ON CURB	SLOPE				DATEC	LENGTH	CORD	SLOPE	_		C		UA I E	- [→]
	0010	DATE CONSTRUCTED	101	4.5		LEFT		Curb Height		CONSTRUCTED			П	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Curb Height	FLARES	CONSTRUCTED				<u> </u>	Tar	Curb Height	E VBES	DATE CONSTRUCTED				LEFT .		Curb Height	e vees		1,34,2 C
	1					RIGHT	1			CIED ()	7.5	3,6) HGT	2			CIED			•		THOIR			CIED				RIGHT					E STATE

	70 71	F								/ .	,	~					,	
DATE CONSTRUCTED	Back Curbs A A	Back Cı	N N	Dect Warn						117 >	<u>ハ</u> く゛	رنہ کن	() K ()					
ENGTH			61	4,4			<u>ڊ</u>	4,6	J.	5.	4	(j.	Y/N ₩	-		Š	TEMARKS	COMPLIANT
	WIDTH	LENGTH	WIDTH	LENGTH	HIGIM	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	HTDIM	LENGTH	COMPLIANT	HTGIW	LENGTH	HTDIW HI	LENGTH	$\overline{}$
SLOPE LL	S S		00	71. 12.	X	Name of the last o	<u>;</u> 2	3.2	0.3	00 2 2	2.0	بربر برنگ	MID BOT/RT					ТҮРЕ
	×	<u>s</u>	- -	S. S.	×	ğ	12,1	را. ا	0,0	G ,	١٠.0	۲,۲	TOP/LT	ř	(i	П	WS
Curb Height		H					Š	2	V	0	<u> </u>	n		ALL OTHER TYPES	ALL OT	SL XL	Т	RAMP 8
FLARES	RIGHT LANDING	╅	RIGHT TRANSITION	RIGHT TI	LANDING	LEFTL	LEFT TRANSITION	LEFT TR	TOP LÄNDING	TOPL	STREET RAMP	STREE		COUNTER SLOPE	COUNT	STREET LANDING	STRE	
DATE CONSTRUCTED	urbs	Back Curbs	Y / Z	Dect Warn														
LENGTH	E												Y/N		-	Ğ	REMARKS	COMPLIANT
<u> </u>	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	MIDTH	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	COMPLIANT	HTGIW	LENGTH	HTCIW	LENGTH	
ON CURB	9,	\prod											BOT/RT AVG				!	1 1 1
SI OPE LEFT	2												MID					!
0	×	75	×	<u> </u>	Ă	SL	ř	SL	×	SL	ΧĽ	SL	TOB//	×	SE	×	Ş	HAMP 7
Curb Height		+												ALL OTHER TYPES	ALL OT	TYPE B AND E	Π	
FLARES	RIGHT LANDING	╅	RIGHT TRANSITION	RIGHT 1	LANDING	CEFT	LEFT TRANSITION	LEFT TRJ	TOP LANDING	10PL	STREET RAMP	STREE		COUNTER SLOPE	Н	STREET LANDING	STRE	
DATE CONSTRUCTED	urbs	Back Curbs	N/A	Dect Warn												õ	I	
LENGTH	E												Y/N			Ž	UT REMARKS	COMPLIANT
,	HTGIW	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	COMPLIANT	HTDIW	LENGTH	HTDIM HI	LENGTH	
ON CURB	9 (BOT/RT					ТҮРЕ
													MID T					S
Curb Height	×	<u> </u>	×	2	×	S	×	22	×	22	ř	SL		×	SI	¥	П	RAMP 6
FLARES	RIGHT LANDING	H	RIGHT TRANSITION	RIGHT T	LANDING	TEFT	LEFT TRANSITION	TEFT TH	TOP LANDING	TOPL	STREET RAMP	STREE	-!	ALL OTHER TYPES	ALL OT	TYPE B AND E	17T	
	tis ン ファ	Back Curbs	K N	Dect Warn					"	×5,4	; ×	x 15.3	5	(~)K.		C 0/10: 6	CO	
DATE CONSTRUCTED		1) (-			K								-	KS /	REMARKS	Y/N
LENGTH	5		<u>_</u> _	<u> </u>			<u>^</u>	72	<i>ر</i> ا،	۲,	ر'		Y/N =	_				COMPLIANT
	0		┫╌╴	I ENGTH	C	LENGT!	WIDIT	1 ENGTH	WIDTH	LENGTH	WIDTH	LENGTH	COMPLIANT	HTDIW	LENGTH	HTGIM HT	LENGTH	
ON CURB		17	0,4	2.2			0.4	71 <u>-</u> 7	0,76	2:0	26	11/1	BOT/RT					TYPE
[FF]		}	<u>ن</u> .رن.	7.7			7,0	8.17	7,0	7,0	ن ان د	72,7	TOP/LT					S
Curp Height	×	<u>S</u>	×	S	×	22	×	SI	×	S	ř	22		ΧL	73	×	П	RAMP 5
FLARES	RIGHT LANDING		RIGHT TRANSITION	RIGHTT	LANDING		LEFT TRANSITION		TOP LANDING	<u> </u>	OTREET DAMP	0.12		ALL OTHER TYPES	+	TYPE B AND E	⊒	
		1			1			1	7	TOD	TOAMAD	CTREE	1	COLINTER SI OPE	4	STREET LANDING	STRE	

						ısc		.02	-CV						_	-	un			90-	_	File									of .							- 1 -
	ΥN	COMPLIANT	2	TYPE		Z	RAMP 4			COMPLIANT	C	7	34A.L		NE	RAMP 3			YN	COMPLIANT	T	,	1000	WN	RAMP 2			Ϋ́N	COMPLIANT	フ	TYPE		N W	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4	REMARKS		LENGTH				<u>S</u> L	STREET		HEMARKS	ָרָנְיִלְּיִנְיִי	LENGTH				SL	A.J.A.A.L.		HEMARKS		LENGTH				SL	B 34AL		REMARKS		LENGTH				SL	TYPE B AND E	밁	TOR	T NO.
Compliance Form FIXED 4-07.xls	י י		MIDTH				¥	TYPE B AND E			•	LENGTH WIDTH				XL	TYPE B AND E	ا ا	J		HTGIW				XL	TYPE B AND E				WIDTH:				ΧL	ANDE	ANIDIRO	7.50	7.7
7) -		LENGTH				JS	ALL OTH			<u>-</u>	LEVGTH				ПS	ALL OTHER TYPES		'n		LENGTH				SL	ALL OTHER TYPES				LENGTH				SL	ALL OTHER TYPES	COLE	5	ا ، ا
7		-	WIDTH				×	ALL OTHER TYPES			200	WIDH				ΧL	ER TYPES				HIGIM				ΧL	ALL OTHER TYPES				WIDTH				ΧL	R TYPES			
じょで、G×50	, , , ,	Y/N □	COMPLIAN	вот/ят	MD	TOP/LT				Y/N		AVG	вот/ят	MiD	TOP/LT			1.	Q	Y/N	COMPLIANT	AVG	201	TOP/LT					A/N FIE	AVG COMPLIANT	BOT/RT	MID	TOP/LT					
× 50	ֹ	5,7	LENGTH	5.5	6,2	Ĺ	SL	STREE		7.8	, <u>[</u>	ENGIH	5,2	85	かり	SL	01000	د	ر م	6.2	LENGTH	۲.۱	6.6	1,0	SL	STREE		[٦	LENGTH	5,6	6.6	16.2	SL	SIREE	C		
		2	WIDTH	0,2	0,7	در	ΧĽ	STREET RAMP			-	WDH	0.5		2.0	¥.	I DAINT	-	``````````````````````````````````````	٠,	HIGIM	Ē		2.0	¥	STREET RAMP			1,	HIGIW	6.0	100	Q. P	ΧL	HAMP		2	
1 X 5 .		5'	LENGTH	7	0	17:00 17:00	SL	1 d01		7	, E	FNGTH	0.4	5.0	8:0	SL	i Cr		<u> </u>	٧,	LENGTH	0,5	ک ان	100	SL	7 401			~,	LENGTH	170	2.1	ا, ک	SL	<u>ر</u> ۲		RB RAMP	CUR
7)	7	HIGIM	2	1,0	7.0	ΧĽ	FOP LANDING		~		WID	5.0	6.9	6,0	¥	ANDING)) (× /	-	7.	HIGIM	Els	6.1	į T	Χľ	TOP LANDING		-	۲۱,	WIDTH	0.72	(0, 1	0.3	ΧL	LANDING	CONCR	S TO BE IV	CURB RAMP COMPLIANCE FOR
<u> </u>	يل		LENGTH		, see al		SL	TEFT TR	٠	č		ENGTH	0,4	6.8	βcı	SL	F. C		4		LENGTH		,	,	SL	LEFT TR,			<u>=</u>	LENGTH	0 %	, P.0	7.3	SL	LEFT THANSITION	CONCRETE PLACEMENT	SPECTED	COMPLI
			HIGIW	1	1000	\ \	ΧL	LEFT TRANSITION		Ę		WDH	=	0.0	7,1	Ϋ́	TAMOITION) Y (`.		HIGIM		Χ,		ΧL	LEFT TRANSITION		·	61	WIDTH	1,7	2.0	ν. Ο	ΧL	NSITION	EMENT	WITHIN 7	ANCE FO
			LENGTH			/	SL	TEFT			E i	HENGTH	7		7	JS	רבין ד				LENGTH		$\sqrt{}$		SL	7 143J				LENGTH	()		,	SL			CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	DRM
			WIDTH	\int		\	ΧĽ	LEFT LANDING				WID				ΧĽ	- LANDING	ANIDING			WIDTH		7		ΧL	EFT LANDING				WIDTH	77			ΧL	LET LANDING		유	
3	Dect Wam	9.6'	LENGTH	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0,7	0.9	SL	HIGHT TE	Dect Warn			FNG H		,,,,,	^	JS	חומחו		Dect Warn	7.5	LENGTH	7.5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ババ	SL	RIGHT TH	Dect Warn			LENGTH			/	SL	HIGH I II	DATE APPROVED	APPROVED BY	STREET
	$\hat{\mathbf{v}}$	6	HIGIM	0.3	1,2	17.[ΧL	HIGHT THANSITION	(Y)N	\backslash	200					۲	- INANSTICK	ANGI ION	(Y)Z	\	HIGIM	9.0	7.7		ΧL	RIGHT TRANSITION	(Y/N	>		WIDTH				¥	RIGHT THANSITION	HOVED	D BY	N 6) 1950
	Back Curbs		LENGTH	7	7	Ţ	SL .	HIGHT	Back Curbs		-	HIBNETH			`	TS	מומחור	01247	Back Curbs		LENGTH	5		7	SL	RIGHT	Back Curbs			LENGTH		, and a	/	SL	HIGHT LANDING		Ş	11 year
	7		WIDTH	7	7		Ϋ́	ANDING								¥			<u> </u>		WIDTH	1	\ \ \	7	ΧL	RIGHT LANDING	N ک			WIDIH		1	3	ΧL	ANDING	AKIINIKIN		
	DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE					UA I IT		HTONAI	ON CORB	מר כר	2				DATE	LENGTH		ON CURB	SLOPE					5	X STREET
	CONSTRUCTED		1 2		- [LEFT		FLARES Curb Height		DATE CONSTRUCTED					LEFT		Curb Height		DATE CONSTRUCTED	٠. G	1,7	Ş. /		LEFT		FLARES Curb Height		DATE CONSTRUCTED					LEFT		Curb Height	2020		W 35
	OCIED					RIGHT		**		<u>に</u> ら	_			,	RIGHT				JC I EU					RIGHT				CIED E	(13)		7.7	15 10 10	RIGHT					464

:	ΥN	COMPLIANT	2	TYPE		RAMP 8			1/1/1	COMPLIANT	0	TYPE		RAMP 7			I N	COMPLIANT	ク	TYPE	O.E.	HAMP 6			N/A		7	TYPE	SE	RAMP 5	
Co.	REMARKS		LENGTH			SL	TYPE B AND E	STREET I ANDING	TENATA		LENGTH			SL	TYPE B AND E	STREET LANDING) , i ì		HENGTH			SL	STREET LANDING		REMARKS	LENGIH	_			SL XL	STREET LANDING
01.0.2	1		WIDTH			×		-			WIDTH			X	\vdash	┨	· 70 4		HTGIW			Ц		1		¥iÖi ii	⊢			4	H
7.8	•		LENGTH			SL	ALL OTHER TYPES	COLINTER SLOPE			LENGTH			SL	ALL OTHER TYPES	ŇTER			LENGTH			SL	ALL OTHER TYPES	ļ.		LENGIH				SL XL	COUNTER SLOPE
٤			WIDTH CC	- I - B	1-	×	TYPES				WIDTH CC	Ιœ	<u></u>	×	TYPES		-	<u> </u>	WIDTH CO	T@	1_	┿	TYPES		-	HIGH 80		B	-	¥ 70 E.S.	SLOPE
とうだらと	•	Y/N ₩	Š	BOT/AT 4	MID	100/	Т			Y _Z ₹	Š	BOT/RT ろ	MID	75/1		ز اه ام		× _N E	Ž	AVG	MID MID		<u> </u>		YYN	Lã	-	BOT/RT	H	_	
x 2	-	4,21	LENGTH W	S C	7.6	13	01.10	CTDEET DAME		() C	LENGTH W	3	:c:	SL			 	38 4	岸	2.9 C		SL	STREET RAMP		F	ENGTH WI		5 5 5	╁	S)	STREET RAMP
28.3		41 3	WIDTH LE	0.9	0.8	, ^		\cdot		٦,	WIDTH LE	6 0	40	Н		RAMP J.S	- \ J	1 5	WIDTH LE	0.8	7/2	M			L	1 =		0 °		* 	H
3.5 >			LENGTH W	G				TOB I AND I		5.	LENGTH WI	0.9 0	- C	Н		TOP LANDING	172	2	LENGTH WI	7 0.	2 2	SI	TOP LANDING			· GTH	\vdash	0 4 0 4	+	2	TOP LANDING
x6,5:	•	5	WIDTH LEN	<i>5</i> .	c 6	Н	+	-		2	WIDTH LEN	+	0,2	H	_	1); !		뢰	-	0.9	×	NG LEFT			<u>-</u> =	Ц	7 7 7 1	╀	<u> </u>	Ц
4.9×15	•		LENGTH WIDTH		4	SL XL		T TO A LOT		1. 6.	LENGTH WIDTH		525	SL XL		> X(C, V)	, 3		LENGTH WIDTH	$\frac{1}{2}$	1	SL XL	T TRANSITION		6	LENGTH WIDTH	П	+		2 ×	LEFT TRANSITION
350			TH LENGT		1	TS.		1		<u> </u>	TH LENGT	1	76	SL	\top			_	TH LENGT			SI	ON LEFT		-	TH LENGT				2	ON LEFT
-			HTOIW HTE	7	1	<u>'</u> ×		1			ATH WIDTH	7	1	×	- 11	ET I ANDING			HTOW HTE		1	×	FT LANDING			ATH WIDTH	ナウ	小人		<u> </u>	FT LANDING
Dect Wam		5.5	TH LENGTH	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Н	\downarrow	╀	Dect Warn		TH LENGTH			SI	4	_	Dect Wam	<u>_</u> G_1	TH LENGTH	2,2	1, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	<u>S</u>	Ц	Dect Wam	<u> </u>	TH LENGTH				<u> </u>	Ш
in (V)	>	6	TH WIDTH	+	7, 2	· ×	TIGHT THAINSTILL	(π (γ) _N		TH WIDTH		\uparrow	 		TBANGITIC	3 (Y) N	ر ا	HTGIW HT	8.1	13.8	×	RIGHT TRANSITION	3 (3)	F	H WIDTH		$\frac{1}{\sqrt{2}}$	ļ	 	RIGHT TRANSITION
Back Curbs			1 LENGTH	7	 	J.S	\top	t	Back Curbs		1 LENGTH			SE	十	1	Back Curbs		1 LENGTH	7	/ ///	SI	\top	Back Curbs		. LENGTH			/ /	2	Ħ
NX			HTDIW H	1	 	×	RIGHT LANDING	\ \ >	ж 		HTQIW H		1	×			ان سر سر		H WIDTH	7	////	×	RIGHT LANDING	,		H WIDTH	7		ì	 	RIGHT LANDING
	DATE	LENGTH		ON CURB	SLOPE		1		DATE	LENGTH		ON CURB	SLOPE				DATE	LENGTH		ON CURB	SLOPE			5		LENGTH	0	SLOPE			
	CONSTRUCTED	4:5	_	2,7	LEFT.		Curb Height		CONSTRUCTED			<u></u> -	LEFT		Curb Height	7	CONSTRUCTED		١	<u>ر</u> ب	LEFT	Odio i icigin	FLARES	CONGLIGOTED					LEFT	Curb Height	FLARES
	CTED				RIGHT	1 1			JCTED	5,1	-	~	RIGHT	1 1			JCTED				HIGHT			5		17	Ç.	17	RIGHT		

-						Ca		_		'-CV		-78	03		PE			_	un	_		90	_		-IIe	_								01 .	,				170	<u> </u>	
	Ϋ́N	COMPLIANT	C		TYPE		Z 11	RAMP 4			ΥN	COMPLIANT	0	, _	TYPE		Z	RAMP 3				COMPLIANT	,	<u> </u>	TYPE		WN	RAMP 2			Y/N	COMPLIANT		TYPE	<u>.</u>	WW	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07,xls	(L C	DEWY DICK	LENGTH					2	I HEE!		REMARKS		LENGTH					JS	1 YPE	SHEE	\ \ !	HEMARKS		HEORET				SL	3 PEE		REMARKS		LENGTH				ТS	TYPE	TRACTOR	TOR	ON T.
FIXED 4-07, ds	آب ان		WIDTH					×	TYPE B AND E				HIGIM					ΧL	TYPE B AND E	STREET LANDING	7		11.011	WIDTH				XL	TYPE B AND E				LENGTH WIDTH				논	TYPE B AND E	2	7. WY	44
			LENGTH	,			Ī	SL	ALL OTH				LENGTH					SL	ALL OTH		۲)			HIGH				SL	ALL OTH				LENGTH				SL	ALL OTH			TV.
	<u>ر</u> د		HIGIM				Ī	ř	ALL OTHER TYPES				HIGIW	•				۲	ALL OTHER TYPES	COUNTERSTOPE	·		-	WITH				ΧL	ALL OTHER TYPES				WIDTH				ΧĽ	ALL OTHER TYPES		ること	11
	17.1K. 4	۲/۷ اور	COMPLIAN	AVG	BOT/RT	M C	TOBOT T				ŀ	Y/N	8	AVG	BOT/RT	M E	TOP/IT			11		Y/N		AVG	вот/вт	MID	TOP/LT		<u> </u>		ļ		AVG	BOT/RT	MID	TOP/LT					
	(×)7,3	× 7 (×	TENGIH	,	Ý	~ (1 20 1	1	<u>S</u>	HIS			<u>.</u>	IT LENGTH	1	1	N	_	33	c i	2 × × ×	\ Y	5			3.	グカ	4.5	SL	SIHE		F	ان	TENGTH	5.0	フユ	6.6	SL	מואדו			
†		4	HIGIM		ر. اح		寸	×	STREET RAMP		-	č	HIGIM		- (2 -	2	×		₽.	`. `.	2	╌	W DTE	9.0	0,1	1.O	χŁ	SIREE! RAMP		-	-	WIDTH	<u>-7</u>	1.1	0.4	¥	HAME		<u></u>	<u> </u>
	× :-	5	LENGTH	(0,6	(;	ر د	SL	108		ļ	Ň	LENGTH		ته رد در	> c) /\	۶	2	× /	3	7	FEMA	ENICITE	0	0.8	0.3	SL	TOP		ŀ	<u>-</u>	LENGTH	1-1	0.9	0,3	SL	ç		CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	2
╁	œ	ر(،	HIGIM	=	- 2	20	3	×	TOP LANDING		-	ĭ	WIDTH	9	2 0	200	^ ·	×		() - 1	ָרֻיִּרְשׁיִּ	1,		╅	0.5	Ø.	006	×	TOP LANDING			_	WID	110	0 4	0.8	¥	I OP LANDING	CONC	PS TO BE	CURB RAMP COMPLIANCE FOR
-	2.9.28×1.5		LENGTH			/	†	<u>S</u>	1.1437.		- - -	7	LENGTH		22	1/2	7 1	SL	[ļ.,	171		LENGIN	╂┈			/	ZL SL	LEFTT			7) ENGTH	5.2	5.4	5,6	SL	EF!	CONCRETE PLACEMENT	INSPECTE	P COMP
; 	() () . Z		HIGIM 1			$\left\langle \cdot \right\rangle$		×	LEFT TRANSITION			, ,	HIGIM I	(_	25	7	×		× V	< ^ ·		AN ID IN	1				×	LEFT TRANSITION		-	_ +	WID	0,3	0,9	- - ~	¥	LEFT TRANSITION	CEMENT		LIANCE
	ر کر ا		LENGTH				+	<u>n</u>	T _		ŀ	•	LENGTH	7	1			SI	†			7	LENGIN	+	0.9	0%	1.8	SI	†				FNGT -	17		-		+		172-HOUR	FORM
			H MIDTH				<u> </u>	×	EFT LANDING				H WIDTH	#		7	- 	×	EL L PAINOING	ANIONA		- -	5	1	1.0	1,2	1,9	¥	EFT LANDING		l	_	WIDH				¥	EFT LANDING	:	S O F	
\mid	Dect Warn	1, 2,	LENGTH	4	-	ハ <u>リ</u>		2	RIGHT	Dect Warn			LENGTH	†			<u> </u>	SL	חומתו	000	Dect Warn	5.9	╼	1	4,9	6.5	5.2	SL	RIGHT	Dect Warn	1	-	FUGTH				SL	RIGHT	DATE A	APPROVED	STREET
	³ ⟨₹)	4,	HIDIW H		Э	7.0	╄	×	HIGHT TRANSITION	n (Y/N	$\frac{1}{2}$		HI WIDIH	1	+	\downarrow	-	×	night inangition		¬ (√,N) -	, H	+	8.0	1,5	7	¥	RIGHT TRANSITION	S (Z)	, -		HIGHW			\	×	RIGHT TRANSITION	DATE APPROVED		
ŀ	Back Curbs		H LENGTH	1		\ <u>\</u>	t	<u>'2</u>	Ħ	Ва	-	ا در	H LENGTH	1.0	<u>ا</u> د	7 0		22	1	1	Back Curbs		HIENGIH	┿	0		I	SI.	_	Bac	+		L CNG	1.9	1,2	- - - -	SL	十一	H	(V)(S) H	Meliss
2	7 S		HIGIM HI	1			 - -	×	HIGHT LANDING	70s 1) A	-	, حر،	TH WIDTH	+	٥,		╁	×	HIGH! LANDING	2	rbs		WID!H	╌			<i>-</i>	×	HIGHT LANDING	™ N M	-		HICHWARD HA	6,0	0.%	\dashv	¥	RIGHT LANDING		ī	
-		LENGTH	—			STOPE	+	+	7.7	_	J g	LENGTH	4			۷_	\dagger	+	i i	1	Ų	-	LENGTH	-	ON CURB	SLOPE		1	1	Т	\dagger	LENGTH		ON CURB	SLOPE	-		u,		DATE	X STREET
	DATE CONS	_	_			<u> </u>			FLARES Curb Height		DATE CONSTRUCTED	土	\dagger	Č	<u>в</u> п	Ĭ - -			Curb Height		DATE CONSTRUCTED	-1			· · · · · · · · · · · · · · · · · · ·	m	LEFT		FLARES Curb Height		DATE CONSTRUCTED	<u> </u>	_	TAB TAB	\neg	LEFT		Curb Height			
	CONSTRUCTED	6	^		- \ -	HIGH	4	e e	eight SEI		THUCKED	15.5	+		>	KIGH	┥		eight	3	חסטובט						T RIGHT		es SES			ره. در	-	_	-	T RIGHT		ES			w+36+4
L						_[=	<u>'L</u>		Ш				<u> </u>	v			1	\perp	1					L			Ш		Ш		Ţ			2							

		A/N COMIL FIXER	TINAL IGMO	مسيد	34AL		SW C				ΥN	COMPLIANT)	TYPE		SW /	1			ΥN	COMPLIANT	フ	TYPE	3E	RAMP 6		•	Y/N	COMPLIANT	う つ	BAAL	S	RAMP 5	
	Cust	핃		LENGTH			բ	TYPE B AND E	STREET LANDING		REMARKS		LENGTH			g.	TYPE B AND E	STREET LANDING	Culb:	REMARKS	-	LENGTH			SL	STREET LANDING		REMARKS		LENGTH			JS	STREET LANDING
	Cusbills	_		WIDTH			}	L	H				WIDTH L			ř	L	Н	19		:	T HTGIM			Ц	+	ł		-	HIGIM			Ц	\dashv
				LENGTH			Ÿ	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			Ÿ.	ALL OTHER TYPES	COUNTER SLOPE	5	^		LENGTH			13	ALL OTHER TYPES			_	LENGTH			SL	ALL OTHER TYPES
	Walk!	L		WIDTH C		_	ř	TYPES	SLOPE				WIDTH	Im	_	ř	TYPES	SLOPE	1/2/1/		1	WIDTH C	T		廾	SLOPE			•	WIDTH C	1		Н	TABES STOBE
			Š	Ž	BOT/RT AVG	MD	100/1	т				Υ/N F	Ž	BOT/RT	MID	TOP/ T			2.22x h: 4 x 22.2		Y/N	ᆁ	BOT/RT AVG	MID I		1				4	Ĩ	MID T		
	4 x 26.4	6	(;	LENGTH	Ţ.	ران 1	β		STREET			٦,٦'	LENGTH	3,9	1 1 1 1	S	_	STREET RAMP	222		,'s'	LENGTH	2.2	ω <u>-</u>	SL	STREET RAMP				HUGTH	7,7	7.5	ည	STREET RAMP
		, - -		WIDTH	۲.	c C	- -		RAMP			٦,	WIDTH	0.7		×		RAMP	, S .3		7	WIDTH	1,2	- 2	×	RAMP				WIDTH	0.0	1,4	×	RAMP
-) (5) (1)		ď	LENGTH	1.2	٥ خد/	<u>م</u>		TOP LANDING			41	LENGTH	٦	2/2	<u>S</u>		TOP LANDING	7,5		5	LENGTH	1.2	6 7	IS	TOP LANDING			_	FNOTH	0.4	1,2	SL	TOP LANDING
	5.5 x 6.6		۷,	HTDIW	1,2	2.0	<u>خ</u>		NDING			2	WIDTH	0.2	0.0	×		DING	') ر		دا ،	WIDTH	8.0	2012	×	DING				HTCIIW	0,4	20.2	×	DING
	e .			LENGTH		1	<u>ن</u> ا		LEFT TRANSITION			85	LENGTH		7 7	\sum_		LEFT TRA	1,4 × 7'			LENGTH		1	SI	LEFT TRANSITION				HTGNA	6.	ر درائع آ	22	LEFT TRANSITION
				WIDTH		\	Ļ		NOTHSN			Ġ١	WIDTH	<i>ن</i> ۲۰	η Θ€	<i>*</i>		TRANSITION				WIDTH	4		×	NSITION				HTCIIW	12	37	ř	NOITISI
				LENGTH			ģ		LEFT LA				LENGTH	(])	נ	<u>S</u>		LEFT LA				LENGTH		1	<u>S</u>	LEFT LA	1			HTGTH		<i>}</i>	S	LEFT LAI
				HTGIW			ř		T LANDING				WIDTH	7	\$	ř		LANDING				WIDTH	4		×	LANDING			; ;	WIDTH		 	×	LANDING
	Dect Warn	; < ! !	0 9	LENGTH	1.5	6.6	\ <u>\</u>		RIGHT TRANSITION	Dect Wam			LENGTH		1	<u> </u>		RIGHT TRANSITION	Dect Wam		8,	LENGTH	7.0	= <u>i</u> v	SE	RIGHT TRANSITION	Dect Warn			FULCIN		4	SI	RIGHT TRANSITION
	₹ <u></u>		Ç	WIDTH	7	C	ř		NOTTION	(<u>\</u>			WIDTH			×		NOITION	(Y/N		1.	WIDTH	8:0	0,0	ř	NSITION)					×	NSITION
	Back Curbs			LENGTH		1	<u>S</u> L		RIGHT LANDING	Back Curbs			LENGTH		1	<u>S</u>		RIGHT LANDING	Back Curbs			LENGTH		1	SE	RIGHT LANDING	Back Curbs			HTGTH			SI	RIGHT LANDING
				WIDTH .		1	×		ANDING		•		WIDTH			×		ANDING	\subseteq			WIDTH		7	×	ANDING	UX			HIGIW			×	NDING
		DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE				DATE	LENGTH		ON CURB	SLOPE		
			ر ال		<u></u>	107-		Curb Height	FLARES		CONSTRUCTED						Curb Height	FLARES		DATE CONSTRUCTED	11.6	_	7.7	LEFT		FLARES		DATE CONSTRUCTED			_	LEFT	ļ	FLARES Curb Height
		CTED				חומחו	1				ICTED	5,7	$\cdot \int$	17	TION.	PEST				CTED				RIGHT				CTED	5.8		8,8	RIGHT		

		LENGIH WIDTH LENGTH	TYPE		NE OF AE	2 10 2		HENNANA	ANT	LENGTH WIDTH LENGTH	TYPE		NIT SE XE SE	TYPE B AND E	STREET ANDING 1 COL	_	COMPLIANT	LENGTH WIDTH LENGTH	TYPE	N W	HAMP Z SL XL SL	TYPE B AND E	STREET LANDING CO.	COMPLIANT HEMARKS	LENGTH WIDTH LENGTH	TYPE		NW SE XE SE	O XI	្ន	CONTRACTOR	
		WDH	вот/ят	MID	- XL		COUNTER SLOPE	į	Y/N	WIDTH CON	BOT/RT	MID	ř	ALL OTHER TYPES			N/A	WIDTH	BOT/RT	TOP/LT MID	¥	ALL OTHER TYPES		Y/N	AVG GIH WIDTH COMPLIAN	вот/нт	MID	×	OTHER TYPES	COUNTER SLOPE	17 1	
	FUNCTION		П		SE XE	+	STREET RAMP		14	NT LENGTH WIDTH	7 3.4 0 -	1,4 0,5	T		STREET		5,2 4	NT LENGTH WIDTH	4.3 0			O DESCRIPTION			NT LENGIH WIDTH			SL XL		STREET HAMP		
	LENGIH				SL XL	╀	TOP LANDING	•	니 	LENG7H	1 0.8 1.	0 -	SL	JOP LANDING			1 1	LENGTH	9.6	0.6	SL	I OF LANDING			LENGTH			SL	H	CONC P TOP LANDING	CURB RAMPS TO	
	WIDIH LENGIH W				SI-		G LEFT THANSITION		[,]	WIDTH LENGTH V	3	3/4	XL SL	LETT HANSITION				WIDTH LENGTH V	7.1	7.1	XL SL	LEFT THANSITION			WIDIH LENGTH V			XI SL	┢	CONCRETE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HO	
	WIDTH LENGTH				Sī.		Ę			WIDTH LENGTH			XL SL			·		WIDTH LENGTH		1.8	XL SL				WIDTH LENGTH			Xr SL		÷	/ITHIN 72-HOURS OF	
Dect Warn	WIDTH LENGTH	₩			SL XL	Ц	T LANDING PRIGHT T			WIDTH LENGTH	- -	2 12	XI SL	T LANDING RIGHT T	Dect Warn			WIDTH LENGTH	1	11/26	XL SL	FT LANDING RIGHT 1			WIDTH LENGTH			XL SL	4		OF APPROVED BY	
Y / N Back Curbs	WIDTH LENGTH				XL SI	Ħ	RIGHT TRANSITION RIGHT		٧	WIDTH LENGTH	1,2,	000	XL SL	HIGHT THANSITION RIC	Y N Back Curbs	\perp		WIDTH LENGTH	1.2	33	XL SL	HIGHT TRANSITION HIGH	Y / N Back Curbs		WIDTH			ΧL	+		+	
urbs	WIDTH				X		ek Curbs	,		STH WIDTH		1	Ϋ́	RIGHT LANDING	Surbs -	.		GIH WINTE			Ϋ́	HIGHT LANDING	Surbs	H	LENGTH WIDTH			ST X			MAN I	
DATE CONSTRUCTED	LENGTH	CNCORD	SLOPE	LEFT RIGHT		Curb Height	FLARES	DATE CONSTRUCTED	LENGTH 2,7		ON CURB 4,3	LEFT RIGHT		FLARES Curb Height		DATE CONSTRUCTED	LENGTH		ON CURB	LEFT RIGHT	, a	FLARES Curb Height	DATE CONSTRUCTED	LENGTH		SLUPE ON CURB	LEFT RIGHT		Curb Height			

	Y/N REN	COMPLIANT		Y T E		Т	RAMP 8	<u>.</u>				COMPLIANT	<u></u>	- Y 7 F		WS	$\vec{\Box}$		1S		Y/N REM	COMPLIANT	LEN	Y T II		۾ آ	Τ	ST		Y/N REM	COMPLIANT		HAPE		SE	Τ
	REMARKS		LENGTH W			+	SE	STHEET LANDING			REMARKS		LENGTH W				SL	TYPE B AND E	STREET LANDING		REMARKS		LENGTH W			٦	E B AN	STREET LANDING		REMARKS	_	LENGTH WI			ļ.	
			WIDTH LE			+	4	┿	ł		ŀ		WIDTH LE				Ц	-+	-				WIDTH LEI			}	Ļ	╄			-	WIDTH LEI			-	Ļ
			LENGTH W			╁		ALL OTHER TYPES			ļ		LENGTH W				SL	ALL OTHER TYPES	COUNTER SLOPE				LENGTH W			٦	ALL OTHER TYPES	COUNTER SLOPE			1	LENGTH W			ļ <u>r</u>	
		H	WIDTH CO	Œ.		4	× :	ABEN COFFE		<i>,</i> **•	-	ı	WIDTH CO	Īα		-	-	YPES	OPE			<u> </u>	WIDTH CO	. 🖫	1		₹ FES	OPE				WIDTH CO.	_ I g	T	~	170
		Y/N	Ž	AVG I	MID	TOP/LT	_	1		•	ļ	∑ \	칱	AVG	MID	TOP/LT		ī	_			Y \ N	Į.	AVG		7/9/	Т	Τ			—	3	BOT/RT AVG	MID	10P/ 1	Т
			LENGTH			<u> </u>	<u>S</u>	STREET HAMP					LENGTH				<u>S</u> L	4	STREET				LENGTH	_		P		STREET RAMP			-	LENGTH			ģ.	
			HTGIW				×	AMP					WIDTH				×		RAMP				WIDTH			ļ		AMP				HTGIW		1	ļ×	
			LENGTH				S	FOP LANDING				:	LENGTH	<u> </u>			SL		TOP LANDING		-		LENGTH			٢		TOP LANDING				LENGTH			Į.	
			HTGIW				×	VDING:					HTDIW				×		DING				WIDTH					DING				HTGIW			ř	
			LENGTH				S	LEFT TRA					LENGTH				SL		LEFT TRANSITION				LENGTH			٩	2	LEFT TRANSITION				LENGTH			Ę.	
			HTDIM				×	LEFT TRANSITION					WIDTH				ΧL		NOITION				WIDTH			}		NOITION				HTdlW			ř	
			LENGTH				S	7.1437				•	LENGTH				JS	- 1	디크				LENGTH			ģ		LEFT				LENGTH				
			WIDTH				×	LEFT LANDING			Ī		WIDTH				ΧL		LANDING				HTOIW					LANDING				HTGIW			×	
Dect Warn			LENGTH				S	RIGHT II		Dect Warn			LENGTH				JS		RIGHT TI	Dect Warn			LENGTH			P	2	RIGHT TE	Dect Warn			LENGTH			SE	
Y/N			WIDTH			1	×	RIGHT TRANSITION		Y/N			HTDIW				X.		RIGHT TRANSITION	Y/N			HTGIW			Ì		RIGHT TRANSITION	Y/N			HTGIW			×	
Back Curbs			LENGTH			1	S	十	┪	Back Curbs	Ì		LENGTH				SL	1	┪	Back Curbs			LENGTH			٩	T	RIGHT	Back Curbs	1		LENGTH			S.	
ζ7		-	HTGIW				×	RIGHT LANDING		u,			HTGIW				×		RIGHT LANDING	_			HTGIW			 		RIGHT LANDING				HIDIM			ř	†
	DAT	LEING I	4		SLOPE	1	1	T			DAT	LENGTH	4		SLOPE				1		DAT	LENGTH	Ч	ON CURB	SLOPE	T				DAT	LENGTH	†	ON CUR	SLOPE	T	
	DATE CONSTRUCTED			Ü	T	LEFT	Caro	Curb Height			DATE CONSTRUCTED	<u> </u>		Œ		1,437		Curb Height	FLARES		DATE CONSTRUCTED				Т		Curb Height	FLARES		DATE CONSTRUCTED		1	₩.	Т		Curo Height
	RUCTED		\dashv			HGH	Ġ.,	oht S			RUCTED		+			RIGHT		ght	Ø		RUCTED					4	ght 	5		RUCTED		\dagger		- 113	HIGH.	GIII

	ΥN	ANT			TYPE		M	RAMP 4					COMPLIANT	(`	TYPE		NE	RAMP 3				ΥN	COMPLIANT	(, [TVDE	i	NW Z	DAMBO			ΥN	COMPLIANT			TYPE		WW	RAMP 1		STREET	SUB-CONTRACTOR	CONTRACT NAME
Compilance Form FIXED 4-07.xls	REMARKS		LENGTH					SL	TYPE B AND E	STREET		REMARKS		LENGTH					SL	ТҮРЕ В	STREET LANDING		HEMARKS		LENGTH				þ	2	SIRET		REMARKS		LENGTH		:			ઇ	TYPE B AND E	STREET	HOT	NAME
FIXED 4-07.xls			WIDTH					XI.	AND E	STREET LANDING				WIDTH					XI.	B AND E	ANDING				WIDTH				}	4	STREET LANDING				WIDTH					¥	AND E	STREET LANDING	-www.	70.00
			LENGTH					SL	ALL OTHER TYPES	COUNTER SLOPE				LENGTH					SL	ALL OTHE	COUNTER SLOPE				LENGTH				Ö.	2 2 2	ALL OTHER TYPES ALL OTHER STOPE				LENGTH					SL	ALL OTHER TYPES	COUNTE	r	1 1
			WIDTH					ХL	H TYPES	RSLOPE				WIDTH					XL	ALL OTHER TYPES	H SLOPE				WIDTH				ΧL	V 17 17 EO	H SLOPE				HTGIW					XL	R TYPES	R SLOPE (مريد لرح	Ramps 111
		Y/N	COMPLIANT	AVG	BOT/BT	MiD	TOP/LT						V/V	COMPLIANT	AVG	вот/нт	MID	TOP/LT						Y/N =	COMPLIANT	AVG		MID OF/E	i i					Y/N	COMPLIANT	AVG	BOT/RT	MID	TOP/LT				:	
			LENGTH				İ	JS		STREE			くごく	LENGTH		ر'٦	ر الا	Q'.S.	SL		STREE			ير	LENGTH	6		ין זיי		2	STREE				LENGTH					SL		STREE	i	
			WIDTH					ΧL		STREET RAMP		-	ž	WIDTH		1,2	ر بر ا	7	¥		STREET HAMP			ζ.	WIDTH		<u>.</u> (3' - - - ∪	×	<u> </u>	STHEET RAMP				HIGIM					ХL		STREET RAMP	5	
			LENGTH					JS		1 do L			τ̈	LENGTH		0 9	6	7.1	SL		7 dol			٦,	LENGTH	0.8	, , ,	2 2 2 2	Ş		10P L/				LENGTH					SL		7 40	CURB RAMPS TO BE INSPECTED WITHIN 72-H	9
			MIDIH				[ΧĽ		OP LANDING		-	ליו	WIDTH		₹ %	-	- C	ΧĽ		TOP LANDING			ん	HIGIM	15.1	. (ς 3 ο	<u>'</u> ≥		I OP LANDING				HIGIM					ΧL		CONCH	S TO BE II	
			LENGTH					SL		LEFT TR			ん	LENGTH	(7	7.7	26	SL		H 1431		1.	12	LENGTH	<i>)</i> , , ,	16	1 2 2 X	<u> </u>	!	HI. 1437				LENGTH					SL		NING LEFT TRANSITION	VSPECTE	
			HLGIM					¥		LEFT TRANSITION			<u> ۲</u> ۲٬	MIDTH		2	Ξ,	Ü	×		LEFT HANSITION			, C	HIGIM	1,2	, ,	<u>.</u>	ř		LEFT TRANSITION			•	HIDIM					ΧĽ		LEFT TRANSITION	, NIHTIM	1
-		ï	LENGTH					<u>1</u> S	!					LENGTH	(4		SL						LENGTH	1	-	1	SL		T 1-43T				LENGTH					SL			72-HOURS OF	
	ļ		HIGIW					×		E- I'I ANDING				HIGIM	1	\ \ *	7	`	Ϋ́		EFT ANDING				WIDTH	1	\ *	7	×		EF1 LANDING			•	WIDTH					۲		EFT LANDING	OF	
Dect Warn			LENGTH					JS		RIGHTTE	Dect Warn			LENGTH			$\frac{1}{\sqrt{2}}$	1	SL		HEER T	Dect Warn	0,5	C &	LENGTH	5/7	5	2,2	SL		RIGHT IF	Dect Warn			LENGTH					SL		DATE APPROVED	APPROVED BY	INSPECTOR
۲ ۷			HIGIM					×		RIGHT TRANSITION	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1		HICIM	7	7	1	/	¥		NOTION	(<u>z</u> -	با (157	HIGIM	0,7	0	- [-	×		RIGHT THANSITION	Y/N			WIDTH					Χ̈́		TE APPROVED	D BY	HC HCV
Back Curbs			LENGTH					<u>S</u> L	1	BIGHT	Back Curbs			LENGTH			1	1	<u>1</u> S		RESID	Back Curbs			LENGTH	7	1	4	SL		HIGHT	Back Curbs			LENGTH					SL		BIGHT		WW 14
			HIDIM					×			7			HIOIM	1	1	1	Ī	×			-			HIGIM	7	1	1	×		RIGHT LANDING				WIDTH					¥		BIGHT LANDING		معد
	DATE	LENGTH		ON CORB	OF OF E	200	1				, i		LENGTH			ON CLUBB	200	Ī						LENGTH	Ţ	ON CURB	טרטאני	2			П		DAIE	LENGTH			ON CLIRB	SLOPE						DATE
	DATE CONSTRUCTED					<u>F</u>	155	Ç	Curb Height	SEGV IS							Ī			Curb Height	E ABES		DATE CONSTRUCTED				·	EFT EFT		Curb Height	FLARES		DATE CONSTRUCTED		1			ļ			Curb Height	EL ARES		1
	CIED			****		100	HEIGHT											BIGHT										RIGHT		===					1				RIGHT					

N/A	Ä		TYPE	SW	RAMP 8				Ā	(>	TYPE	WS	RAMP 7			774	Ā	<u></u>		ű	RAMP 6			M	Ā		- - -	TVDE	SE	RAMP 5	
REMARKS		LENGTH W			SL	TYPE B AND E	STREET LANDING		BEMARKS	LENGIH W	+			SL .	TYPE B AND E	STREET ANDING		DEMARKS	LENGTH W			SL	TYPE B AND E	STREET LANDING		PENADEZ	LENGTH W			+	SL	STREET LANDING
	 -	WIDTH LE			ΧL	₩	4			עוטוא ב	4—			ΧL	+	┨			WIDTH LEI	_		×	Н	-			WIDTH LEI	⊢	-	+	4	╀╴
	ऻ	LENGTH W			SL 18	ALL OTHER TYPES	COUNTER SLOPE			LENG! H	1	-		SL	ALL OTHER TYPES	COLINTED SLOBE			LENGTH WI	-		SL	ALL OTHER TYPES	COUNTER SI OPE			LENGTH WI			╁		COUNTER SLOPE
	ᅳ	WIDTH COM	ВО	▼ 0	ΧĽ	PES	OPE		 	WID:IH COME		BOT/R1	Ī	_	PES				WIDTH COMP	<u> </u>	MID	×	PES	OPF		\ 	WIDTH COMPLIANT	AVG	N	TOP/LT	<u></u> Ξ	OPE PEG
	Н-	3	BOT/RT	MED I	П	П			Y/N	COMPLIAN LEI	+	+	TOP/LT	Т	T,	-		Ш	COMPLIANT LE	H	_	h		-		Y/N	┰	AVG	MID	1	Ţ	
	-	LENGTH W	$\frac{1}{1}$		SL	_	STREET RAMP			LENGIH W	++	S	1,4	SL		TREET DA		1 8/h	+	\mathbb{H}	12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	┝		STREET RAMP			LENGTH WI	+		╁	SE .	STREET RAMP
	-	WIDTH LE		-	ΧL		MP.			WIDTH LE	₽+	70,7	ec C	X				1, (Ĭ	<u> </u>	ΔC	ľ	H	┨			WIDTH LEI			╁	<u> </u>	+
	1	LENGTH W		-	22		TOP LANDING			LENGIH	┿	7	5.0	SL		TOB AND		7	무	\vdash		SL		TOP I ANDING		_	LENGTH W	\perp		+	S	TOP LANDING
ŀ	├	WIDTH LE	-		X	Ц	_			WIDIH	╃	2 2 2 2), (ΧL	+	-			HTGIW	7 90) //	×	4	4		_	WIDTH LEI			╀	<u> </u>	\downarrow
		LENGTH W			SL	_	LEFT TRANSITION			LENGIH	╅	(C V	Н	SL		TDANG			ENGTH W	X	1	715		FET TRANSITION			LENGTH W			╁	2	LEFT TRANSITION
		WIDTH LE		-	ΧĽ	H			L	WIDIH LE	₩	7,	1 6/1	XL	\dagger	1			HTGIW	/	<u> </u>	×	\dagger	1			WIDTH LE			╁	<u>*</u>	H
		LENGTH W			SL		LEFT I ANDING			LENGIH			,	SL				_	LENGTH W		$\left\langle \!\!\! \left\langle \right\rangle \!\!\! \right\rangle$	SL		SET I ANDING			LENGTH W			╁	S	LEFT LANDING
Dec	-	WIDTH LE			ΧL	Ц	4	Dec	-	WID IH	17	*		XL	4	1	Dec	<u> </u>	WIDTH LE		\ \ \ \ \	Ĭ	1	1	Dec		AIDTH LE	·		╁	<u>*</u>	Щ
Dect Warn	\vdash	LENGTH W			SL		RIGHT TRANSITION	Dect Warn		LENGIH W	1	7	Н	SI		TIT TO ANG	Dect Warn	8. 6	Ī	5.1	70	32			Dect Warn		M HLBNƏT			+	<u>s</u>	RIGHT TRANSITION
Y/N Bac	-	HTDIW LE			ΧL	Ħ	7	Bac		WIDIH	+	1	19	×	十	1	Y)N Bac	4	WIDTH LE	7	~ ~	ΧĽ	十	1	Y/N Bac		WIDTH LE			+	* +	П
Back Curbs	\vdash	LENGTH V	\prod		SL		RIGHT LANDING	Back Curbs		LENGTH	1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	!	SL			Back Curbs		LENGTH W	7	4,	SL			Back Curbs		LENGTH W			ŕ	2	RIGHT LANDING
	-	HTDIW			ΧĽ		DING	これ		E WEI			<u>}</u>	ΧŁ			₹ ┳	<u> </u>	HTGIW		<u> </u>	ΧL	2		Т		HTGIW	<u> </u>		Ì	* +	DING
DATEC	LENGTH	\downarrow	ON CURB	SLOPE		Cu	<u>_</u>	5		LENGTH		ON CURB	П		인 -		DAIECK			ON CURB			င္မူ .		DATEC		HTGIN	NCURB	SLOPE	4	2	
CONSTRUCTED		_		<u>-</u>	4	Curb Height	FLARES						LEFT		Curb Height) A C C C C C C C C C	DATE CONSTRUCTED		:				Curb Height	EI ADEC	DATE CONSTRUCTED	_					Curb Height	FLARES
				HIGH					5				RIGHT					7			RIGHT									RIGHT		

																	Compliance Form FIXED 4-07.xls	Compliance Forn	
O ROLL TO			Back Curbs	Y/N	Dect Warn				•.								·	•	
														Y/N				REMARKS	COMPLIANT
	LENGTH					7		_	-	_	-	_	•	-	_		_		
		WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HIDIW	LENGTH	HIGIM	TENGTH	COMPLIANT	WIDTH	LENGTH	WIDTH	LENGTH	
_	ONCORB								-					BOI/HI				•	177
	סווסופפ													POT/BT	Ī				TVDE
LEFT RIGHT	Т													TOP/LT	-				Z M
4		¥	SL	¥	SL	¥	SL	¥	ဋ	×	SL	×	<u>S</u>		×	SL	¥	SL	RAMP 4
Curb Height	Cu						П								ALL OTHER TYPES	ALL OTH	TYPE B AND E	134VT	
FLARES		RIGHT LANDING	HIGHT L	RIGHT TRANSITION	RIGHTTR	LEFT LANDING	7	LEFT THANSITION	11.1437	FOP LANDING	Jobi	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STREET	
		_	Back Curbs	Y/N	Dect Warn													_	
CONSTRUCTED	DAIE CC								F					T / N				REMARKS	N'A'I
	LENGTH													Į,			,		
1		WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	HIGIW]	LENGTH	WIDTH	LENGTH	COMPLIANT	HIDIM	LENGTH	LENGTH WIDTH	LENGTH	
	0							\dagger						200					ŀ
-	ON CURB													BOT/HT	1		٠		TYPE
+	200								1			1		M S					ī
LEFT RIGHT														TOP/LT					Z.
		ΧL	SL	¥	SL	¥	SL	¥	ည	ř	ध	ř	SL	•	¥	SL	×	SL	RAMP 3
Curb Height	Сш.					Į.			[ALL OTHER TYPES	ALL OTHE	TYPE B AND E	13dAL	
FARES		SUDING		MOLISINA	NOTESINA TERMS	SINICIAN	1	FFT TRANSITION		SINICINALIGO		GINER LEERLS	21812		COUNTER SLOPE	2011	STREET LANDING	Д П	
			Back Curbs	Υ/Ν	Dect Warn														
CONSTRUCTED	DAILECC													Y/W				REMARKS	CONT IN
· _	LENGTH			_		200	Ī	_	1140	-					0				
	L		ENDITE	אייסועו	TENDTH	WILL	_	100	-	WIDTE	-	┪┈┈		AVG	_		WILLIAM	- HENGTH	
	ON CURB													вот/нт					TYPE
	SLOPE													MID					
LEFT RIGHT	_									-				TOP/LT					WN
		ΧL	SL	XL	SL	XL	SL	XL	SL	ΧĽ	SL	XL ·	SL		ΧĽ	SL	ΧL	SL	RAMP 2
Curb Height	Cur														ALL OTHER TYPES	ALL OTHE	TYPE B AND E	TYPEB	
FLARES	F	NDING	RIGHT LANDING	ANSITION	RIGHT TRANSITION	FT LANDING	7 1437	LEFT TRANSITION	HI 1437	TOP LANDING	1991	STREET HAMP	STREE		COUNTER SLOPE	COUNTE	LANDING	SIREE	
			Back Curbs	Y/N	Dect Warn														
DATE CONSTRUCTED	DATE CO																	REMARKS	ΥN
	LENGTH			-		_			_	-	-			E F					COMPLIANT
	1	WIDTH	LENGTH	WIDTH	LENGTH	HIDIM	LENGTH	WIDTH	LENGTH	HIGIW	LENGTH	WIDTH	LENGIH	AVG COMPLIANT	HTCIW	LENGTH	HIGIM	LENGTH	
	ON CURB													вот/нт					TYPE
	SLOPE													MID					
LEFT RIGHT	T_													TOP/LT			÷		WW
		ř	SF.	¥	SĮ.	¥	SL	¥	ST.	¥	ST.	¥	SL		۲̈	SL	ΧL	SL	RAMP 1
Curb Height	Cur														H TYPES	ALL OTHER TYPES	TYPE B AND E	TYPEB	
FLARES	P	NDING	RIGHT LANDING	NSITION	RIGHT TRANSITION	-T LANDING	רבדו רא	LEFT THANSITION	LEFT	TOP LANDING	1901	STREET RAMP	STREE		4 SLOPE	COUNTER SLOPE	STREET LANDING	STREET	
				ROVED	DATE APPROVED		Z-noons	CONCRETE PLACEMENT	CONCRETE PLACEMENT	CONCE	אואה מאני	۶.			N a	4	2-pm.ch	RACTOR	SUB-CONTRACTOR
:	DATE	-	VI LIV	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	NSPECTOR		> 121Ba	, IIIITLIIN 7) 	j]]	<u> </u>		131	7	Þ	400	TNAME	CONTRACT NAME
7 7 7 8 0	X STREET &		\ \ \	762	STREET	12-	ORM	CURB RAMP COMPLIANCE FORM	COMPL	3B RAMP	CUF	,				[·	7117	T NO.	CONTRACT NO.
	1															ı	-		

	COMPLIANT Y/N		ЭАХІ		SW			ł	COMPLIANT	7	TYPE		SW 7				ΥN	Ā		TYPE	Ç	RAMP 6				ANT			ТҮРЕ	SE	RAMP 5	
	REMARKS	LENGTH			ģ	TYPE B AND E	STREET LANDING		DEMADKS	LENGTH			SE	TYPE B AND E	STREET LANDING		REMARKS		LENGTH			22	TYPE B AND E	STREET LANDING	11.00	DEM A BIG	LENGTH				SL	STREET LANDING
:		WIDTH			ř	AND E	ANDING			WIDTH			ř	AND E	ANDING		i		HTDIW			X	AND E	ANDING			WIDTH				ΣĽ	ANDING
		LENGTH			ğ	ALL OTHER TYPES	COUNTER SI OPE			LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE			LENGTH				SE	COUNTER SLOPE
		WIDTH			ř	R TYPES	SI OPE			HTGIW			۲	R TYPES	SLOPE .				WIDTH			¥	R TYPES	SLOPE			HTGIW				×	SLOPE
	Y/N	COMPLIANT	BOT/RT		500/1				√/N = 1	COMPLIANT	BOT/HT AVG	MID :	1/40					Y/N	COMPLIANT	BOT/RT AVG	MID					Y/N	COMPLIANT	AVG	ROT/BT	TOP/LT		
		LENGTH			SL		STREET BAMP		4,4	LENGTH	\ \ -	5,17 0.0	æ SL		STREET			57%	LENGTH	1,7	- 1	<u>S</u>		STREET RAMP		<u> </u>	LENGTH				SE	STREET RAMP
		HTGIW			×	10, 401	BAMB		ť	WIDTH	ide	2,0	χĽ		RAMP			ζ,	WIDTH	1,1	30	ΧĽ		GWAR		 	HIDIM				×	RAMP
		LENGTH			SL				d,	LENGTH	7.0	0,4	SI		TOP LANDING			μ,	LENGTH	ن.	20,7	SL		TOP ANDING			LENGTH				ည	TOP LANDING
		WIDTH			Ϋ́	Ċ.	25.50		,	HTDIW	1,1	10.1	ž		NDING			<i>د</i> ر،	HTDIW	3,0	30 30	X	i i	- Carlon			WIDTH				×	NDING
		LENGTH			SL	TEE THE NAME OF THE PERSON OF	107700		6.1	LENGTH	١, ٢	- <u>'</u>	SL		LEFT TRANSITION				LENGTH	X	1	SL		DEET TRANSITION			LENGTH				2	LEFT TRANSITION
'		HTDIW			X	VOI TOIN	NOTION		, ·	HTGIW	0,4	1,7	×		NOITION				HEGUM			Χ̈́		NOTION			HTGIW				×	NOITION
		LENGTH			SL	- E	7			LENGTH		<u> </u>	SL		LEFT LAI			,	LENGTH		1	SL	- 1	1651 2			LENGTH				S	LEFT LAI
		HTDIW			X	LANDING	<u>. </u>	_		WIDTH		1	¥	4	LANDING				MIDIM		\	×		4			WIDTH				×	LANDING
Dect Warn		LENGTH		,	SL	HIGHT TRANSITION		Dect Warn	(<u>,</u> ,	LENGTH	- 11. 15	3 0 4 3	, JS		RIGHT TRANSITION	Dect Warn		j	LENGTH			SL			Dect Warn		LENGTH				<u>S</u>	RIGHT TRANSITION
Y / Z		HTDIW			¥	NOTION		Ž,	(')	WIDTH	1,4	1	×		NOITION (\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			MTCIIW			ΧĮ	14014		۲ 2		WIDTH			 - -		NOITION
Back Curbs		LENGTH			SL	HIGHT LANDING	7	Back Curbs		LENGTH		*	SL	_	RIGHT LANDING	Back Curbs			LENGTH	X	/	SL			Back Curbs		LENGTH			1	2	RIGHT LANDING
		WIDTH			X	NUING	7	•		HTGIW	Z	X A	×		NDING	Ŕ			HIDIM			×	NAD II NG		_		HTDIW			-		NDING
DATE	LENGTH		ON CURB	2000				DATE	LENGTH		ON CURB	21 OPF					DATE	LENGTH		ON CURB	SI OPE				DATE	LEINGIH	1	ON CORB	SLOPE			
DATE CONSTRUCTED				TEFT		FLARES Curb Height		DATE CONSTRUCTED	(مرا		7.8	LEFT.		Curb Height	FLARES		DATE CONSTRUCTED			-	LEFT		Curb Height		DATE CONSTRUCTED					EFT	Curb Height	FLARES
CTED				RIGHT				CTED	€.		2.8	RIGHT					CTED				RIGHT				CTED					RIGHT		

	Ž	COMPLIANT		TYPE	i	NE 4				COMPLIANT	7	,	TVDE	N.	RAMP 3			ΥN	COMPLIANT	7	TYPE	Ì	WN	RAMP 2			COMPLIANT			TYPE	Z X	RAMP 1		SOB-CO	CONTRACTOR	CONTRACT NO.
Compliance Form FIXED 4-07.xts	70000	BEMARKS	LENGTH			ξ.	TYPE	STREET		HEMAUX	LENGTH				SL	JAbel 6	2	REMARKS		LENGTH				St L	STREET		HEMARKS	LENGIH				SF.	П	SUB-CONTRACTOR	CTOR	CT NO.
FIXED 4-07.xls			HIDIM			ř	TYPE B AND E	STREET LANDING			HIGIM				×	TYPE BAND E				WIDTH				-	STREET LANDING		Ĭ	HTGIW		T		×				200
			LENGTH			<u>5</u>	ALL OTH	COUNTE			LENGTH WIDTH			_	SL	ALL OTH				LENGTH			í	S S	COUNT			LENGTH	_			SI.	ALL OT	COUNT	ĺ	_ !!!!
			MIDIM			¥	ALL OTHER TYPES	COUNTER SLOPE			HIGIM				۲	ALL OTHER TYPES		ļ		WIDTH			ì	SL XI	COUNTER SLOPE			HIGIM	_			ΧĽ	ALL OTHER TYPES	COUNTER SLOPE	20.5	>\U
		Y/N LIP	AVG	BOT/RT		100		1		Y/N/	COMPLIANT	BOT/RT	MED	TOP/LT		•			Ϋ́N Ψ	COMPLIAN	BOT/RT	MID	TOP/IT				Y/N	COMPLIANT	AVG	MID	TOP/LT		<u> </u>			02-2661
	į		LENGTH			ST.		STREE		5	LENGTH	2	· \ _ \	9.2	ਨ	STREE			ر کر کا	TENGTH		4,3	7 L	Δ	STREE			T LENGTH				SL		SIRE		92
		_	HIDIW			×		STREET RAMP		(,	HIDIM	=	0	20	۲Ļ	STREET RAMP		<u> </u>	5	HIGIW	0,3	0	O ≱	≤	STREET RAMP			WIDTH				¥		STREE RAMP	<u> </u>	
		[HIEDNAT			SL		0		ι,	LENGTH	7.0		0.9	SL	IQPL			2	LENGIH	. –	_	ر کا اد	2	1901			LENGTH				SL	2	ח	URB RAM	5
		:	ELUM			×		TOP L'ANDING		u^{\prime}	WIDTH	E	1,2	1,1	¥	TOP LANDING			22	WIDTH	E	0 -	` ×	<u> </u>	TOP LANDING			HIGIW				Ϋ́	- CAINDING	CONC	CURB RAMPS TO BE INSPECTED WITHIN 72-H	CURB RAMP COMPLIANCE FOR
	i	FEINGILL	FNGTH			SE				(6,1'	LENGTH	0,	-	1.1	SL	HL 1437		0.6	e P	FNGTH	7.7	<u>ب</u> د ک	7. [.	2	11 1431			LENGTH				SF		CONCRETE PLACEMENT	INSPECTE	COMP
		\$ 0.0	8			۲		THANSTON		6)	WIDTH	ر. 0	0.7	9,0	Ϋ́	LEFT TRANSITION		6	_	WENT	0,1	2,6	À		LEFT TRANSITION			WIDTH				X	HANSIION	CEMENT	MITHIN	JANCE F
		FENGIN				SL	[LENGTH	7	1	,	SL	711437				TENGT .	7	1	<u>S</u>	!	1431			LENGTH				SL	[H-1]		72-HOURS OF	ÖRM
		WOIT				ΧL	TADII4G	ANIANA MARINA			HIGIM	1	Z	, ,	×	EFT LANDING			10101	Т	7	*	×		EFT LANDING			HIGIM				¥	LEFT LANDING		ñ	
	Dect Warn	FENGIH				TS	1000	Dace see all	Doort Wassa		LENGTH			/	<u>S</u>	RIGHT TE	Dect Warn	4.9	/ 2 L			2/	2		RIGHT T	Dect Warn		LENGTH				ST	RIGHTT	DATE APPROV	ABBBOVED	STREET
	Ϋ́ N	WILL				¥	HANGI ION				HIDIM				ř	RIGHT TRANSITION	Ş	<u>}</u>	\ 		1,0	9,5	×		RIGHT THANSITION	Y/N	,	HIGIW				×	RIGHT TRANSITION	DATE APPROVED	S RV	j-jenc
	Back Curbs	LENGTH				SL	LIGHT F	Dack Curbs			LENGTH			/	S	HIGHT	Back Curbs		LENG1H	-		7	SI.		RIGHT	Back Curbs	-	LENGTH				န	11		53	_
		WIDTH				Χ̈́	ANDING	こス			HIGIM				×	ANDING	=		WIDIH	•		7	×		RIGHT LANDING			WIDTH				×	RIGHT LANDING		k	
	DAIL	LENGTH	ON CORB	SLOPE	i				DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	2	i			DATE	LENGTH		ON CURB	SLOPE		1			DATE	XSTREET
	CONSTRUCTED				LEFT		Curb Height		DATE CONSTRUCTED					LEFT	odio i reigin	FLARES		CONSTRUCTED				LEFT		Curb Height		DATE CONSTRUCTED				1	EFT	Cura Height	FLARES		1	6.2
	CIED				HIGHT				CIED					RIGHT				CIED				RIGHT				OCIED					RIGHT	=				7 401

	Y/N REMARKS	Ř	LENGTH	BAAL		SW C	T	STREE		Y/N REMARKS	COMPLIANT	LENGTH			П	RAMP 7 SL	HEN IS		Y/N REMARKS	Ž	LENGTH	TYPE	1	RAMP 6 SL	TYPE	STREE	YN	Å.	LENGTH	77		OF OF	
	ώ		HTDIW H			>	YPEB AND E	STREET LANDING		S		HTGIW 1				×	TYPE R AND F		(cr		WIDTH			×Γ	TYPE B AND E	STREET LANDING	C.		HTOIW	_		ř	
			LENGTH \			٢	ALL OTHER TYPES	COUNTER SLOPE				LENGTH V				SL	ALL OTHER TYPES				LENGTH V			SL	ALL OTHER TYPES	COUNTER SLOPE			LENGTH W			<u>r</u>	2
		\ \	WIDTH COMP	BOT/RT	s	10 10	YPES	HOPE			≺ ⊢	WIDTH COMPLIANT	A C	M	\dashv	Ϋ́	LOFE				WIDTH COMPLIANT	BOT/RT AVG	<u>s</u>	XL TOP/IT	TYPES	LOPE		Y/7	WIDTH COMPLIANT	AVG	MID	×-	
		¥	ᆿ	AVG	MID	TOP/LT	T	S			Y/N ∏P	-	AVG	MID	TOP/LT		C.			Y/N F	\boldsymbol{T}	/G TRT	MD :	\dagger		ι.		Y/N	_	<u>ਨੇ ਸ਼</u>		t	
			LENGTH W			, P	╁	STREET RAMP				LENGTH WI			\dashv	<u>S</u>	STREET RAMP				LENGTH WI			SE		STREET RAMP			LENGTH WI			\ <u>\range</u>	
i	į		WIDTH LE			}	╁	MP .				WIDTH LE	-		+	×	+				WIDTH LEI	-		×	+	+			WIDTH LEN	-		×	•
			LENGTH W			ğ	╁	TOP LANDING				LENGTH W			+	8	TOP LANDING				LENGTH W			SL		TOP LANDING			LENGTH W			<u> </u>	
			WIDTH LE			}	╀	Ц				WIDTH LE				×	+				WIDTH LEI			¥	4	4			WIDTH LEI				
			LENGTH W			ŗ	1	LEFT TRANSITION				LENGTH W	1		\dashv	2	LEFT TRANSITION				LENGTH W	-		Ţ.		LEFT TRANSITION			LENGTH W			<u>S</u>	
		_	WIDTH LE			7		Н				WIDTH LE	<u> </u>		-	<u>*</u>	+	1			HIDIM	-		ĭ	7	1			HTGIW			ř	
			LENGTH V			ŗ	2	LEFT LANDING				LENGTH V				S	LEFT LANDING				LENGTH W	_		SL		LEFT LANDING			LENGTH W			<u> </u>	
	De		WIDTH L			}	<u> </u>	Ц	D			U HTGIW				* -	<u> </u>	<u> </u>	7		WIDTH LI			×	4		Dec		WIDTH LE			 -	
	Dect Warn		LENGTH			Ÿ.	, 	RIGHT TRANSITION	Dect Warn			LENGTH				2	RIGHT TRANSITION	Decr Mail	2 €		LENGTH			SI		Ŗ	Dect Warn		LENGTH			<u> </u>	
	Y/N B		HTDIW			ř		NOITIEN	Y/N.			WIDTH				×	NOITIE		<u> </u>		HTOIW			ř		_	Y/N B		WIDTH L	_		ř	
	Back Curbs		LENGTH			ς.		RIGHT LANDING	Back Curbs			LENGTH				S	RIGHT LANDING	Dack Outba	ack Cinhs		LENGTH	:		SL		RIGHT LANDING	Back Curbs		LENGTH			٢	
			HTGIW			ř		NDING				WIDTH				×	NDING		_		WIDTH			×		NDING.	_		HTGIW			ř	
	DATE	LENGTH		ON CURB,	SLOPE					DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH		ON CURB	SLOPE				DATE	LENGTH		ON CURB	SLOPE		
	DATE CONSTRUCTED					Lear	Curb Height	FLARES		DATE CONSTRUCTED					THELT	Caro	FLARES		DATE CONSTRUCTED		•		<u>.</u>		Curb Height	FLARES	DATE CONSTRUCTED				-		
	JCTED					RIGHT	_			JCTED					RIGHT				JCTED					THENE			CTED				1101	7	

	N/N	COMPLIANT			TYPE	2	RAMP 4			ΥN	COMPLIANT		TYPE		M N	RAMP 3			Ϋ́N	COMPLIANT		TYPE		WN	RAMP 2			Ϋ́N	COMPLIANT		TYPE		WN	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance For	REMARKS		LENGTH				SF.	TYPE	72 H	REMARKS		LENGTH	•			. SL	34A1		HEMAHKS		LENGTH	•			SL	JAKI.	Q100	REMARKS		LENGTH				SL	TYPE	TRACTOF	TOR	T NO.
Compliance Form FIXED 4-07.xls	0,		HIGIM				×	TYPE B AND E	STREET ANDING	Ų.		WIDTH				ΧĽ	TYPE B AND E		u,		WIDTH	·			۲	TYPE B AND E) ·			WIDTH			·	¥	TYPE B AND E	X	7. 0 V	172
			LENGTH				2	H	-			LENGTH				SL	ALL OT				LENGTH	•			SL	ALL OT		•		LENGTH				SL	ALL OT	1 1	-	
			HIGIM				×	ALL OTHER TYPES	COUNTERSTORE			HIGIW			•	¥	ALL OTHER TYPES				HIGIM			•	ΧĽ	ALL OTHER TYPES	(2)			WIDTH				×	ALL OTHER TYPES		12 × 0 × 1	
		Y/N LIP	넑	AVG	MID CIIM	TOP/LT	T	<u>[[] </u>		•	Y/N	ş,	вот/нт	MID	TOP/LT			٠.		Y/N F	밁	BOT/RT	MID	TOP/LT		104	74.5		Y/N	8	BOT/RT	MID	TOP/LT		<u> </u>			
		Ī	NT LENGTH	-	1		SL	0	2		_1	NT LENGTH			1	SL	or E			<u> </u>	NT LENGTH	-			SL	0	×	•	1 36	NT LENGTH	3	1 1/2		SL	O H			
			H WIDTH				×					H WIDTH				χ	SIREE! RAMP				н WIDTH	-			Χ̈́L	O DEEL DAME	1.7	,	<u>.</u>	H WIDTH	0,0	`	, ان ر	×	HAMP			ᅦ
	ŀ	:	H LENGTH			-	<u>S</u>	\dashv				H LENGTH				S.	10				H LENGTH				SL	Ş	× riv		7,	LENGTH	G		0.2	SL	Ē		CURB RAI	Ω
			HT WIDTH				×					H WIDTH		·		×	TOP LANDING				H WIDIH				χĽ	LANDING	`/,`S	ر د	17	HTOW H	0.2		3	۲		CO	MPS TO B	JRB RAI
	-		H LENGTH				SL					H LENGTH				SL					H LENGTH				SL	LE7-			9:4	H LENGTH	3.2		با.د <u>ا</u>	SL	F	CONCRETE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HOLDS OF	CURB RAMP COMPLIANCE FORM
	-		HIGIW HI				×	- ANSI ION				HIGIW HI			\dashv	<u>خ</u>	LEFT TRANSITION				TH WIDTH	 			×	LEFT TRANSITION			4 4	HI WIDTH	\bot	\vdash	1,01	ΧĹ	LEFT THANSITION	ACEMEN	HTIW CHI	PLIANCE
	-		Ē				SI	F				E	\vdash		-	<u>S</u> L	\top				<u>-</u>				SI	F				E	1			SL	+	7	10H-67 NI	FORM
	ŀ		GIH WIDTH	+		-	×	T LANDING				GTH WIDTH			-	×	LEFT LANDING				GTH WIDTH		!		×	F I LANDING				GTH WIDTH			,	×	LEFT LANDING		HS OF	
Dect Warn	+		TH LENGTH	+			H	\perp	ļ.,		•	+			-	+	Щ	Dect Warn	<u> </u>		_				-	4				-			/	SL.	\bot		APPI	STREET
1	ŀ		_	<u> </u>			SL	RIGHT TRANSITION	, Talli	ŀ		LENGTH WI			\dashv	SL	HIGHT TRANSITION		ı		LENGTH WI				SL	HIGHT THANSITION	Varn (Y	ı	-	LENGTH WI	$\frac{1}{2}$			-	RIGHT TRANSITION	DATE APPROVED	APPROVED BY	-1
Y/N Back	1	_	MIDTH LE		_		Ϋ́	+	20	Ц	_	WIDIN LE			+	ž	┪	Y / N Back			міртн ге	-			ř	+				WIDTH LEG	$\frac{1}{}$			<u> </u>	十	ED .	+	Genne S5
Back Curbs	-	_	LENGTH W				SL	HIGH I LANDING	Back Curbs			LENGTH W			+	SL	RIGHT LANDING	Back Curbs			LENGTH W			╢	JS.	HIGHT LANDING				LENGTH W	$\downarrow \rangle$			SL	RIGHT LANDING		600 F	Å
	+		HTGIW	9	(0		ř	J NG				HIGIW	g	(c)	-	×	DING		_		HIOIM	ð	(n		¥	JING	7		E	MIDIM	9	<u>ا</u> ا		ř	DING			
	DAIECC	LENGTH	-	ON CURB	SLOPE			일 -		DATEC	LENGTH	_	ON CURB	SLOPE	\Box		Cu		DATEC	LENGTH		ON CURB	SLOPE			Cil T		DATEC	LENGTH		ON CURB	SLOPE			CII		DATE	H
	CONSTRUCTED		-			LEFT		FLARES Curb Height		DATE CONSTRUCTED		-			EFT	,	FLARES		DATE CONSTRUCTED		_			LEFT		FLARES Curb Height		DATE CONSTRUCTED	2					0	FLARES			6:43
.	E					RIGHT				Ē				1	RIGHT		1							RIGHT				GEI.	2.5		(C,)	`\	RIGHT					

		COMPLIANT Y/N		TYPE		RAMP 8			7/2	AN T		TYPE		WS	DAMD 7			Y/N	AN		JAYI	SE	RAMP 6			Ϋ́N	COMPLIANT		-	HQ4	SE	RAMP 5	
		REWARKS	LENGTH			JS	TYPE B AND E	STREET	HEMAHKS		LENGTH			2		STREET LANDING		HEMAKKS	-	LENGTH			SL	TYPE B AND E	OTDITT	REMARKS		LENGTH	-	I		<u>S</u>	STREET LANDING
			HTDIW			X	₩	ONICIA			WIDTH			}	71/0	ANDING				HTGIW		į	¥	AND E				HTGIW				¥,	ANDING AND F
		ļ 	LENGTH			22	ALL OTHER TYPES				LENGTH	·		Ļ	ALL OTHER TYPES	COUNTER SLOPE				LENGTH		į	SL	ALL OTHER TYPES				LENGTH				SL XL	COUNTER SLOPE
			WIDTH			¥	TYPES	2			WIDTH			۲	X - Y THUS	SLOPE				WIDTH			ΧĽ	TYPES				WIDTH				Ϋ́	STOPE STOPE
		Y/N 등	Ă,	BOT/RT	<u> </u>					Y / N	ᆿ.	AVG	MID I	109/1	•					ᆿ	BOT/RT	MID I					∀ /2	TINA	AVG	MID	TOP/LT		
			LENGTH			SL	SIREEI KAMP				LENGTH			S		STREET RAMP				LENGTH			SL	STREET RAMP				LENGTH	_			S	STREET RAMP
			WIDTH I			×	HAMP			\vdash	WIDTH			ř		RAMP			-	WIDTH			×	RAMP				HTGIW				Ä	RAMP
			LENGTH			SL	TOP LANDING			1	LENGTH		ŀ	ည		TOP LANDING			-	LENGTH			SL	TOP LANDING				LENGTH				S	TOP LANDING
			нтам			×	+				I HTGIW			×		DING				WIDTH			×	\downarrow				HTDIW				×	\sqcup
			LENGTH			SL	LEFT TRANSITION			1	LENGTH			SL		LEFT TRANSITION				LENGTH			SI	LEFT TRANSITION				LENGTH				S	LEFT TRANSITION
			WIDTH			×	SITION			_	HTGIW		_	X		NOITIE				HTGIW			Ă	ISITION				MIDIH 1			ì	×	NOITISI
			LENGTH			SL	LEFT LAN				LENGTH			SL		LEFT LAN				LENGTH			2	LEFT LAN				LENGTH			ļ	<u>n</u>	LEFT LAN
	7		WIDTH L			×	LANDING F			-+	WIDTH L			×		LANDING F	De			HTOIW			×	LANDING				WIDTH L			Ì	1	LANDING F
ľ	Dect Warn		LENGTH			Z.	RIGHT TRANSITION	Dect Warn			LENGTH			2		RIGHT TRANSITION	Dect Warn	ŀ		HTGINH			န	RIGHT TRANSITION	Dect Wam			LENGTH			ļ	2	RIGHT TRANSITION
L	✓ / Z Be		H1diM			×	Ħ	Y/N Ba	_	-	HTGIW			×		NOITIE	Y/N Ba		-	WIDTH -		\prod	<u> </u>	ISITION	Y/N Ba			WIDTH			}	<u> </u>	NOLLIS
	Back Curbs	⊢	LENGTH			2	RIGHT LANDING	Back Curbs			HTGNA		1	2		RIGHT LANDING	Back Curbs		-	FNOTH		 	<u>s</u>	RIGHT LANDING	Back Curbs	-		LENGTH			F	2	RIGHT LANDING
L	Т	\vdash	HTDIW			×	DING				HTCIW			×		DING				MIDTU	<u> </u>	Щ	× -	DING		\downarrow		WIDTH			 -		IDING
	DATE C	LENGTH	\perp	SLOPE ON CURB	Н	2			DATE CO	LENGTH	-	ON CURB	2 2 2 2 3 2 4 3 4 4 4 4 4 4 4 4 4 4 4 4		ဥ			DATEC	LENGTH	-	ON CURB	Τĺ	2			DATEC	LENGTH		ON CURB	SLOPE		C	
	DATE CONSTRUCTED				TEFT	Culo neight	FLARES		DATE CONSTRUCTED						Curb Height	FLARES		DATE CONSTRUCTED				LEFT I	Curb Height	FLARES		DATE CONSTRUCTED				+		Curb Height	FLARES
	Cali	1			RIGHT				TED			-	RGET					ΉED				RIGHT				TED					HIGHT HIGHT		

	7/2	COMPLIANT	(3441	i	Z M	RAMP 4			Y/N	COMPLIANT		- 4 T	TVD	Z	KANIT 3				N/V	COMPLIANT	0	TYPE		AN	RAMP 2			Y/N	COMPLIANT	9	TYPE		NW.	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance F			LENGTH		†		Т	Π	STREE		REMARKS	<u> </u>	LENGTH				T _g	T	STREE		REMARKS		LENGTH	- I			SL	SIKEE		REMARKS		LENGTH		•	1	SL [STREET	TRACTOR	TOR	T NO.
Compliance Form FIXED 4-07.xls	ΰ	<u></u>	HIGIM					×	STREET LANDING		S		HIGIM				†	<u> </u>	STREET LANDING				HIGIM				ΧĽ	TYPE B AND E		7		WiDiH			1	×	STREET LANDING	178.	2070	j
xls			1 LENGIH				1	-SI	+	1	ŀ		LENGTH				Į.	<u>n</u>	+				LENGTH		- · -		SL	₩	┨			LENGTH	•		1	SL SI	COUNT	l lr	1	2-20
		-	HIGIW H					×	ALL OTHER TYPES		}		H10!W				- -	×	COUNTER TYPES				HIGIW				×	ALL OTHER TYPES				WIDTH				<u>ا</u> ک	COUNTER SLOPE	3	11 5 Vive	1 1
		Y ()	H COMPLIAN	_	BOT/RT	M.	TOP/LT		io in			×/∠ \	<u>'a</u>	A 10	ROT/E		1		9 ''			Y/V	18	BOT/RT	MID	TOP/LT	_	0,1			Y/N	<u>٥</u> ,	BOT/RT	MiD	TOP/LT					;
		H	ANT LENGTH		겍		┪	SL	S.		ŀ		INT LENGTH	=	7	-	T	2	STR			۲	NT LENGTH			<u>Т</u>	TS.	0	2			VI LENGTH	5.5	1	一	<u>S</u> 1	STRE			
			HTQIW HT	\vdash	1		-	۲̈	SIHEEI HAMP				HIGIW H	_ -	1		}	×	STREET RAMP				HIGIM H	_			×	O I DELL DAMI	E BANG			HIGIM			<u>ु</u>	¥	STREET RAMP			-
		\vdash	TH LENGTH	\vdash			_	SL		$\frac{1}{2}$			H LENGTH	_				zo.	101				LENGTH		-		25	į				LENGTH	- - 2	G	· _	SL.	105		CURB RAMPS TO BE INSPECTED WITHIN 72-HOU	2
			TH WIDTH					×	JOP LANDING				HIGIM HI	+	-	+	<u> </u>	×	TOP LANDING				H WIDTH		-		¥		ANIDINA			HWIDTH	0,		<u>୍</u> ଜ	×	TOP LANDING	CON	PS TO BE	CURB RAMP COMPLIANCE FORM
			TH LENGTH	\vdash	-			SL	+	-			H LENGIH	1			-	<u>S</u>	_			_	H LENGTH				-IS	 - -				LENGTH	- 1.5	-		SL	F	CONCRETE PLACEMENT	INSPECT	P COMP
		-	HIGIM HIS					ΧL	LEFT	TEANIELL			H WIDTH			1	╁	×	LEFT THANSITION				HIGIM HI			-	×					HTGIW H		\ <u>`</u>	1,0	×	HANSITION	ACEMENT	ED WITHII	LIANCE
			Ę					_ SL		1			亅		-	<u> </u>	+	18	T	1		_		-		-	-SE					LENG	7	V	\dashv	SL	Ę		N 72-HOUI	FORM
		\vdash	GIH	ľ				L XI	- <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>				IGTH WIDTH	_			-	×	LEFT LANDING			-	HIGIM HIS		-		¥		FT I ANDING		 	HI WIDTH	ŧ			¥	LANDING	ANISARIA	RS OF	
	Dect Warn	-	WIDIH	-				H	1	Dect water			TH LENGTH	_	-		+	SL	_	┞	Dect Wam		TH LENGTH		+		SL	₩	┨-,	Dect Wam		H LENGTH	\		/	SL	4	ļ_,	APPR(STREET
	$ _{\sim} $	\vdash	LENGIH					SL				_	_			$\frac{1}{1}$	+	×	RIGHT I RANSITION	(lam (Y/N)	,	HIGIM HIE				ř		₩.			HIGIM HI		$\left\langle \cdot \right\rangle$		XL	HIGH! I DANSI I ON	DATE APPROVED	APPROVED BY	
	Y/N Back		WIDTH	-				Ϋ́		Į,			WIDTH LEN		-		+	_	╁	✝	N) Back Curbs		TH LENGTH			-	SL	$\dagger \dagger$	1	N Back Curbs	<u> </u>	TENGTH	1		\ /	SL				Corman C
	Back Curbs	F	LEING11	┪┈		_		SL			Back Curbs . \		LENGTH WI	-	-	<u> </u>	\dashv	SL >		2	_	-	_	\vdash		/	×		RIGHT LANDING			HIGIM HIE		+		۲		PICHT ANDING	1	7
	7 T	_	E F		9	ङ		Ϋ́			T		WIDTH		9	<u>γ</u>	_	¥	Ī		₹ 		MID IT	_	S 5	<u> </u>			ล์ ^\	Ŧ	_	4	ONCOR	SLOPE						X STREET
		DATE CO	LENGTH	<u> </u>	ON CURB	SLOPE	I-		Curt	굄	DATE CONSTRUCTED	_	LENGTH		ON CURB	SLOPE			Curb			DATE CONSTRUCTED	LENGTH		ON CHER	Т		Curb				LENGTH	<u> </u>))	LEFT		Curb Height	FLARES		
		DATE CONSTRUCTED		-			LEFT RIGHT		Curb Height	FLARES	Nothori					-	LEFT RIGHT		Curb Height	E VDES		ISTRUCTE		_		LEFT RIGHT	-	Curb Height	FLARES		CONSTRUCTED		_		FT RIGHT		leight			6

																		f	
			Back Curbs	۲/ <u>۷</u>	Dect Warn														
DATE CONSTRUCTED	DATEC																έ		
	LENGTH													٨/٧				T REMARKS	COMPLIANT
		MIDTH	LENGTH	HIDIM	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	g	HTDIW	LENGTH	HTQIW	LENGTH	
	ON CURB									 				BOT/RT					- Y
LEFT RIGHT	SI OBE													MID					
i i		×	SL	×	<u>S</u>	X	JS	×	SL	×	2	×	S.	100/	ř	Ų.	}	5	MS .
FLARES Curb Height		HIGHT LANDING	HIGHT	HIGHT TRANSFITON	night) IT	- MINDING									ALL OTHER TYPES	lack	TYPE BAND E	$\overline{}$	RAMP 8
				ANDITION		ANIDING		TRANSITION	155770	TOP LANDING	- TOP-	STREET RAMP	STRE		COUNTER SLOPE	┥	ET LANDING	STRE	
DATE CONSTRUCTED	DATEC		Back Curbs	Y/N	Dect Warn														
	LENGTH													Υ/Ν			δ <u></u>	REMARKS	COMPLIANT Y/N
		WIDTH	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTDIW	LENGTH	HIGIM	TENGTH	COMPLIANT	HTGIW	LENGTH	HTGIW	LENGTH	<u> </u>
	ON CURB													AVG		-	_		-
LET HIGH	SLOPE													MID					TVDC
		×	SL	X	TS	ΧĽ	JS	×	<u>SL</u>	×	<u>g</u>	ř	يار ا	TOP/LT	}	f	ì	Т	WS
Curb Height										 			Ī		ALL OTHER TIPES	2 1	4 V	T	RAMP 7
FLARES		RIGHT LANDING	RIGHT	RIGHT TRANSITION	RIGHT TF	TLANDING	11437	LEFT TRANSITION	LEFT TE	TOP LANDING	1OP	STREET RAMP	STRE	1	COUNTER SLOPE	+	TYPE B AND E	STRE	
			Back Curbs	Y/N	Dect Wam											!			
DATE CONSTRUCTED	DATE						Ī										S	REMARKS	Ϋ́N
	LENGTH	1	[Y/N - LIP					COMPLIANT
-		WIDTH	ENGTH	HTGIW	HENGTH	HIGIW	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTDIW	1 LENGTH	COMPLIANT	HTGIW H	LENGTH	HTQIW H	LENGTH	
	SLOPE ON CURB													BOT/RI				1	3441
LEFT RIGHT		ì												TOP/LT					<u>u</u>
Curb Height		×	S	×	2	† 	<u>S</u>	<u>+</u>	2	 	<u>S</u>	¥	<u>S</u>	Н	ΧĽ	SL	¥	П	RAMP 6
FLARES		RIGHT LANDING	RIGHT	RIGHT TRANSITION	RIGHTT	TLANDING		LEFT TRANSITION		LANDING	Į.	OTHER HAMP	OHE	<u> </u>	ALL OTHER TYPES	+	TYPE B AND E	7	
			Back Curbs	Y/N	Dect Warn										TED SI OBE	-	STREET I ANDING	STRE	
DATE CONSTRUCTED	DATE																8	HEIVAHAS	N/A
	LENGTH											<u> </u>	ľ	` Y/N	-			_	COMPLIANT
		WIDTH	LENGTH	WIDTH	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTGIW	LENGTH	HTDIW	TENGTH	8	HTGIM H	LENGTH	HTDTH	LENGTH	
	ON CURB													BOT/RT AVG	\vdash	<u> </u>	_		1YPE
TEFT RIGHT	-140 15							+	-		\dagger			MID F					
		ΧĽ	SL	Ϋ́	SL	χĽ	SL	¥	2	ř	ß	┟	۲	170/		٩	È	T	SE
Curb Height			T								 -		2	100	ALL OTHER TYPES	ALL O	SI AND E	Т	AAMP 5
FLARES		RIGHT LANDING	7	RIGHT TRANSITION	RIGHTTI	TLANDING	LEFT	LEFT TRANSITION	LEFTTI	TOP LANDING	10P	STREET RAMP	STRE		COUNTER SLOPE	Н	STREET LANDING	STRE	i

	Νχ	COMPLIANT			!	N E	RAMP 4			N/A	COMPLIANT		3dA.1.		Z.	RAMP 3			ΥN	COMPLIANT		TYPE		W.N.	RAMP 2			_	COMPLIANT		TYPE		WW	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.	
Compliance Fo	REMARKS		LENGTH				SL	34AL		REMARKS	•	LENGTH	•			SL	STREET		HEMARKS		LENGTH				SL	JAH	e IBEE	REMARKS	·	LENGIH				JS.	TYPEE	RACTOR	HOI	T NO.	
Compliance Form FIXED 4-07.xls	S		HIGIM				¥	TYPE B AND E		1		WIDTH				×	STREET LANDING	-	3,	-	HIDIW				ΧL	TYPE B AND E	ANIDA			WIDTH				¥	TYPE B AND E	RACTOR ANDING	W 21	7020	
S			LENGTH				SI.	₩	1	-		_				SL	一一	ĺ		·	LENGTH				SL	ALL OTH	2018			LENGTH				JS.	ALC OTH	COLINI	EMO-TOM S	1.1	
			4 WIDTH				×	ALL OTHER TYPES		ŀ	•	LENGTH WIDTH				¥	ALL OTHER TYPES				WIDTH				ΧL	ALL OTHER TYPES				HIGIW				Ϋ́	ALL OTHER TYPES	COUNTER SLOPE	5100	1 50 W W	
		Y/N =	엉	AVG	MID	TOP/LT		[₀]		ŀ	۷/۷ ال	Ş,	вот/ят	MID	TOP/LT		<u>1</u>			√/ _N =	8	BOT/RT	MID	TOP/LT				ľ	√/N F	AVG	BOT/RT	MID	TOP/LT						
		 	NT LENGTH		1		JS.	9				NT LENGTH			7	SL	STRE				LENGTH		<u>' </u>		SL	9	2			TLENGTH				JS	(S			
			HI WIDTH	_			ΧĽ	- 15	CHOCK DAMP			HIGIM				ᄼ	STREET RAMP			_	HIGIW				ΧL	0	ETBAMP	İ	-	WIDTH				¥		STREE RAMP	ဂ		1
			1 LENGTH				SL	ğ	100			LENGTH				S.	TOP				LENGTH				ZI.	Ġ	100			LENGTH	-			SL		OP	URB RAM	5	2
			н міртн			-	×			ŀ	_	HIGIW	-			¥	TOP LANDING				HIDIM				ΧL		OP ANTING			HIDIW				Χľ		TOP LANDING	PS TO BE	CURB RAMP COMPLIANCE FORM	֓֝֝֝֜֝֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡
			1 LENGTH				SL	[]			·	LENGTH	-			SL	[EF1]				LENGTH		+-		SL	ļ		ľ		LENGTH				SL		CONCRETE PLACEMENT	INSPECTE	COMP	2
			HIGIW H				¥		NOTE THANKS TO A			HIDIM				Ϋ́	LEFT TRANSITION			_	HIGIN				ΧĽ		TEET TRANSITION			WIDTH				×		LEFT TRANSITION	D WITHIN	IANCE	5
			冒				SL SL	-				HENGTH				SL	E				LENGTH				SL	ĺ				LENGTH				\ SL		LEFT	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	OHM	֖֖֖֖֭֭֭֭֭֝֝֝֝֝֝֝֝֝֓֓֓
			стн фіртн	- -			¥					HIGIW				ΧĽ	FT LANDING				HIGIM 1		-	-	Ϋ́		-T I ANDING			HTCIW	_			¥		TLANDING	SOF		
	Dect Warn		H LENGTH				<u>S</u> L		RIGHT	Dect Warn		LENGTH				SL	RIGHT		Dect Warn		LENGTH			-	SL		Dect Wam		_	LENGTH				SL		HIGH I	APPROVED BY	INSPECTOR	7-11-1
	m Y/N		HIGIM H	+			×		B	n / Y/N		H WIDTH				ΧL	RIGHT TRANSITION		٦ ۲/۲	<u>-</u>	HIGIN				¥		Dect Warm Y / N	. :		HIGIW				ΧL	į	HIGHT TRANSITION	ED BY	TOR TON	7
	Back Curbs		HENGTH				SL	H	ļ	Back Curbs		LENGTH				SL	т		Back Curbs		LENGTH		-	:	SL	П	Ба				-			SL	Ħ	T	-	1143.74 143.74	*
	Ós		H WIDTH	+			ř		RIGHT I ANDING	ds.		H WIDTH				ΧL	RIGHT LANDING		ÿ,		HIGIM		-		¥		ck Curbs			LENGTH WIDTH				ΧĽ		RIGHT LANDING		F	
	DAIE		H ENGTH		ON CLIBE STONE	 2 2				UΑ		I I I I I I I I I I I I I I I I I I I	ON CURB	SLOPE			-		UA.	[HTGNATH	ON CORB	STOPE STOPE	2				DAIE	LENGIH	┯	ON CURB	SLOPE			H			DATE	3-10±0 A
	I E CONS		Î	6	<u> </u>			Curb Height	FLARES	DATE CONSTRUCTED		<u> </u>	8	111	LEFT		Curb Height		DATE CONSTRUCTED			<u> </u>	<u>''</u>			Curb Height	FLARES						LEFT		Curb Heigh	FLARES		W.365	
	CONSTRUCTED					RIGHT	-	ight	is a	HUCTED			_		RIGHT		ght		חטכובט	-			•	RIGHT		JM.		CONSTRUCTED		+			RIGHT		ī			67	\$

	Щ	COMPLIANT	7	SW	RAMP 8			COMPLIANT Y/N	٦	>	TYPE	WS	RAMP 7			Ϋ́N	COMPLIANT		TYPE		RAMP 6			1/1/	COMPLIANT		1456		S IIS	
		-	LENGTH		SL	TYPE B AND F	C	REMARKS	1	1			SE	TYPE B AND E		REMARKS		LENGTH			SL	TYPE B AND E	STREET LANDING	DEMARKS	DEMARKS	LENGTH	—		۲	TYPE B AND E
	:		HIDIW		т		COLD.		2	4—			×	ANDING AND E				WIDTH			ř	AND E	ANDING			WIDTH			ř	₽
		+ +	LENGTH		SE	ALL OTHER TYPES	7	<u> </u>	רבואמ	1			75	ALL OTHER TYPES		i		LENGTH			SL	ALL OTHER TYPES	COLINITER SI OPE			LENGTH			Ϋ́	ALL OTHER TYPES
			HIDIM		₩	STOPE	٤		Į.				¥	SLOPE	:			WIDTH			×	TYPES	ZI OPE		ļ 	HTGIW		Ļ	ř	TYPES
-			BOT/RT AVG	MID.			Walk:	Y/N	EIP	_	BOT/RT	TOP/LT					Y/N LP	Ž	BOT/HT		100%	_			Y/N	Ä	BOT/RT AVG	MiD		
			HENGTH 8	5.0	SL	STREET RAMP	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		LENGIH	•	, ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	, <u>, ,</u>	<u>S</u>	STREET RAMP				LENGTH			SL		CTOCCT		ļ 	LENGTH			2	C I I I I I I I I I I I I I I I I I I I
		} 	PIUM Q', J	1	X	RAMP	W X	,	MIDIM	-	<u>, c</u>	1 7	ř	RAMP			-	HTGIW			ř	TANKIT	DAMB			WIDTH			×	a to divisi
			ρ. Υ. Ο. Υ	1.0	SL	TOP LANDING	×	.	LENGTH	 	20	(C)	S	TOP LANDING				LENGTH			75	TOP LANDING	700			LENGTH			SL	
			╉╶┼┈╏	1,2	×	DING	(h)		WIDTH	┅	┿		<u> </u>	Н				WIDTH			×	+				WIDTH			×	_
			1 \ \ /	4	SL	LEFT TRANSITION			LENGTH	\vdash	,, ,,	72	2	LEFT TRANSITION				LENGTH			<u>S</u>	LEFT HANSITION				LENGTH			SI	- IRANSIIION
ĺ		1	┩┈┼┼		¥	ISITION			WIDTH		0,0	0 1	×	NOITISI				HTGIW			×	N I I I				WIDTH			×	S C C
		H		ر ان ان	SE	LEFT LAN			LENGTH		\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	7 9	22	LEFT LAN			-	LENGTH			SL					LENGTH			SL	
	0	NO H	++	7.0	×	LANDING	0		WIDTH		×		1	LANDING			-	HTGIW		1	×	LANDING	<u> </u>	,		WIDTH			×	LANDING
	Dect Warn	LENGIH	6,3	11.	S	RIGHT TRANSITION	Dect Wam {		LENGTH		/	/ j	ń	RIGHT TRANSITION	Dect Warn			LENGTH		1	SL	RIGHT TRANSITION	Ded warn			LENGTH		-	Ţ.	HIGHT TRANSITION
	N. J.	HIGIN	1 	ρĈ	×	NOITION	(<u></u>		HTGIW	4		\\	1	NOITION	Y/N B	_		HIDIM			×	NSITION	_	_		HTGIW			×	NSITION
	Back Curbs	LENGTH		*	S	RIGHT LANDING	Back Curbs 从		LENGTH	0.7	6.0	0,4		RIGHT LANDING	Back Curbs			LENGTH			SL	RIGHT LANDING	Back Curbs			LENGTH				RIGHT LANDING
	7	WIDTH	1	4	×	NDING	7		WIDTH	7.0	Ш	jų Š	<u> </u>	NDING				WIDTH			ř	NDING				HTGIW			ř	NDING
	DATEC	LENGTH	~	SHOPE	C			DATE	LENGTH	ON CURB	SLOPE		0			DATEC	LENGTH		ON CURB	340 IS				DATEC	LENGTH		ON CURB	SLOPE		
	DATE CONSTRUCTED	64	15	垣	Curb Height	FLARES		DATE CONSTRUCTED					Curb Height	FLARES		DATE CONSTRUCTED				LEFT	Caronicigni	FLARES		DATE CONSTRUCTED				LEFT		FLARES Curb Helant
	STED			RIGHT				ر ا	^}	5		RIGHT			ļ	ZIED				RIGHT				CTED				RIGHT		

	ΥN	COMPLIAN			TYPE	NE NE	RAMP 4			COMPLIAN:			TYPE		M	RAMP 3			Ý.	COMPLIANT		TYPE		WN	RAMP 2			YN	COMPLIAÑT		- 1775	1	AN	RAMP 1		SUB-CON	CONTRACTOR	CONTRACT NO.
Compliance For	REMARKS	<u>1</u>	LENGTH				SL	344 <u>1</u>		 		LENGTH				SL	JAAL FEET		HEMARKS		LENGTH			•	SF	IAAAI	77 121 121 121 121	HEMARKS		TENGTH			•	SL	134AL	SUB-CONTRACTOR	HOTOR	T NAME
Compliance Form FIXED 4-07.xls			HIGIM				×	TYPE B AND E		" -	_	WIDTH				ХL	TYPE B AND E		0.		WIDTH			_	×	TYPE B AND E				WIDTH				۲	TYPE B AND E	፟		7076
	,		LENGTH				오	ALL OTH			_	LENGTH				SL	ALL OTH				LENGTH		1.		SL	ALL OTH				LENGTH				SL	ALL OTH	COUNT	EMOGLESMUN	- 20 - Karm05
5			HIGIW				¥	ALL OTHER TYPES				WIDIH				ΧL	ALL OTHER TYPES				HIDIM				×	ALL OTHER TYPES	100 100 100 100 100 100 100 100 100 100			WIDTH				ΧĽ	ALL OTHER TYPES	COUNTER SLOPE	ζ	05 1
12/4.4		Y/N	읽	AVG	ROT/BT	TOP/LT		<u>l l·.</u>	•	Y/N	\[\frac{1}{2}	AVG COMPLIANT	вот/нт	MID	TOP/LT					۲/۷ ۲/۷	<u></u>	BOT/RT	MID	TOP/LT		<u> </u>			Y/N	COMPLIANT	BOT/HT	MID	TOP/LT					
×	-	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	TENGTH	_	<u>ن</u> د	_	۶	ח			_	TENGTH				SL	S. HE				1 LENGTH				SL	0	200			LENGTH				SL		SHE		
7	ر.	<u>.</u> ر	HIGIM	7	20	200	×	OINEE! HAIVIP			_	WID				¥	SIREEI RAMP			-	HIGIW				Ϋ́	0.115	0			HIGIM				ΧL		STREET RAMP	<u>ب</u>	
1,6 X Y	- 1	\vec{z}	LENGTH	- C	D -	ر ر ا	JS.	Ę		F		LENGTH		,		SL	- CP				LENGTH		ľ		SL	Ģ	100			LENGTH				SL		190	JRB RAMF	2
	7	5	HIGIW	- C	0,6	, C.	¥	I OP LANDING		ľ		WIDIH				ΧĽ	I OP LANDING				WIDTH	-			ΧL	- Cr LANDING	ANIINIA			HIGIM				ΧŁ		CONCE	CURB RAMPS TO BE INSPECTED WITHIN 72-HO	CURB RAMP COMPLIANCE FORM
			LENGTH			7	۶Ł	E E T								SL					LENGTH				SL	<u> </u>				LENGTH				SL		CONCRETE PLACEMENT	NSPECTE	COMPL
-			MIDIH	1	X	1	ř	EEFT TRANSITION			:	LENGTH WIDTH				Ϋ́	LEFT THANSITION				WIDTH				ΧL	- PANSI ION				HIDIM				ΧL		TE PLACEMENT	NIHTIW O	.IANCE F
			LENGTH	,		/	SL	<u></u>			1	LENGTH				SL		1			LENGTH				SL	[27]				LENGTH				St		 EE	72-HOURS OF	ÖRM
		_	HIGIM	/	*	1	¥	LEFT LANDING				WE			Ì	¥	LEFT LANDING				WIDTH	ļ			ΧL	EFT DANDING	A REPORT OF			WIDTH				X		-FI LANDING	Ŷ P	
	⊓ect Warn	5.21	LENGTH	į	10,7	12/2	21	RIGHT	Dect Warn	ĺ		LENGTH				S.	RIGHTT		Dect Warn		LENGTH				SL	חומח	Dect Warn			LENGTH				SL		DATE AP	APPROVED BY	STREET
(₹) ¥	だ	HIGIM) - - -	25	×	RIGHT HANSITION	۲ ۷		_	WID				¥	RIGHT THANSITION		Y / N		WIDTH				ΧL	HANSIION	Y/N			WIDTH				ΧL		DATE APPROVED	ED BY	OR OR O
2,7	Back Curbs		LENGTH	(SL	нын	Back Curbs							SL			Back Curbs		LENGTH				SL	niGH:	Back Curbs			LENGTH		-		SL		HIGHT		ح احد
7	-		HIGIM 1	(† *	1	×	HIGHT LANDING				TENGIH WIDIH				ř	RIGHT LANDING				WIDTH				ΧL	RIGHT LANDING				MIDTH				¥		HIGHT LANDING	ı	アン
	DAIL		4	l	ON CHIRE	2				DATE	LENGTH		ON CURB	SLOPE					DATE	LENGTH	†	ON CURB	SLOPE		٠			DATE	LENG! H		ON CURB	SLOPE	•					X STREET DATE
	DATE CONSTRUCTED	-			<u>د.</u>	LEFT		Curb Height		E CONSTRUCTED	<u></u>		·	Т	LEFT LEFT		FLARES Curb Heigh		: CONSTRUCTED					LEFT		Curb Height		DATE CONSTRUCTED		†			LEFT		Curb Height	F ARES		6,43
	100150					RIGHT		¥				T			RIGHT		τ		OCIED		T	-	•	RIGHT		Ħ		UCIED		1			RIGHT		ř.			Ŝ

	COMPLIANT	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 V 1	RAMP 8			N/A COMILCIAIN	COMBINA)		SW	DAMD 7			Y/N	COMPLIANT		TYPE	Î	RAMP 6			ΝΥ	COMPLIANT		TYPE	S I	RAMP 5	
Cu():	REMARKS	- ENGTH		JS	TYPEE		REMARKS	LENGIH			ې	3 3441	STREET		REMARKS		LENGTH			. TS	TYPEE	CTOCK	REMARKS		LENGTH	-		75	133HIS
-		WIDTL		¥	TYPE B AND E			WIDIH			7	I YPE B AND E	STREET LANDING				HTGIW			ΧĽ	TYPE B AND E				HLDIM			×	STREET LANDING
15	[0]	I DIOTU		SE	ALL OTH			LENGIH			Ğ	ALC JIV	COUNT				LENGTH	-		7S	ALT OTH	COLINITO			LENGTH			ZIS	ALL OTH
	1	-		×	ALL OTHER TYPES			HIGIM			ř	ALL OTHER TYPES	COUNTER SLOPE				HTGIW			X	ALL OTHER TYPES	D 22	ĺ		HIDIM			×	ALL OTHER TYPES
14.26	V/V CDMPLIAN		MID I	╁┵			Y/N	8		MID	10P/LT					Y/N	Я	BOT/RT	MID C	700			-	Λ/Λ ΠΔ	COMPLIANT	BOT/RT AVG	MID	! 	
4x4, 45, x3.4	Ç,	2,7	7. 7. 7.	SL	STREE			LENGTH			SL		STREET RAMP				LENGTH			SL	SIREELHAMP				LENGTH	i		SL	STREET RAMP
1 ×	, T	7	0.5	×	STREET RAMP	:		WIDTH			ř		TRAMP				WIDTH			ΧĽ	HAMP				WIDTH			ΧL	T RAMP
13.5	LENGIH		2.7	SL	TOP L			LENGTH			SL		71 dol				LENGTH			SL	- C				LENGTH			SL	1OP L
	11 HIGIM	٥,۶	0,7	ΧĽ	TOP LANDING		٠	WIDTH			ΧL		TOP LANDING				WIDTH			ΧL	COP LANDING				WIDTH			XL	TOP LANDING
	4.6'	1.2	0.7	SL	TEFT TR			LENGTH			SL		WL LETT				LENGTH			SL	LET I HANSIIION				LENGTH			SL	LEFT TRANSITION
	(L)	<u>.</u>	١٠٤/	XL	LEFT TRANSITION			HTGIW			ΧĽ		LEFT TRANSITION				HTGIW			ΧL	NSITION				WIDTH			ΧĽ	NOITION
	LENGTH		/\\	SL	TEET P			HENGTH			75		LEFT				LENGTH			JS	7.1437				LENGTH			JS	TEFT V
	HIGHAP		1/1	¥	LANDING	•		HTGIW			ΧĽ		LANDING				HTDIW			×	LANDING				HTGIW			ΧĽ	LANDING
Dect Warn	LENGTH		/	JS	HIGHT TF	Dect Warn		LENGTH			TS		RIGHT TH	Dect Warn			LENGTH			_IS	RIGHTTH	Dect Wam			LENGTH			75	RIGHT TR
(Y)	HTQIW		/	ΧĽ	RIGHT TRANSITION	Y/N		HTGIM			ΧĽ		RIGHT TRANSITION	Y/N			HTGIW			×	RIGHT TRANSITION	Y/N			HTGIW			×	RIGHT TRANSITION
Back Curbs	LENGTH			SL	RIGHT	Back Curbs		LENGTH	:	!	SL		HIGHT I	Back Curbs			LENGTH			SL	RIGHT	Back Curbs			LENGTH			SL	HIGHT
	WIDTH			ΧL	RIGHT LANDING			HTGIW			ΧL		RIGHT LANDING				HTDIW			×	RIGHT LANDING				HTGIW			×	RIGHT LANDING
DATE	LENGTH	ON CURB	SLOPE			,		LENGTH	ON CURB	SLOPE	·				DATE	LENGTH		ON CURB	SLOPE				DATE	LENGTH		ON CURB	SLOPE		П
DATE CONSTRUCTED			LEFT	Calo Delgin	FLARES		CONSTRUCTED			Т		Curb Height	FLARES	.]	DATE CONSTRUCTED				LEFT		FLARES Curb Height		DATE CONSTRUCTED				LHELL	odio i cigi	FLARES
JCTED			RIGHT				CTED			กเด็ก					CTED				RIGHT	11			JCTED				RIGHT		

Dect Warm Y/N Back Curbs		
_	-	-
	בנאמווו אוטוו בנאמווו	AID LE CENGIO MICH COMPLIAN
1 1 1 6.1	1,2 1,7 1,1 00	MID
SL XL SL	SL XL SL XL SL	SL XL
ON LEFT LANDING RIGHT THANSITION	STREET RAMP TOP LANDING LEFT TRANSITION	STREET LANDING COUNTER SLOPE TYPE B AND E ALL OTHER TYPES
		REMARKS
H LENGTH WIDTH LENGTH WIDTH	NT LENGTH WIDTH LENGTH WIDTH LENGTH WIDTH	LENGTH WIDTH LENGTH WIDTH COMPLIANT
		TYPE BOT/RT
		TOP/LT
SL XL SL	SL XL SL XL SL XL	RAMP3 SL XL SL XL
N LEFT LANDING RIGHT TRANSITION	STREET RAMP TOP LANDING LEFT TRANSITION	TYPE B AND E ALL OTHER TYPES ALL OTHER TYPES
Dect Warn		HEMINING
		COMPLIANT Y/N
H LENGTH WIDTH LENGTH	NT LENGTH WIDTH LENGTH WIDTH LENGTH WIDTH	LENGTH WIDTH LENGTH WIDTH COMPLIANT
		TYPE BOT/RT
		MID
ST XT ST	ST XT ST XT ST XT	RAMP 2 SL XL SL XL
בברו באשניוואס	SIREL HAMIF OF LANDING LEFT I PANSI I ON	TYPE BAND E ALL OTHER TYPES
T LENGTH WIDTH LENGTH	VT LENGTH WIDTH LENGTH WIDTH LENGTH WIDTH	LENGTH WIDTH LENGTH WIDTH COMPLAN
		вот/ят
		MID MID
SL XL SL	SL X1 SL XL SL XL	SF XF
LEFT LANDING RIGHT HANSTION	STREET HAMP TOP LANDING LEFT TRANSITION	TYPE B AND E ALL OTHER TYPES
	CONCRE	1.4in///s
APPROVED BY	CLIDS BAMBS TO BE INSPECTED WITH	ME .2020
FORM STREET	CURB RAMP COMPLIANCE FORM	CONTRACT NO. 2000 1772-70

		COMPLIANT		TYPE		WS				COMPLIANT Y/N		- I		SW /) : :			N/A	COMPLIANT		TYPE	Q F	RAMP 6			Ϋ́N	COMPLIANT	(144.		RAMP 5	
		REMARKS	LENGTH			ğ	TYPE B AND E	STREET LANDING	•	REMARKS	LENGTH			S	H HALL	STREET LANDING		HEMARKS		LENGTH			SL	TYPEE	STREET LANDING	REMARKS		LENGTH			SL	TYPE
			WIDTH			ř	AND E	ANDING			WIDTH	!		¥	TYPE B AND E	LANDING				HTDIW			ΧĽ	TYPE B AND E	LANDING			HIGIM			X	TYPE B AND E
			LENGTH			Ϋ́	ALL OTHER TYPES	COUNTER SLOPE			LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			SL	ALL OTHER TYPES	COUNTER SLOPE			LENGTH			JS	ALL OTHER TYPES
	٠		WIDTH			ř	R TYPES	SLOPE			WIDTH			ΧĽ	R TYPES	RSLOPE				WIDTH			Χ̈́	R TYPES	S OPE			WIDTH			ΧĽ	R SLOPE R TYPES
		Y/N	COMPLIANT	BOT/RT AVG	M C	740				۲/۷ ۲	COMPLIANT	BOT/HT	MID	1/40					Y/N LIP	COMPLIANT	BOT/RT	MID TOP/LT					Y/N	COMPLIANT	BOT/RT AVG	MID MID		
			LENGTH			SE		STREET RAMP			LENGTH			SL		STREET RAMP				LENGTH			<u>5</u>	OTREET RAWIN	O DE E		7,21	LENGTH	7	7,2	<u>S</u>	STREET RAMP
			WIDTH			×		HAMP			HTGIW			¥		RAMP				WIDTH			×	TAME			تّ	HTGIW	G G		×	RAMP
			LENGTH			SĽ		TOP I AND INC			LENGTH			SL		TOP LANDING				LENGTH			SL	I OP LANDING			2	LENGTH	5.0	7/6	2	TOP LANDING
			WIDTH			¥		SINICI			WIDTH			×		DING				WIDTH			X	S S S S S S S S S S S S S S S S S S S			2	HTDIW	0,4	0,-	×	NDING
;			LENGTH		ē	SL		EET TOA			LENGTH		1	SL		LEFT TRANSITION				LENGTH			SL	LEFT THANSITION			-+	LENGTH	7,	S S	SE	LEFT TRANSITION
			WIDTH		ļ —	×	YOU	CITION			WIDTH			×		NOITISN			_	WIDTH			ř	VSITION		ļ	-	HIGIM	3,0	27.1	×	NOITION
			LENGTH			SL	LEFT CANDING				LENGTH		-	<u>S</u>		LEFT LA				LENGTH			S					ENGTH (SL	LEFT LA
	-		HTOIW			×	4	╀	0		WIDTH			×	4	LANDING	0		-	HIDIM			×	TLANDING				MIT I	1	֓֞֝֞֝֞֝֞֝֞֝֞֝֞֝֞֝֓֞֝֞֝֓֞֝֞֝֞֓֓֞֝֞֞֝֓֓֞֝֞֞֝֓֓֞֝	×	TLANDING
	Dect Warn		LENGTH			2	RIGHT TRANSITION		Dect Warn		LENGTH			<u>18</u>		RIGHT TRANSITION	Dect Warn			LENGTH			2	RIGHT TRANSITION	Dect Wam				\bigvee		SE	RIGHT TRANSITION
	Y/2		HTGIW			ř	NSITION		Y/N B		HIDIM			×		NOTION	Y/N B			HTGIW			×	NOITION	L	7	-+				×	NSITION
	Back Curbs	 	LENGTH			SI	HIGHT LANDING		Back Curbs		LENGTH			SL		RIGHT LANDING	Back Curbs		-	LENGTH			2	RIGHT LANDING	Back Curbs			HTGTH	1/2	37	SE	RIGHT LANDING
			HTGIW			×	NDING				HTGIW			×		NDING				HTDIW			×	NDING	U\r			WIDTH	0,4	8,0	×	NDING
	DATE O	LENGTH		ON CURB	200				DATEC	LENGTH		ON CURB	SI DBE					DATEC	LENGTH		ON CURB					DATE	LENGTH		ON CURB	SIOPE		
	DATE CONSTRUCTED		1		LEFT		FLARES		DATE CONSTRUCTED				LEFT	You be reciging	Curb Hoight	FLARES		DATE CONSTRUCTED				LEFT .	Curo Height	FLARES		DATE CONSTRUCTED				FF	Curo Height	FLARES
	CIED				RIGHT				CED	,			RIGHT					STED				RIGHT)TED				RIGHT		

					Cas	<u> </u>			V 0			<u> </u>		-	un	-		00-1		Filed	. 02	, 02		_				f 120			(al c	SIO I
	N/A	COMPLIAN	D	JYPE	Z	RAMP 4			Υ/N	COMPLIANT	ブ	34A1	Z	RAMP 3			Ϋ́N	COMPLIANT	J	TYPE	14.	RAMP 2			Y/N	C		7	RAMP 1		SUB-CONTRACTOR	CONTRACT NAME
i)	REMARKS	<u>-</u> ¶	LENGTH	•		SL.			REMARKS		LENGTH	•*		SL	33441	2	HEMARKS		LENGTH			SL	TYPEB	(1) W	HEMARKS	LENGTH			22	TYPE BAND E	HACTOR	T NAME
	o,	_	HIGIM			ř	B AND E			\rightarrow	WIDIH			¥	TYPE B AND E	STREET LANDING			HIDIM			¥	TYPE 8 AND E	8 51 .		HIGIN			¥	AND E		33
		$\overline{}$	LENGTH			2	ALL OTH	┪Ѵ	٠. ً		LENGTH			SL	ALL OTH	TO NOT			LENGTH			SL	ALL OTHER TYPES	3	ı	LENGTH			<u>S</u> L	ALL OTHER TYPES		
			WIDTH	_		ř	ALL OTHER TYPES	COUNTER SLOPE	- - - -		HIGIM			×	ALL OTHER TYPES	COUNTER SLOPE			WIDTH			×	ALL OTHER TYPES	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		WIDIH			¥	R TYPES	SWO'C	Cherry (4)
		Y/≅	COMPLIAN	BOT/RT	MID I		<u> </u>	- 6	かん	Y/N L₽	COMPLIAN	BOT/RT	TOP/LT		<u> </u>			Y/N	COMPLIANT	вот/нт	MID	TOP/IT		25 S	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	COMPLIANT LIP	BOT/RT AVG	MID	1			705 1
) 		4.7	IT LENGTH	9.17	3,0	+-		ı	7 1	<u>(</u>	LENGTH	5,0	7.7	2		STREE		3.1.	LENGTH	2.2	ري ا .در	7 22	01.6	2	~ <u>.</u>	LENGIH) /	4.7	ي (ر TS	STREET HAMP		
		141	HIGIW	1-1-1	0 .	- -		STREET RAMP	, 777,	ch,	WIDTH	-	0 :-	×		STREET RAMP		115	HIDIM	, , , , , , , , , , , , , , , , , , ,	0.8	/√ ≥		x X X	·	C-1-I	0.0		- <	HAMP	5	2
्र		Ã.	LENGTH	17-1	017	Ž į	2		· · · · ·	41	LENGTH	20	9.0	15		190		5,	LENGTH	-2	2.01	<u>.</u> <u>s</u>	ġ	-	<u>.</u> _	LENGIH	1,54	1,4	>\ 	Ę.		
		5)	HIGIM	7.0	5,5	^ 57 [≥]		ANDING	٠, ر د ر	41	WIDTH	<i>(</i>)	0;-	×		TOP LANDING		5	HIGIW	0,0	0.55	χ χ		1 ~	- -	ر)، HIGIM	150	1,4	ےّ ک	I OP LANDING	CONCR	
			LENGTH		/	<u>u</u>	2	, LEFT TP	<u>で</u> で	10 C	LENGTH	7	3.C	SI					LENGTH			\ <u>S</u>	!	. Դ	۱٬ اد	i a'	1,1	5.	2 2	LEFT THANSITION	CONCRETE PLACEMENT	AMBS TO BE INSDECTED WITHIN 79-
			HIGIM			<u>}</u>	<u> </u>	LEFT TRANSITION		17	HIGIW	9:0	0.2	\ \ \		LEFT TRANSITION			WIDTH	1		\ <u> </u>		- X C	-	C ₁ 1	0,8		ر ا ا	WEITON	EMENT	WITHIN 7
		ا زار	LENG TH	0	100	١	2	LEFT L			LENGTH		I	2				5	LENGTH	1,7	-), <u>I</u>	2			LENGIH		Z	SL	LEFT LANDING		CHORD DAMES TO BE INSCRICTED WITHIN 72-HOLLES OF
		ī	WIDTH	0.5		<u>-</u> او	≤	LEFT LANDING			MIDTH			ř		LEFT LANDING		7,	WIDTH	17	ر الر	<u>-</u>				WIDIH		7	¥	ANDING	9	
	Dect Warn	11.3	LENGTH	7:		7 2	2	HIGHT I	Dect Warn		LENGTH			SL		RIGHT IF	Dect Warn	5.4'	LENGTH	2.C	7.4	\$ Z	2	HIGHT TRANSITION		LENGIN			န	HIGH	DATE APPROVED	INSPECTOR APPROVED BY
(₹) N	6	HIGIW	0.	10,7	2	<u>≺</u>	RIGHT TRANSITION	(Y)		HIGIM			×		RIGHT TRANSITION	₹)	ر د	MIDIH	25	1,6	(<u>`</u>) ≥	5	ANSITION		AN IDIO			ř	SINGLICIA	ROVED	
	Back Curbs		LENGIH	1	Ž,	F	2	Ħ	Back Curbs	5	LENGTH	7.0	0.5	o SL	╅	_	Back Curbs		LENGTH			ğ		HIGHT LAND		ر . ا	116	,,,,	ر م SI	Digit Daybing	BICH	
4	<u></u>		HIGIM.		X	ì	×	RIGHT LANDING	F	41	MIDIH	17.0	2,2,	J ×		RIGHT LANDING	Ş		HIGIM	117		,	≤	ANDING	A	7	7.0	×××,	>> ×<	A NOTING	ANTONIO	77 14
	5	L EIV G	4	ON CURB	SLOPE	1			5	LEING!	ENCT	ON CURB	SLOPE					A	HENGTH	ON CURB	SLOPE				DATE	LENGTH		SLOPE				DATE
			ヿ	ر ا ا	$\overline{1}$	<u>-</u>	Curu meigi	FLARES					- -		Curb Height	FLARES			1	~ ~)	LEFT	Curb Height	FLARES	DATE CONSTRUCTED		2 9	7/7	EFT	Curb Height	E 4050	
	100					RIGHT	ءً ا		ָ ֖֖֖֭֓֞֝֞֝֞֝	Vix	ر د	ΛĈ	.)	25-4						Á, ČÁ	,	RIGHT		!	CIED	75	1,10	,			1	

	COMPLIANT	_ 	34A.L	SWS	RAMP 8			COMPLIANT Y/N	C	TYPE		RAMP 7				COMPLIANT	ラ	TYPE	ď	RAMP 6			N/A	COMPLIANT	ク	TYPE	ď	RAMP 5	•
	REMARKS	LENGTH WIDTH			SL XI	TYPE B AND E	CULTA 1 TALL	REMARKS	LENGTH WIDTH			SL XL	TYPE B AND E	STREET I ANDING	i i i	BEMARKS	LENGTH WIDTH			SL XL	TYPE B AND E	CO \ b ·	REMARKS		LENGTH WIDTH	' 			TYPE B AND E
		LENGTH			Ц	ALL OTHER TYPES	┤∽ः	,,	LENGTH			Ц		IG I COUNTED SLODE			LENGTH			Ц	ALL OTHER TYPES	18			LENGTH			Ц	NG COUNTER SLOPE
e e	Y/N LIP	WIDTH COMPLIANT	BOT/RT	TOP/L1	Y .	TYPES	() () () () () () () () () ()	V/V	WIDTH COMPLIANT	BOT/RI AVG	MID	H	TYPES			LIP	AVG WIDTH COMPLIANT	BOT/RI	TOP/LT	×	TYPES	701/6	3 N	T *	AVG	BOT/R1	10P/L1	 	SLOPE
	N 5.4	JANT LENGTH	RT 3.0	7,17	22	01700	<		JANT LENGTH	AT 5. A		SL	01755	2		-	G JANT LENGTH	AL V.V	シャン	JS	STREE	Walk: 5 x136		なっ	_	画: 、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、、	1,7	ဋ	STREE
		MIDTH LE	00 20	o S	×	טותבהו תאשר	• ,	- -	T HTGIW	\dashv	2.2	Н	OTREE HAIVIP					0;0 0	╁	A	STREET RAMP	171	<u> </u>	7	╉┤	0 0		×	STREET RAMP
	5 5	LENGTH WIDTH	3003	12	SE XL	I OP LANDING	r136,416	2	LENGTH WIDTH	+	5,0 5,0 5,0	ST XT	LANDING			\vdash		0,3		Σ Y	TOP LANDING	, r42, 4,		W C WIDIH	╋┉╟			XI XI	TOP LANDING
	\vdash	LENGTH		7	S	LEFT TRANSITION	1,8x91h	1,0.1	LENGTH	7.2	15-6	<u>S</u>	LEFT TRANSITION				LENGTH		 	SE T	LEFT TRANSITION	47',6'x		LENGIH	1	+		<u>S</u>	LEFT TRANSITION
	7,	WIDTH LENG	3_	; ;-	XI SI	<u></u>			WIDTH LENG		1 5.5	XL SI	<u></u>				WIDTH LENGTH			×	Π	62256	(C)	WIDTH LENGTH		0.6		×	H
		TH WIDTH	50,7	1-8	×	-T LANDING			TH WIDTH			×	FT LANDING			_	HTGIW HT			×	LEFT LANDING			WIDTH	7	4		×	LEFT LANDING
Dect Warn			90		25	RIGHT TRANSITION	Dect Warn		LENGTH W		$\{ \}$	ည	RIGHT TRANSITION	Dect warn	_ [-	+ +	30° 20°	Ҵ	20	RIGHT TRANSITION	Dect Warn		LENGTH		χ	+	2	RIGHT TRANSITION
N Back Curbs	 -	HILDINA I HICIIM	7		× Z	Н	Y Back Curbs	4,	WIDTH LENGTH	1.7.5		XI SI	П	Back Curbs		CENGIE		X-1 68		2	П	Y/N Back Curbs	7	WIDTH LENGTH	11.7	1,3	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	+	
NA			X		 	RIGHT LANDING	<u></u>	41	H WIDTH	22-1	Ц	×	RIGHT LANDING	ر الم	. 1	1			- - - -	\ \ \	RIGHT LANDING	- S	Ź	WIDTH		Ŋ	γ γ γ γ	< .	RIGHT LANDING
DATE CONSTRUCTED	LENGTH)	 	ON CURB \	11 LEF	Curb Height	FLARES	מאום כטאסו חטכו בט	LENGTH		ON CURB		Curb Height	FLARES		DATE CONSTRUCTED	1,2 HIENER	^	SLOPE .2	LEFT	Curb Height	FLARES	SOLE OCINOL BOOLED	DATE CONIC	LENGTH	ON COHB	SLOPE	TEFT	Curb Height	FLARES
TRUCTED			^\	T RIGHT	eight	ES	פוחטכובט	8.7	1/6	7	FT RIGHT	leight	RES		STRUCTED		~		FT RIGHT	-leight	RES	01100150		2	1,0	, C	FT RIGHT	Height	RES

7/7	COMPLIAN			TYPE		NE	RAMP 4			COMPLIANT Y/N			TYPE		N M	RAMP 3			X.N	COMPLIANT	<u></u>	HAAL		WN	RAMP 2			Y/N	COMPLIANT	(\frac{1}{2}		TYPE	WN	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Form		LENGIH					SL	STREET	•	REMARKS		LENGTH				SL	TYPE		REMARKS		LENGTH				SL	IAAAL	/A	REMARKS		LENGTH				JS	TYPE	HACTOR	TOR	T NO.
HEIVIAHKO Compliance Form FIXED 4-07.xts	1	WID H	1-				¥	STREET LANDING				MIDIH				ΧL	TYPE B AND E		j		HIGIM				×	TYPE B AND E				HICIM				ΧL	TYPE B AND E	ANDING	1000	[]
	-	LENGIH					JS	$\boldsymbol{+}$				LENGTH				SL	ALLO OTH				LENGTH				SL	ALL OT	COL	,		-LENGTH				SL	ALL OTH			2-21
		WIDIR	 -				¥	ALL OTHER TYPES				WIDTH				ΧL	ALL OTHER TYPES				WIDTH				¥	ALL OTHER TYPES	COUNTER STORE			WIDTH				ΧL	ALL OTHER TYPES			,
	Y/N	COMPLIAN	┞	BOT/RT	MID	TOP/LT		94		Y/N		AVG	вот/пт	MID	TOP/LT		<u> </u>			Y/N	넑	AVG		TOP/LT					Y/V	읽	AVG	BOT/RIT	TOP/LT					
		LENGIH	₩	ī		7	SF.	STR			٠,	VT LENGTH				SL	0170			15.5	計	57	, S	()	SI	9	270		1123	TENGTH	-	+		SL	2	2010		
		HIUM	1				<u>خ</u>	STREET RAMP		F		HIDIH				XL				1/40	HIGIM	ر د	+	1017	¥	- i	STREET BAMP		ا لرز	HIGIM		3 -	0,9	ΧL		STREET RAMP	0	
		LENGIH	_				SL SL	+				LENGTH				SL	Ş			٦,	LENGTH	0,5))	+	SL	<u> </u>			べ	LENGTH	7	1,7	12.	SL	Ş	100	WAR BAU	S
		WIDIH	1			***	¥	TOP LANDING				HIDIW		-		ΧĽ	FOR EXINDING			7	HIGIW	ے ت	+	- 6	¥	5	SINICINA I GOT		۔ عر	HIGIW +	-	\ <u>\</u>	+	ΧL		CONC	PS TO BE	RB RAM
	_	H LENGIH				_	SL			-		H LENGTH				SL	-				LENGTH	-	•		SL	<u>[</u>			14.5	LENGTH		7. U	,00,0	SL	-	CONCRETE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HO	CURB RAMP COMPLIANCE FORM
		H WIDIH	•				×	LEFT TRANSITION		-	_	HIDIH	ļ <u>-</u>			XL	LEFT I HANSI II ON				HIGIM H	\downarrow	\langle	1-	×		NOTABINATE THE		5	HIGIW		2 6	0,3	×		ACEMENT	ED WITHII	LIANCE
		Ę					SL	Н		F		<u> </u>		·		SL									SL	T	1			圓	-		+	SL	F			FORM
		IGIH WIDIH	1				¥	LEFT LANDING		-		GIH WIDTH	_			ΧL					етн шртн		X	+	×					GTH WIDTH	1		<u>} </u>	ΧΓ			URS OF	
Dect Wam		IH LENGIH					SL	Щ	Dect Wam	$\frac{1}{1}$	_	H LENGTH				SL	H	L	Dect Warn	4,3	H LENGTH	1	- C	7 10	SL	Н	╁	Dect Warn		H LENGTH	-			SL	11174	DATE.	APPRO	STREET
am Y/N		HI WIDIH	1				×	RIGHT THANSITION	am Y/N	-		HI WIDTH	-			· XL				7	H WIDTH	<u> </u>	_	+	×	1 0 1 0 1 1 1	Į.	∄ (√)v		HIGIW HI	$\frac{1}{2}$	\star	\downarrow	¥	- 5	DATE APPROVED	APPROVED BY	1 Pes
N Back Curbs		LENGIH	-				SL	$\dashv \dashv$	N Back Curbs	-						. SL		1	Back Curbs		H LENGTH			1. 2.	SL	${}^{\dag}$	1	Back Curbs		H LENGTH			+	SL	H			->-
urbs		AIDIM WIDIH	1				<u>`</u>	HIGHT LANDING	urbs		-	LENGTH WIDTH				XL			irbs A		HLGIM HE	7	1		×		2	-		H WIDTH		\star		ΧL	- 1	HIGHT I ANDING	181	
				ON C	SLOPE		٢	- -		+	LENGTH	<u> </u>	ON CURB	SLOPE			ā		_ T_	רכואפו	4	ON CURB	SLOPE	2	<u> </u>	1		1		- ENGTL	1	ON CLIBB	<u>\</u>		Í	9	57.1	X STREET
DATE CONSTRUCTED	_	LENGTH		ON CURB)PE	旧		Curb I		DATE CON	GTH	+	BAU	필	LEFT		Curb		DATE CONSTRUCTED	<u> </u>	1	GH.B.	, T	LEFT		Curb Height	E ARES	DATE CONSTRUCTED		1	- -		LEFT		Curb Height	SERV 13	-	[1]
IS I HUC'I E	L					LEFT RIGHT		FLARES Curb Height		CONSTRUCTED		-	1		FT RIGHT		Jurb Height	350	SIRUCIE	L	-			FT RIGHT		leight	Ä	SIMUCIEL	_	$\frac{1}{1}$			FT RIGHT	4	eight	Ë		31 55

	Ş	COMPLIANT		HYPE		SW	;		52	COMPLIANT			1	WS	RAMP 7			COMPLIANT		- 1 7 1		SE	DAMD 6			NX	COMPLIANT		YPE	O F	HAMP 5	<u> </u>
	ייבושיאוואס	BEMARKS	LENGTH			SE	B 34/L	STREET	TELEVISION	DEMA DISS	LENGTH			Ç	20 17 17 18	STREET		HEMARKS	FENGIN	- ENSTE		ç	יייייייייייייייייייייייייייייייייייייי	STREET		REMARKS		LENGTH			<u>S</u>	TYPE
			HTGIM			ΧĽ	B AND E	STREET LANDING			HTDIW			È	S AND E	STREET LANDING			M C I	5		À	O TO AND E	STREET LANDING				HTGIW			×	TYPE B AND E
			LENGTH			SE	ALL OTH	COLINE			HENGTH			Ğ	ALLOIH	COUNTE			LENG H			ç	ALL OTH	COUNTE				LENGTH			TS	ALL OTHI
			HTGIW	i	٠	ř	ALL OTHER TYPES	COUNTER SLOPE			HTGIW			È	ALL OTHER TYPES	COUNTER SLOPE			HIGIW			}	ALL OTHER TYPES	COUNTER SLOPE				HTGIW			×	ALL OTHER TYPES
		Y/N	COMPLIANT	BOT/RT	MID	100/				Y/N	COMPLIANT	BOT/HT AVG	MID	TOP/LT				Y/N	COMPLIANT	AVG	MID	100/11					Y/N LIP	COMPLIANT	BOT/RT AVG	MID I		
			LENGTH			SL	011100	o and the			LENGTH			טַר	2	STREET RAMP			LENGIH			<u>P</u>		STREE				LENGTH			SL	STREET RAMP
i			HTGIW			X	TONIVII	PAME		:	HTDIW			۲		TRAMP			HIGIW			Ϋ́		STREET RAMP				HTGIW			×	TRAMP
			LENGTH			SL	107 [7				LENGTH			ξĽ	2	r1 dO±			LENGTH			ΣĽ	2	7 dol				LENGTH			SL	TOPLA
			WIDTH			ΧL	LANDING				WIDTH			ř		TOP LANDING			WIDTH			ř		TOP LANDING				WIDTH			ΧL	TOP LANDING
			LENGTH			SL	LEFT HANSITION	1			LENGTH			SL		/HT THELL			LENGTH			S		LEFT TRANSITION				LENGTH			JS.	LEFT TRANSITION
			WIDTH			ΧĽ	MOLICIA				WIDTH			×		LEFT TRANSITION		i.	WIDTH			×		NSITION			1	HTGIW			ΧĽ	NSITION
			LENGTH			SL		7		:	LENGTH		i	2		시년의		į	LENGTH			2		TEFT L				LENGTH			SE	L 71 LEET
		:	WIDTH			×	LANDING				HTDIW			ř		LANDING	<u>.</u>		WIDTH			ř	L	LANDING				HTGIW			×	LANDING
Dect Warn			LENGTH			13	RIGHT TRANSITION		Dect Warn		LENGTH			SL		RIGHT TRANSITION	Dect Warn		LENGTH			ဋ		RIGHT TRANSITION	Dect Warn			LENGTH			35	RIGHT TRANSITION
7/2			MIDTH			×	ANSITION		Y/N		WIDTH			×		NOITION	٧/٧		HTDIW			×		NOITION	Y/N		:	HTGIW			×	NOITION
Back Curbs			LENGTH			<u>S</u>	RIGHT LANDING		Back Curbs		LENGTH			SL		RIGHT LANDING	Back Curbs		LENGTH		-	SL		RIGHT LANDING	Back Curbs		[LENGTH			2	RIGHT LANDING
			HTGIW		ľ	×	ANDING				WIDTH			×		ANDING			WIDTH			×		ANDING			į	WIDTH			ř	ANDING
	DATE	LENGTH		ON CURB	39018				DATE	LENGTH		ON CURB	SLOPE				DATE		FNGTH	ON CURB	SLOPE					DATE (LENGTH		ON CURB	SLOPE		
	DATE CONSTRUCTED			·	LEFT		FLARES Curb Height		DATE CONSTRUCTED				<u> </u>		Curb Height	FLARES	DATE CONSTRUCTED				F-		Curb Height	FLARES		DATE CONSTRUCTED			,	144		FLARES Curb Height
	CTED				RIGHT				CTED				חומחו				CTED				HGH					CIED				RIGHT		

l I	Back Curbs			۲ / Z	1	Dect Warn												Compliance Form FIXED 4-07, vis	Compliance Fo	
															Y/N			S	REMARKS	COMPLIANT
LENGTH WIDTH LENGTH WIDTH FIGHT	GTH WIDTH LENGTH WIDTH LENGTH WIDTH	GTH WIDTH LENGTH WIDTH LENGTH	GTH WIDTH LENGTH WIDTH	GTH WIDTH LENGTH	HIGIM HIS	STH	LENGTH		WIDTH	LENGTH	HICIM	LENGTH	HIDIM	T LENGTH	COMPLIAN	WIDTH	LENGTH	HIGIW	LENGTH	
ON CURB	ON CURE							_			 				BOT/RT	•				ТҮРЕ
SLOPE	SLOPE							\vdash							MID	-				
ST XT ST XT ST XT	L XL SL	L XL SL	L XL SL XL	Sr Zr	¥		ည	十	×	ST	¥	SL	ř	SE	TOP/LT	ř	SL	×	22	RAMP 4
LEFT LANDING RIGHT THANSITION RIGHT LANDING FLARES Curb Heigh	RIGHT TRANSITION	RIGHT TRANSITION	RIGHT TRANSITION			EFT LANDING	4	Ш	LEFT TRANSITION	- L 1431.	TOP LANDING	TOPL	STREET RAMP	STRE		ALL OTHER TYPES	ALL OTH	TYPE B AND E	STREE	
Dect Warm Y / N Back Curbs	Dect Warn Y/N Back Curbs	Dect Wam Y/N Ba	Dect Wam Y/N Ba	Dect Warn														o	TEMATA	Y.V.
	והואני						1							ľ	Y/N			-		COMPLIANT
GTH WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH LENGTH	WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH	WIDTH	-	롸	員	WIDTH	LENGTH	WIDTH	LENGTH	HIGIW	LENGTH	AVG COMPLIAN	LENGTH WIDTH	LENGTH	LENGTH WIDTH	LENGTH	
ON CURB	ON CURE						1								вот/нт				•	TYPE
SLOPE	SLOPE														MID					
C F	C F	C F	i i	Ç	╬	ì		Ş	}	Ş	ì	í	ì	Ş	TOP/LT	ì				Z .
XI SI XI	SL XL SI	SL XL SI	<u>x</u>	S	+	×		<u>s</u>	×	2	×	SL	×	SL		×	SL	ř	SE SE	RAMP 3
FI LANDING RIGHT TRANSITION RIGHT LANDING FLARES CUID Height	RIGHT TRANSITION	RIGHT TRANSITION	RIGHT TRANSITION	+	+	ANDING		- F	LEFT TRANSITION	HI 1431	IOP LANDING	105-	STREET RAMP	STRE		ALL OTHER SLOPE	_	TYPE B AND E	STREE	
Dect Warm Y/N Back Curbs	Y / N Back Curbs	Y/N	Y/N	Y/N	Dect Warn														í	100
E MARIE E MARI	I I I						1								Y/N				SZGVWEG	COMPLIANT
WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH LENGTH	WIDTH LENGTH WIDTH	WIDTH LENGTH	WIDTH	-	-4	LENGTH	MIDTH	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	AVG	WIDTH	LENGTH	LENGTH WIDTH	LENGTH	
ON CURB	ON CURB						1 1		:						BOT/RT				•	TYPE
SLOPE	SLOPE														MID					14.64
XT SF XF XF	SL XL SL	SL XL SL	SF XF	SL	┝	¥		Ş	×	S.	×	SL	×	2	1	¥	SL	¥	SL	RAMP 2
LEFT LANDING RIGHT TRANSITION RIGHT LANDING FLARES Curb Height	RIGHT TRANSITION	RIGHT TRANSITION	RIGHT TRANSITION	Щ	Щ	ANDING	11	[EF-	LEFT TRANSITION	두	LANDING	I CP F	SIREE! RAMP	SIKE		ALL OTHER TYPES	ALL OTH	TYPE B AND E	31 KEE	
Dect Warm (YAN Back Gurbs 1) K	Dect Warm (YAN Back Curbs 1)	Dect Warn YAN Bar	Dect Warn YAN Bar	Dect Warn Y N															HEMAHAU	Y
LENGIH	LENGIA								· : -		17	ゼ	5	(₆ (Y/N					COMPLIANT
WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH LENGTH WIDTH	WIDTH LENGTH WIDTH	WIDTH LENGTH	WIDIW /			LENGTH	WIDTH	LENGTH	HIDIM	LENGTH	WIDTH	LENGTH	AVG COMPLIANT	HIDIM	LENGTH	MIDIH	LENGTH	<u>ر</u>
ON CURB	ON CURB		X				J		X		0,5,	٦,١	8.0	2.1	BOT/RT					TYPE
SLOPE LEFT	SLOPE						' I	\nearrow		1	- G	72	34	7.7	MID I					MAN
XL SL XL SL XL	SL XL SL	SL XL SL	SL XL	SL	-	¥	1	<u>S</u>	×	SL) }	SL 13	ř	2	1	¥	SL	¥	Ş۲	RAMP 1
				Ц	Ц		_									ALL OTHER TYPES	ALC TIV	TYPE B AND E	HYYT	
DATE APPROVED FLANDING RIGHT TRANSITION RIGHT LANDING FLARES	RIGHT TRANSITION	RIGHT TRANSITION	RIGHT TRANSITION	4_	4_	ANDING			LEFT TRANSITION	DING LEFT TRANSITION	TOP LANDING	1000	STREET RAMP	STREE		COUNTER SLOPE	COUNTE	STREET LANDING	STREE	SUB-CONTRACTOR
APPROVED BY	APPROVED BY	APPROVED BY	APPROVED BY			유		72-HOURS	NIHTIW	NSPECTEL	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	JRB RAMP	۵			X + 1			TOR	CONTRACTOR
STREET シベダミット・スター X STREET レーノミエス	OB 11418 14	OB 11418 14	OB 1110	읽는	STREET			Ċ	JANCET	COMIFE	CORB RAMP COMPLIANCE FORM	ç				D 5 111	0000	2000	T NAME	CONTRACT NAME
				1	1		1	2		3))))		1					1	5	CONTRAC

	COMPLIANT YN REM		ТүрЕ	···T	RAMP 8	IS.		COMPLIANT REM				WS	Ī	ST		COMPLIANT Y/N REM		2 7 7 1		RAMP 6		27	Y/N REM	AN I		TYPE	'n	T	
	<u> </u>	LENGTH WII		+	S AND E	STREET LANDING		REMARKS	LENGTH WII			┢	O PE BANDE	STREET LANDING		REMARKS	LENGI III	_		SL	TYPE B AND E	STREET I ANDING	REMARKS		LENGTH WI			\sqrt{S}	NA 8 3
		WIDTH LEI	-	+	╀	+			WIDTH LEI			}	L	╀		ŀ	WE TE	-		ř	┝┿	-			WIDTH LEI			ř	Ц
		LENGTH W	-	Ļ	ALL OTHER TYPES	COUNTER SLOPE			LENGTH	_	_	ļ	ALL OTHER TYPES	COUNTER SLOPE		F	LEING! H	_		SL	ALL OTHER TYPES			\vdash	LENGTH W			<u>S</u>	ALL OTHER TYPES
		WIDTH CC		ř	YPES	LOPE	-	H	WIDTH CO			}	YPES	LOPE			מושא			ř	YPES	1000		$oldsymbol{\sqcup}$	WIDTH CC	Τ		ř	YPES
			MID BOT/RT	IOP/LT				Y/2	COMPLIANT T	AVG	ΔĐ	TOP/LT				Y/N	Ž	_	MID	70/1					3	BOT/HT	Mib I		
	2,51	LENGTH		Э.¢	0	STREET			LENGTH			ğ		STREET RAMP	v.		CENCIH			SL		STREET			LENGTH			SL	
	Ť	HTGIW	8.0	τ > >	1	RAMP			HTDIW			<u>X</u>		RAMP			HIGIM			×	TANK!	DAMB			HTdlW			×	
	7.	LENGTH	0,4	ي م	2	TOP LA			LENGTH			ģ.		TOP LANDING			LENGTH			SL		T G G			LENGTH			SL	
	لز	HIDIM	9,0	ہ ک	V	TOP LANDING			HTDIW			×		NDING			HIGIM			XL	INDING			•	HTGIW			×	
	12.6,	LENGTH	22,0	շ Տ	2	HI LIET			HENGTH			Σ <u>·</u>		HT THELL			LENGTH			JS	[E] 1 IV				LENGTH			JS	
	17	HTGIW	300) A		LEFT TRANSITION			MIDTH			ř		LEFT TRANSITION			HTGIW			×	LEFT INSUINGING	North			HTGIW			×	
		LENGT		S.	Ī	LEFT			LENGTH			22		LEFT			LENGTH			<u>S</u>	<u> </u>				LENGTH			SL	
		()	X,	×		LANDING			WIDTH			×		LANDING			HTGIW			×					HIDIM			X	
Dect Warn	[HENGH	/	<u>S</u>		RIGHTT	Dect Warn		LENGTH			SL		RIGHTT	Dect Wam		LENGTH			2]2	HIGHT.	Dect Warn			LENGTH			SL	
(Z)			\mathbb{N}	×		RIGHT TRANSITION	۲/N	-	HTDIW		-	- ×		RIGHT TRANSITION	Y/2		HTGIW	┢		×	HIGHT TRANSFILOR	Y/ N		o	WIDTH			ΧĽ	
Back Curbs	-	HENGTH	1	SL		Ħ	Back Curbs		LENGTH			2		Ħ	Back Curbs	T	LENGTH	 		ည	\top	显			LENGTH			75	寸
30)	⊢		\bigwedge	×		RIGHT LANDING	to		HTDIW			×		RIGHT LANDING	ο		HTGIW			×	HIGH! LANDING	5			HIDIM			×	
DA		2	SLOPE	\dagger	Ħ		UA.			ON CURB	SLOPE			+	UA.		LENGTH		SLOPE	\prod	+		DA٦	LENGTH	+	ON CURB	SLOPE		+
DATE CONSTRUCTED	<u> </u>	9,6	\		Curb Height	FLARES	DATE CONSTRUCTED			8	Т		Curb Height	FLARES	DATE CONSTRUCTED		<u> </u>	<u> </u>			Curb Height	!	DATE CONSTRUCTED	<u>· I</u>	\dagger	<u> </u>			Curb Height
RUCTED		Ť		-	ight	S	HOCIED	<u> </u>			+	THENE	ight	S	HOGIED				HIGH		ght		RUCTED		+		RIGHT		ight

	N/A	COMPLIANT			TYPE		Æ	RAMP 4				N/A COMPLEX	TOMBI IANT	$\overline{}$	\	TYPE		Z.	HAWIF			1214	COMPLIANT		•	3dA			NA	RAMP 2		Y/N	COMPLIANT			1787	TYPE	:	Z Z	RAMP 1		STREET	CON HACTOR	CONTRAC	CONTRACT NO.
Compliance Form FIXED 4-07,xls	REMARKS		LENGTH					SL	TYPEE	STREET		REMARKS		LENGTH					Ņ	2	TYPE B AND E	1	SZGVWJG		LENGTH					SL	TYPE B AND E	HEMAHKS			LENGTH					SL	TYPE B AND E	STREET LANDING	5770	TNAME	T NO.
FIXED 4-07,xks			HIGIM					ΧL	TYPE B AND E	STREET LANDING				WIDTH					X	<u> </u>	ANDE				WIDTH				i	¥	TYPE B AND E				WIDTH					¥	ANDE	ANDING	Lowel	200	-זררו
			LENGTH					SL	ALL OTHER TYPES	COUNTER SLOPE				LENGTH					ξ	֝֟֝֟֝֝֟֝֓֓֓֓֓֓֓֓֓֟֜֟֓֓֓֓֟֜֟֓֓֓֓֓֟֜֟֓֓֓֓֓֓֟֜֓֓֓֓֓֓	ALL OTHER TYPES				HENGTH					SL	ALL OTHER TYPES				LENGTH					SL	ALL OTHER TYPES	COUNTE	ľ	3	2-20
			WIDTH					Χ̈́	H TYPES	340 ts				HTQIW					ř		H TYPES				WIDTH				ì	ř	H TYPES				W D H					ř	R TYPES	SLOPE	Ser in	V2 111	
		Y/N	COMPLIANT	AVG	вот/пт	MID	TOP/LT					Y / N	LIP	COMPLIANT	AVG	вот/нт	MID	TOP/LT					≺/N	Ę	AVG	BOT/RT	Z C		TOP/IT				Y/N	LIP LO	COMPI IANT	201/H	DOT/DO		TOP/IT						
			LENGTH					SL		STHEE		3,1	、 、 、 、 、 、 、 、 、 、 、 、 、 、 、 、 、 、 、	LENGTH	•	ペプ	ハカ	4.4	<u> </u>	2	SIHEE				HENG				j	န	STREET RAMP				FNGTH			-		SL		STREET RAMP			
			HIGIM					ΧĽ		STHEET HAMP		7	À	WIDTH		1,2	ズ	0,2	ř	<u>:</u>	STREET RAMP			_	\$ 5 1				ì	ř	RAMP			: 0						¥	-	RAMP	2		
			LENGTH					SL	i	1901		3	ייח	LENGTH		7,0	0,7	ìò	SI	2	105				ENIGH				i	S	TOPLA				HIGH					SL		TOP I ANDING	RB RAMPS		CUR
			WIDTH					XL		OP I ANDING		-	17	WIDTH		2:0	1,4	10	Ϋ́		I OP LANDING			***************************************	WIDTH				í	×	TOP LANDING				William					卢		NONCK CONCK	S TO BE IN		B RAMP
			LENGTH					SL		FF 74		p	,0	LENGTH		パク	カカ	5,0	S.		LEFT HANSITION			hija G	HIENGIH				C	<u>S</u>	/BT 1431				FNICTE					SL	!	CONCRETE PLACEMENT	SPECTED		COMPL
			HIGIM					ΧĽ		NOTESNABL 144			2.7	HIGIM		72 1	1,7	20	×		ANSITION				High				ř	×	LEFT TRANSITION				WIDTH					×		NSTON I	WITHIN 7		CURB RAMP COMPLIANCE FORM
			LENGTH					SL						LENGTH	,	$\langle \gamma \rangle$		 	S	ì	LEFT LANDING				HIENGEL				Ċ	S	7.1437			FEIVGITT	ENICH					ST.		7 1 1 1 1	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF		ORM
			HIGIM					ΧĽ	i					HIGIM	~	V ://	2		×		ANDING			**1011	ELCIIVA.				ř	×	LEFT LANDING			\$41011	W/DTH:					¥	9	TANDING			
Dect Warn			LENGTH					SL		11 115115	Dect Warn	2)/(0	ر ک	LENGTH	, ,	1.9	ちろ	6,3	2		HIGHTIE	Dect Warn		r Chie	HTSINH I				Ç	2	HT THEIR	Dect Warn		FEINGILL	HENDE					SL		DATE APPROVED	APPROVE	INSPECTOR	STREET
≺ 2			HIGIM					ΧĽ		NOTESTABLE THEN	₹ }	۱,	1.2	HIGIM		(.0	1,4	7	×		RIGHT TRANSITION	∀ /Z		110001					ř	×	RIGHT TRANSITION	Y/N .		1110118	HTCHW					¥		ANSITION	D BY	Ħ	5- N 12
Back Curbs			LENGTH					JS		11211	Back Curbs			LENGTH		/-/	7	,	22	!	HIGHL	Back Curbs		r i v					ç	2	HEIR	Back Curbs		EDVO IT	FEMALE					SL		RESERVE		からかり	
			WIDTH					X۲			<u>₹</u>			HIGIM	I	\/	7/		×		HIGHT LANDING								ř	×	RIGHT LANDING			HIGHER	W/IDTH					¥		RIGHTI ANDING			
	DAILE	LENGTH			ON CURB	SLOPE	<u> </u>					DA DA	LENGTH			ON CURB	SLOPE			Ī		DA I E		LENGTH		ON CURB	SLOPE					DAIF		LENGTH		ON CURB	OLC:	2 OBT						DATE	X STREET
	DATE CONSTRUCTED						LEFT		Curb Height			DATE CONSTRUCTED						LEFT		Caro	FLARES	DATE CONSTRUCTED						- -	T 23		FLARES	CONSTRUCTED						<u>.</u>	- - - - - - - - - - - - - - - - - - -		Curb Height	E ARES			M-2 x+4
	CLED						RIGHT											RIGHT				7011						nigni	DICELT			CLED						Tagi I	DICLT						44

	Ϋ́N	COMPLIAN			TYPE		ĸ	RAMP 4				N/A	COMPLIANT			TYPE		NE NE	RAMP 3				Υ'N	COMPLIANT	<u> </u>	\ \ \ \ \ \ \ \		NW	RAMP 2			i i	COMPLIAN			TYPE		WN	RAMP 1		SUB-CONTRACTOR	CONTRACTOR	CONTRACT NO.
Compliance Fo	HEMAHKS		LENGTH		<u> </u>			TS.	34V1	STREE		REMARKS	<u>-1F</u>	LENGTH					2	144	STREE		HEMARKS	_	LENGTH				SI.	JAKI	STREE	, 170 E85 170		LENGTH					SL	JAAL	TRACTOR	HOTO	OT NO.
Compliance Form FIXED 4-07.xls	Ċ:		HIGIM				•	۲	B AND E	STREET LANDING		S		HIGIW					×	TYPE B AND E	STREET LANDING		S		WIDTH		Ì		×	TYPE B AND E	STREET LANDING	۵		HTOW					ΧĽ	TYPE B AND E		/	2/2
ਲ			LENGTH	_			·	SL	Н	-				LENGTH					SL	ALLO	Н				LENGTH				SL	ALL OT	4								JS.	+	1~		7220
			HI WIDTH	_				۲	ALL OTHER TYPES	COUNTER SLOPE		-		H101M H			_		×	ALL OTHER TYPES	COUNTER SLOPE				H WIDTH		1		¥	ALL OTHER TYPES	COUNTER SLOPE		-	LENGTH WIDTH				_	¥	ALL OTHER TYPES			> 0 <
		Y/N	CON	_	BOT/RT	MID	TOP/LT		S				ĭ ∑ E	္ခ	AVG	BOT/RT	Mid	TOP/LT		σ.	1''			Y/V	Ŝ	AVG	2	TOP/LT		S			Y/N	LIP	_	BOT/RT	MID	TOP/LT		S			2
			ANT LENGTH	-	17		1.	SL		SIIS		L	<u>l.</u>	ANT LENGTH	2,	47		<u>'</u>	SL.		S			₩ 	ANT LENGTH	11 5.7	7	77.73	SL		41S			INT LENGTH	┅	=		Τ.	SF.	0 7 7 1			
			HIDIM HI					ΧL		STREET RAMP		ŀ		HIGIW HI					×	╀	STREET RAMP			べん	H WIDTH	7 101	7		<u>خ</u>		STREET HAMP			H10tM H1					· ×	JEET HAIMP			1.
			TH LENGTH	-				- SL	H	1		\mid		TH LENGTH					SL	+	Н				TH LENGTH	1, 4	.,		SL				_	TH LENGTH				\dashv	SL	\dagger		CURB FI	0
			Н							TOP LANDING		-		HIGIM HIE					¥	╀	TOP LANDING			カープ	TH WIDTH	7	+	7 7	<u>'</u> ≱	H	TOP LANDING			HIGIM HIS	_				¥	- CANDING	S	MPS TO	:URB R/
			WIDTH LE	\vdash				XL :	Ц	4		ŀ		_					┝	+	Н			(é)	┷	2	}	70	L				_	-	-			-	_	+	CONCRETE PLACEMENT	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF	CURB RAMP COMPLIANCE FORM
			LENGTH W					SL		LEFT TRANSITION		-		LENGTH W					2	╀	LEFT TRANSITION			<u>ښ</u> چې	LENGTH W	0 7,2	4				LEFT TRANSITION			LENGTH W	_			-	SL J	LEFT HANSITION	PLACEME	CTED WII	MPLIAN
			WIDTH LEV					ΧĽ		NOI		F		WIDTH LEN					ř		H				WIDTH LEN	7 50) F	1,4	ř	Ħ				WIDTH LEN					Χ̈́	+	TN	THN 72-H	CE FOR
			IGTH					SL		LEFT LANDING		ŀ		ЮH				ļ .	SL	-	LEFT LANDING				GTH		1	F	SL		LEFT LANDING			HID					SL	LEFT LANDING		OURS OF	M
	0		HIGIM					ΧL	Ц	4	<u>ō</u>	1		HIGIW					ř		Ц	ġ			WIDTH 1	1	\ *	4	¥	Ц	4	<u></u>		HIGIW				_	¥	_			<u> </u>
	Dect Warn		LENGTH					SL		RIGHT TRANSITION	Dect Warn			LENGTH					SL		HIGHT TRANSITION	Dect Warn		6,3	LENGTH	- - - - - - - - -	1	222	SI		RIGHT THANSITION	Dect Warn		LENGTH					ઇ	HANSIION	DATE APPROVED	APPROVED BY	STREET
	Y/N		MIDIM					ΧL		NSITION	۲/۷			WIDTH					¥		NOTION	(₹	7	Ċ	HIGIM	(J)	7,C	¥		NSITION	Y/N		HIGIM					¥	NSITION	DEVO	37	اكهرد
	Back Curbs		LENGTH					SL		HIGHT	Back Curbs			LENGTH					5		RIGHTL	Back Curbs			LENGTH	4	1	#	SL		RIGHT	Back Curbs		LENGTH					오	HIGHT		£	1 1/4 H
			HIGIM					ΧL		HIGHT LANDING				MIDIH	·				×		RIGHT LANDING	<u>ک</u>	-		MIDIM	7	1	4	¥		RIGHT LANDING			HIGIM					ΧĽ	HIGHT LANDING			
ľ	DAI	LENGIH			ON CURB	SLOPE				1		SA SA	LENGIH	- Program		ON CURB	SLOPE	<u> </u>					DATE	LENGIH		ON CURB		SLOPE			Ì	DAIL		LENGTH		ON CURB	SLOPE					1	X STREET
	DATE CONSTRUCTED	- <u>-</u>			<u>B</u>		LEFT		Curb Height	FLARES		DATE CONSTRUCTED		1		נט		LEFT		Curb Height	FLARES		DATE CONSTRUCTED		1		<u> </u>	LEFT		Curb Height	FLARES	DATE CONSTRUCTED	l	_				LEFT		Curb Height			٤
	HUCIED						RIGHT		ght	S	,	RICTED TO						RIGHT		ght	S		RUCTED					RIGHT		jht	Ĭ	700						RIGHT		⋾			SAL.

	COMPLIANT Y/N	(ТҮРЕ		NE.	RAMP 4			YN	COMPLIANT			TYPE		Z :	RAMP 3			N/Y	COMPLIANT		- Y 7 E		W	RAMP 2			Υ'N	COMPLIANT		- 455	i i	W	RAMP 1	•	STREET	CONTRACTOR	CONTRACT NAME
Compliance Form FIXED 4-07.sts	REMARKS	LENGTH				SL	1 JAYT	STREET	HEMAHKS		HEBNET				Ç	2	IJAAL IJAHIS		REMARKS		LENGTH				ZĮ.	ΙЩį	SIBEE	REMARKS		CENGTH				SF	TYPE	STREET	HOT	T NAME
FIXED 4-07,xls	ŀ	WIDTH				¥	TYPE B AND E	STREET LANDING			HIDIM				ì	×	TYPE B AND E				WIDTH				¥	B AND E	ANIDINI	ļ		HIGIM				¥	TYPE B AND E	STREET LANDING		2026
		LENGTH				SL	 	-1			LENGTH				ç	<u>n</u>	ALLOTH		ľ		TENGTH			_	SL	ALL OTH				LENGTH				SL	ALL OT	COUNT	MAD LA	5
Z		WIDTH				ΧL	ALL OTHER TYPES	COUNTER SLOPE			HIGIM				è	_ _ _ 	ALL OTHER TYPES				WIDIH		Ť		×	ALL OTHER TYPES				LENGTH WIDTH				×	ALL OTHER TYPES	EH SLOPE	511012	20 Miles
1/K:	Y/V	8	BOT/RT	MID	TOP/LT		<u> "1 </u>			Y/N	<u>8</u>	$\overline{}$	BOT/RT	M S	1000	L				_	COMPLIAN	BOT/RT	ME	TOP/LT		<u>121</u>			۲/۷ ۲/۷	ġ,	вот/нт	MID	TOP/LT		94			_
x.	15.8	NT LENGTH	75.0	S, S	ا زار	SL	9	Z .		۲	NT LENGTH		7		۲	2	STR		f		NT LENGTH	-			212	<u>0</u>				NT LENGTH			1	SL		STR		
25	17	HT WIDTH	0.7	0	0 0.7	ΧĽ	01112				HIDIM				<u>}</u>	≤ .	STREET RAMP		ŀ		HIGIW				¥	O HEE HAMP				HIDIM				ΧĽ		STREET RAMP		
5,3×6.2	2	LENGTH	9,0),(70	SL	١	172			LENGTH				Ų.	2	101		-		LENGTH				SL	Ē		-		LENGTH				SL	į		CURB RAMPS TO BE INSPECTED WITHIN 72-HO	Ω
16.2	141	H WIDTH	0,0	(D.1	0.0	۲	TOP DANDING	X			HI MIDIH				<u> </u>	_	TOP LANDING		\mid		HIDIM				XL	I OP LANDING		-		H WIDTH				ΧL		CON	MPS TO B	JRB RAI
	1114	+ LENGTH	7,7	3,0	2 , 2	JS					LENGTH				<u>S</u>	2	1433		-		1 LENGTH				SL	LEFT		Ì		LENGTH	 			SL	4	ᅱ뙳	E INSPEC	CURB RAMP COMPLIANCE FORM
	14.	HTQIW H	\perp			¥	LEFT HANSITION	TO A SIGNATION			H MIDTH				 <u>`</u>	<u> </u>	LEFT TRANSITION		F		HIGIW			\parallel	XΓ	LEFT TRANSITION		ŀ		HICIW HI				ΧL	20110	TE PLACEMENT	HIIM GEL	PLIANC
		LEN	()		,	SI	1				員				<u>s</u>	<u> </u>	П								SL			-						SL	1	7	IN 72-HOU	FORM
		GTH WIDTH	1/1			¥	LANDING				GTH WIDTH	İ			 ×		LEFT LANDING		ŀ	_	GTH WIDTH				×	EFT LANDING		ŀ		GTH WIDTH	-			×			URS OF	
Dect Warn	9	TH LENGTH	0.7	O,		SI.	_	<u> </u>	Dect Wam		TH LENGTH			-	<u>S</u>	+	Ц	Dect Warn	+	-	HENGTH				SL	4		1		TH LENGTH				SL	4	<u> </u>	APPF	STREET
am (Y) N	1, 4	HIDIW HI	2.0.5	7		≱	HIGHT TRANSITION		am Y/N		HIGIM HIS				 ×	╁	RIGHT THANSITION	am Y/N	\mid	_	WIDTH	-			×	RIGHT TRANSITION	am Y/N	}		HIGIM HIS				¥	TIGHT I PARSITION	DATE APPROVED	APPROVED BY	요
		-		71	┪	SI	T	1	N Back Curbs	-	TH LENGTH				SL	ł	П	N Back Curbs	<u> </u>		TENIOTH			\prod	SL	\forall	N Back Curbs	+		Н-				\dashv	1			10+1/
Back Curbs		LENGTH WIDTH	K		+		RIGHT LANDING	Jul 52	urbs		GTH WIDTH				┞	╁	HIGHT LANDING	Durbs	ŀ	+	╁			╁	_	HIGHT LANDING	Curbs	\mid		LENGTH WI			4	SL .	HIGHT LANDING	2011 XXIX	00000	シのナ
\vdash	<u> </u>	된 -	<u>1</u>	<u>ျှ</u>		ř	NG	_	_ 	Ę,	+	<u> </u>	2 9	2	×	-	NG	T	+	_	WIDTH	Q.	SI		ř	NG	Ţ	1	LEI	HEGIW	ON	SI	\dashv	ř	<u> </u>		-	×S
ON IE CONSTRUCTED	LENGTH	$\frac{1}{1}$	ON CURB	SLOPE :			Curb		DATE CO	LENGTH		0		Т	-	Curt		1 0 0 0 1 TO 0 1		LENGTH		ON CURB	SLOPE					DATE CONSTRUCTED	LENGTH	_	ON CURB	SLOPE						X STREET C
No. noc				+		ú	FLARES Curb Height	!	CONSTRUCTED		+			LEFT R		Height	FLARES				_			LEFT R		FLARES Curb Height		NS HUC				·	LEFT A		Curb Height			C.4137
					RIGHT	İ			E					RIGHT				į						RIGHT						\perp			RIGHT	i				

		Ϋ́Z	COMPLIANT		- 17		WS				N/V	COMPLIANT		137		WS	RAMP 7				N/A	COMPLIANT		- YUT		ZAMIT O				Y/N	COMPLIANT	フ	TYPE	o E	RAMP 5	
	<u>.</u>	REMARKS	*1	LENGTH \		ļ. <u>.</u>	F	I YPE B AND E	STREET LANDING		REMARKS		LENGTH V				SL	TYPE B AND E	STREET LANDING		REMARKS		LENGTH V	_		۵۲	TYPE B AND E	STREET LANDING	Cuch:	REMARKS		LENGTH V			SL	STREET LANDING
				WIDTH I		_	ř	Ļ	╬				1 HTGIM				4	\dashv	ᅱ				WIDTH L			}	L	H	~	.		T HLGIM			×	
				LENGTH	_		Ğ	ALL OTHER TYPES	COUNTER SLOPE				LENGTH				2	ALL OTHER TYPES	COUNTER SLOPE				LENGTH			ğ	ALL OTHER TYPES	COUNTER SLOPE	رح			LENGTH			<u>S</u>	ALL OTHER TYPES
				WIDTH		Ĺ	}	Y YPES	SLOPE	÷			WIDTH				×	TYPES	SLOPE				HTGIW		L	ļ	TYPES	SLOPE	Wa//(HTGIW			×	SLOPE
			Y/N	COMPLIANT	AVG	MID CT/DT	TOP/LT					Y/N LIP	COMPLIANT	AVG	MID	TOP/LT						Y/N □	COMPLIANT	AVG	MID	T/9/1			ح			COMPLIANT	BOT/RT			
				LENGTH			Ç	0	STREET RAMP				LENGTH				<u>S</u>		STREET RAMP				LENGTH			άĽ		STREET RAMP	λ ζζ,		7.6	LENGTH	7,7	5) _5 = - - - -	75	STREET RAMP
	·		-	HTGIW			À	¥	TRAMP				WIDTH				×Γ		FAMP				WIDTH			×		- RAMP	7'	.	1	WIDTH	1,7	0,6	×	RAMP
				LENGTH			ğ	Q.	T do L				LENGTH						7 dol				LENGTH			<u>κ</u>		71 dol	2×6	, [4	LENGTH	170	202	SL	TOP LANDING
				WIDTH			ř	4	TOP LANDING				HTGIW				×		TOP LANDING				HTGIW			ř		TOP LANDING	-		117	HIDIM	Ç,	2,0	Ϋ́	MDING
	•			LENGTH			Ö	2	HI THELL				LENGTH				SE		TETT TR				LENGTH			<u> </u>		HI LIET			7.21	LENGTH	0.5	<u>ئ</u> ئى: ك	JS	HT 1437
		İ		MIDTH			<u>}</u>	4	LEFT TRANSITION				HTDIW				ř		LEFT TRANSITION			•	HTGIM			ř		LEFT TRANSITION			<u>ر'ر</u>	HTGIW	1, 1		X	LEFT TRANSITION
		ŀ		LENGTH			ا	2	EF				LENGTH			ı	<u>S</u>		LEFT		İ		LENGTH			Ę.		LEF				LENGTH		7	SL	LEFT L
		ŀ		WIDTH	\dagger				T LANDING				WIDTH				Ă		TLANDING				HTDIW		i	ř		LANDING		ľ	\neg	HTGIW	7	+	×	LANDING
I	Dect Warn	Ì		LENGTH			o P		RIGHTT	Dect Warn			LENGTH				S		RIGHTT	Dect Warn		-	LENGTH			SE		RIGHTT	Dect Warn			HENGTH /		1	SL	RIGHTTI
	Y/N	ľ		HTOIW			}		RIGHT TRANSITION	Y/N			HTGIW				×		TRANSITION	Y/N		,	HTDIW			×		RIGHT TRANSITION	(Y)	2		HTGIW	Ň		×	RIGHT TRANSITION
ŀ	Back Curbs	Ì		LENGTH			٥٢	†	RIGHT	Back Curbs			LENGTH			Ì	SI	1	┪	Back Curbs	1		LENGTH			SE		RIGHT	Back Curbs			LENGTH		/	SE	$\neg \neg$
	cs.	ŀ		WIDTH			ř		LANDING				HIDIM				×	_	RIGHT LANDING	v,	İ		HTGIW			ř		RIGHT LANDING		.		HTGIW	$/\!\!\!/$	1	×	RIGHT LANDING
		DA	LENGTH	ч		SLOPE	†				DAT	LENGTH	4		3LOPE	1	1		1		DAT	LENGTH	<u></u>	ON CUR	SLOPE	T				DAT	LENGTH	Ť	ON CURB	SLOPE		
		DATE CONSTRUCTED	<u> </u>		- 00			Curb Height	FLARES		DATE CONSTRUCTED	<u> </u>				[EFT		Curb Height	FLARES		DATE CONSTRUCTED	<u></u>					Curb Height	FLARES		DATE CONSTRUCTED	<u> </u>		- 00			FLARES Curb Height
		RUCTED		\dashv		1	RIGHT	ght	S		RUCTED					RIGHT	.	ᇍ	S		TUCTED		1			1	μţ	σ		TUCTED	N.	\dagger	ž,	RIGHT	1 . 1	ăi 3

	N/A	COMPLIANT			TYPE	_	ZE	RAMP 4			V/V	COMPLIAN		TYPE		NE	RAMP			N/1	COMPLIAN	-		TYPE		WN	RAMP 2			N/A	COMPLIANT		TYPE		WN	RAMP 1		80B-CO	CONTRACTOR	CONTR/	CONTR/
	REMARKS	Ź	LENGTH		+		П	П	JAKL SIBEE		REMARKS	-1	LENGTH	<u> </u>		Ī	ω	HALL	STHEE		ᅮ	LENGIH						SIHEE		REMARKS		LENGTH				- TS	TYPE	SUB-CONTRACTOR	CTOR	CT NAME	CONTRACT NO.
	G		HIDIM				_	¥	STREET LANDING		S		HIDIM				Ϋ́	TYPE B AND E	TLANDING	٥	7	WIDIN					ΧĮ	TYPE B AND E		51		WIDTH				¥	TYPE B AND E	LANDING	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\sim	17(
	ŀ		LENGTH					ξ.	-			_	LENGTH				SL	_	-			TEINGLD					SL	ALLOTH				LENGTH				JS.	ALL OTH	COUNTE	2	757	65-20
	ľ		HIGIM					×	ALL OTHER TYPES			_1	WIDTH				×	ALL OTHER TYPES	COUNTER SLOPE			¥					ΧL	ALL OTHER TYPES				HIGIW				ΧL	ALL OTHER TYPES	COUNTER SLOPE	Show	4 50 WB	
		Y/N	8	AVG	BOT/RT	MID	TOP/LT		<u> </u>		-	√× × ×	COMPLIAN	BOT/RT	MID	TOP/LT					N/A	LIP	_	вот/нт	MID	TOP/LT					Y/N □	COMPLIANT	BOT/RT	MID	TOP/LT						
			LENGTH		,			SL	STRE		ŀ	•	TENGTH				SL		STREE		ľ	LCNGIL	1				SL	SIREE				LENGTH				SL		STREE			
			WIDTH					×	STREET RAMP				WIDTH				ΧL		STREET RAMP			¥ 10 10	_				ΧL	SIREEI RAMP				HIGIM				ΧŁ		T RAMP	2		
	ľ		LENGTH					SL	- GP				LENGTH				SL		10PL			בנועמודו					JS	1070				LENGTH				SL		1051	CURB RAMPS TO BE INSPECTED WITHIN 72-HOURS OF		CUR
	ľ		HIGIM					XL	I OP LANDING				WIDTH				ΧL		TOP LANDING			*					ΧL	OP LANDING				WIDTH				ΧL		CONCR	STOBEIN	.•	CURB RAMP COMPLIANCE FORM
			LENGTH					SL	121		ľ		LENGTH				SL					[] A					SL					LENGTH				JS		CONCRETE PLACEMENT	USPECTE		COMPL
ļ	l		WIDTH					ΧL	LEFT TRANSITION		Ī		WIDTH				ΧL		LEFT THANSITION			200	1				ΧL	LEFT TRANSITION				WIDTH				ΧĽ		ANSITION T	WITHIN 7		ANCE F
			LENGTH					SL	[E7-1-				LENGTH				SL					בהאפווי					SL	LEF-1 D				LENGTH				SL		7.1.1	2-HOURS		ORM
			HIGIM					. XL	LET LANDING				WIDTH				×		LEFT LANDING			***					ХL	EFILANDING				WIDIH				Ϋ́		EFT LANDING			
Dect Warn			LENGTH					SL	HIGH	Dect Wam			LENGTH				SL		RIGHT TE	Dect Warn		[ENCH				SL	RIGHT THANSITION	Deg want			LENGTH				SL		RIGHT TRANSITION	APPROVE	INSPECTOR	STREET
Y/N			HIGIM					ΧL	HIGHT TRANSITION	Y / N			WIDTH				¥		RIGHT TRANSITION	Y/N		**	WINTE				ΧL	ANOLION				WIDTH				×		HOVED	D BY	<	: م
Back Curbs			LENGTH					SL	HGH	Back Curbs	<u>.</u>		LENGTH				SL		HIGHT	Back Curbs							SL	HIGHT LANDING	Dack Cuido			LENGTH				SL		RIGHT LANDING		5	2
			HIGIW					ΧĽ	RIGHT LANDING				WIDTH				¥		RIGHT LANDING			1000	WINTH				×	ANDING	2			WIDTH				¥		ANDING			
	DAIE		LENGTH	_	ON CURB	SLOPE					DATE	LENGIH		ON CURB	SLOPE						DA E	LENGTH		ON CURB	SLOPE					UAIE	LEING I F		ON CUHB	SLOPE						DATE	X STREET
	CONSTRUCTED						LEFT		Curb Height		DATE CONSTRUCTED					LEFT		Curb Height	FLARES		DATE CONSTRUCTED					LEFT		Curb Height	E ABES	DATE CONSTRUCTED					LEFT		Curb Height	FLARES			45/16-77
	JCTED						RIGHT				CIED					RIGHT										RIGHT				S E			·		RIGHT						4

	ال)	Y/N REMARKS	ğ	LENGTH	- Y T T		RAMP 8 SL	П	OTBERT	Y/N REMARKS	COMPLIANT	LENGTH	BAAL	:	SW SC	П	STREET LANDING	Y/N REMARKS	Å	LENGTH	TYPE	Î	RAMP 6 SL	TYPE B AND E	CTD	YN REMARKS	E DINGI			SE
	1-21	11.		WIDTH LENGTH		!	XL SL	H	1			WIDTH LENGTH			XL SL	H	4			WIDTH LENGTH			Ц	+	┨		VELOCITIENCE	-		
	M/V		Y/N	WIDTH CO	BOT/R	MID	×	ALL OTHER TYPES			γ/ν LIP	WIDTH CC	BOT/R AVG	MID	×	ALL OTHER TYPES	COUNTER SLOPE		Y/N	WIDTH CC	BOT/RT	MID	╅╾┻	ALL OTHER TYPES	2	N/A	WIDTH COMPLIANT		MID	
	11×11	·	7,7,	LENGTH	0 (1,7, Ltd.	+	SL	SIREELHAMP		, , ,	ーくつい	LENGTH	0,7	0 7 7	S		STREET RAMP		Z	LENGTH	/AT		SL	STREET HAMP		Z	LENGTH			
1	4'v4x23.5'		17 元	WIDTH LENGTH) Lo 1.0	1 20	XL SL	AMP (UP LANDING		- - -		WIDTH LENGTH	0,7 0,5	0.5.	XL SL	+	AMP TOP ANDING	:		WIDTH LENGTH			XL SL	AMP TOP LANDING			WIDTH LENGTH	₩		ì
	18×8.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(29) 174	WIDTH LENGTH	1.1 3.5	(,) (,) (,) (,)	XL SL	_				WIDTH LENGTH	1,4 16,5	7.7 15.6	XL SL	4	┩			WIDTH LENGTH			XI SI	\bot			WIDTH LENGTH	$oldsymbol{oldsymbol{\sqcup}}$,
	,	ŀ	CII	H WIDTH LENG	5	1	×	LEFT TRANSITION L			ر,	H WIDTH LENG	+†	100 100 100 100 100 100 100 100 100 100	×	\dagger	FFT TRANSITION			H WIDTH LENG			×	LEFT TRANSITION L			WIDTH			ļ
			ババ	NGTH WIDTH	0	2.0 0.3	SL XL	LEFT LANDING			4	VGTH WIDTH	1	X /-//	SLXL				- 10	NGTH WIDTH			SL XL	LEFT LANDING	: 		LENGTH WIDTH			}
	Dect Warn Y/N		\neg	LENGTH WIDTH		0.7 2.0 0.7 4.0	SL XL	RIGHT TRANSITION	Dect Wam Y/N	⋰		LENGTH WIDTH	7-	22 03	SL XL	HIGHT TRANSITION	DICET TRANSPIC	Dect Warn Y/N		LENGTH WIDTH			SL XL	RIGHT TRANSITION	Dect Warn Y/N		LENGTH WIDTH			کار ح
	Back Curbs ()	+		LENGTH			SL	N RIGHT LANDING	Back Curbs W		Ć.	LENGTH	1,5	0,0		N HIGHI LANDING	202	Back Curbs		LENGTH			SL	N RIGHT LANDING	Back Curbs		LENGTH			25
	7	DATE	LENGTH	HTGIW	ON CURB	SIOPE	 		7	DATE	C C LENGTH	WIDTH	ON CURB	7	×	1		DATE	LENGTH	HTCIW	ON CURB	SI OPE	X		DAIL	_	WIDTH LENGTH	ON CURB	SLOPE	}
	י י	DATE CONSTRUCTED	ブン	(2,7	LEFT RIGHT	Curo Fielgiii	FLARES		CONSTRUCTED	17,1		72	LEFT RIGHT	0.00	FLARES Curb Height		CONSTRUCTED		:		TEFT BIGHT	Calo neight	FLARES	CONSTRUCTED		-		LEFT RIGHT	